

100TH ANNIVERSARY: 1921-2021



**DECORATIVE
HARDWOODS**
Association™

2021

WHERE TO BUY

HARDWOOD PLYWOOD, VENEER, & ENGINEERED HARDWOOD FLOORING

Decorative Hardwoods Association
Membership Directory

www.decorativehardwoods.org

Formerly the Hardwood Plywood & Veneer Association®



FORMERLY HPVA LABORATORIES®

EXPERTS IN TESTING & CERTIFICATION

The experienced scientists and technicians at Capital TestingSM (formerly HPVA Laboratories®) have been certifying and testing products and processes for conformance with national standards, federal and military specifications, and state and local building codes since 1954.

Accredited Testing & Certifications

- Formaldehyde Emissions Testing
- Flammability, Flame Spread & Smoke Testing
- Physical Testing
- Specialized Product Testing
- Legal Timber Lacey Act Certification
- Engineered Wood Products Certification

Capital TestingSM Accreditations

- ISO/IEC Standard 17065 Certification Agency
- ISO/IEC Standard 17020 Inspection Agency
- ISO/IEC Standard 17025 Testing Laboratory
- California EPA CARB Third-Party Certifier
- EPA TSCA Title VI Third-Party Certifier


“

As AHF's third-party CARB/TSCA certifier and testing lab, the quality and reliability of Capital Testing not only provides value to our customers, it allows us to maintain our focus on additional product development work knowing our testing is in good hands.

”



MATT MYERS,
MANAGER, RESEARCH & DEVELOPMENT
AHF PRODUCTS





HARDWOOD PANEL PRODUCTS

States Industries LLC brings the beauty and warmth of natural hardwoods and premium softwoods to architects, craftsmen and consumers. Designers and manufacturers of cabinets, furniture, casework and store fixtures depend on States hardwood panels to create beautiful, durable and environmentally responsible products.


Photo by Alex Wang



UV CURED
PREFINISHED PANELS



LARGE CORE AND
VENEER SELECTION



NAF & NAUF
PRODUCTS AVAILABLE



PANEL PROCESSING
CAPABILITIES



WHAT ARE YOU CREATING TODAY?

Proudly Certified:




 **SoyStrong™** **ARMORCORE** **NOVA** **Componability™** **ApplePly™**

800.626.1981
StatesInd.com





MAKING LIVES BETTER **FROM THE GROUND UP.**™



SkyPly®
HARDWOOD PLYWOOD

3660 Gateway St, Springfield OR 97477
800.245.1115 | www.roseburg.com

Choose SkyPly for Cabinetry, Casework, Wall Panels or Furniture

- Hand-selected hardwood veneers
- Offered in a range of species, veneer cuts, and matches
- Available on the most highly specified core options in North America such as Arreis®, Medex®, Medite® FR
- Finishing options include RediFinish, a UV coat protects from scratches, and RediPly, a hardwood veneer face with a TFL back for cabinetry applications

Available with peace of mind credentials:

- UL GREENGUARD certified
- CARB ULEF Exempt
- LEED® v4 credit support
- FSC® certified option FSC-C017580





Right product. Right size. Right location. Right company.

PENROD currently stocks a large variety of core veneer products at multiple port locations in North America. In fact, PENROD goes to places in the world other companies don't go to for the materials that fulfill the needs of manufacturers.

.....

PENROD OFFERS:

Core Veneer
Various Types of Platforms
Rotary and Sliced Faces

PENROD SOURCES PRODUCTS FROM:

North America • South America
Asia • Russia • Africa • And beyond

.....

FIND WHAT YOU NEED WITH PENROD.

Corporate Headquarters: Virginia Beach
PH (757) 498-0186 • FX (757) 498-1075
thePENRODcompany.com



Not just another pretty sliced veneer face.

YOU'VE FOUND YOUR BEST SOURCE FOR SLICED VENEER FACES.

With a great selection of both sliced veneer and lumber from which to choose, St-Raymond Veneers has a tremendous inventory of domestic species—from cherry, maple and red oak to hickory, cedar and walnut—as well as more exotic species such as khaya and sapele, so you can enjoy the quality and convenience of immediate shipment on many products.

SEE WHAT WE CAN DO FOR YOU.

PH (418) 337-4607

FX (418) 337-8342

SRVinc.com



Timber Products Company



Exquisite Hardwood Plywood & Veneer

At Timber Products, we manufacture the highest quality hardwood panel products for a wide range of applications. The variety of exquisite veneers and cores to choose from to build your panels will distinguish a room and its features. Our goal at Timber Products is to provide our customers with unparalleled solutions to fit your style needs.

Product Spotlight:

RhinoCoat™ Antimicrobial Prefinished Panels

- Our prefinished hardwood panels are now manufactured with BioCote™ silver ion preservative to inhibit the growth of up to 99.999% of the microbes such as bacteria and fungus that may cause unpleasant odors, degradation, discoloration, decay and staining of the panels*
- Size: any up to 4'x10' with a variety of core and veneer options

Heava Frame Ply Furniture Stock

- High quality laminate frame panel with multi-ply veneer layers and a solid core line. Excellent structural integrity for upholstered furniture.
- TSCA Title VI and CARB P2 Compliant

*However, RhinoCoat antimicrobial panels do not protect users against viruses, germs, bacteria or other disease organisms. This product should always be cleaned by users thoroughly before and after each use.



RhinoCoat™



Heava Frame Ply





INTRODUCTION



2021 is a monumental year for the Decorative Hardwoods Association. The association is marking its 100th Anniversary. Founded in Chicago, after four different city locations and a half-dozen name changes, the Decorative Hardwoods Association better describes our diverse membership of North American hardwood plywood, engineered wood flooring, and hardwood veneer manufacturers. We are fully operational in our new 15,000-square-foot, state-of-the-art testing facility and association offices located in Sterling, VA next to Dulles International Airport.

Capital Testing and Certification Services, formerly HPVA Laboratories, continues to be the recognized experts in engineered hardwood products, adding a suite of new physical performance testing capabilities this year.

We promote our members' products to the North American and global marketplace through our new website, the biweekly eNews that reaches 12,000 readers with diverse, pertinent news tailored for our industry and its customers, and this 2021 100th Anniversary edition of **Where to Buy** showcasing all our members, their products, their locations, and their key contacts. This award-winning directory makes it easy to specify and purchase American-made engineered hardwoods, certified to American standards. These American engineered hardwood products are the natural beauty that you can trust.

DHA continues to sponsor three national consensus standards for hardwood plywood (ANSI/HPVA HP- 1-2020), engineered wood flooring (ANSI/HPVA EF 2020), and a due diligence management system for sourcing legal timber (ANS LTDD 1.0 2015).

2020-2021 DHA Chairman of the Board

Mark Avery

Timber Products Company

DECORATIVE HARDWOODS ASSOCIATION

42777 Trade West Drive

Sterling, VA 20166

Phone: (703) 435-2900

Fax: (703) 435-2537

E-mail: hpva@decorativehardwoods.org

Web: www.decorativehardwoods.org

DHA PROFESSIONAL STAFF

Kip Howlett, President

Eva Mentel, Office Manager

HPVA LABORATORIES®/CAPITAL TESTING PROFESSIONAL STAFF

Josh Hosen, Director

Chris Palumbo, Senior Manager of Testing – Engineer

Chris Kaiser, Lab Tech II Fire Testing – Engineer

Shane Page, Lab Tech I, Emissions Testing

Patrick Dwyer, Lab Tech I, Physical Property - Engineer

DHA is a member of the following organizations:

American Forest & Paper Association

American Wood Council

American Hardwood Export Council

American Society of Testing & Materials

ANSI

Hardwood Forestry Fund

*Hardwood Federation International
Code Council*

National Fire Protection Association



Birchland Plywood-Veneer Limited

Custom Hardwood Plywood is our Specialty

- » 4th Generation Business with 80 Years of Knowledge & Experience
- » In House Veneer Mill with Custom Capabilities
- » Rotary Cut, Quarter Cut, Rift Cut & Plain Sliced
- » Over 100 Natural & Engineered Veneers
- » Special Sizes Available Up to 5' x 12'
- » Thickness Ranging from 1/8" to 2"
- » Short Turnaround Time
- » Sanded Cross Grain Panels
- » Wire Brushing & Texturing Capabilities
- » Melamine & High Pressure Laminates
- » Vast Inventory of Veneer & Core
- » Live Log Online Inventory for Selection of Specific Veneer Logs

Birchland Plywood-Veneer Limited

PO Box 430, Highway 17
Thessalon ON POR 1LO

www.birchlandplywood.com

Call Us at 1-800-461-2226

TEL 705-842-2430

FAX 705-842-2496

sales@birchlandplywood.com



TABLE OF CONTENTS

Color Key to Sections

Hardwood Plywood - Cut/Made-To-Size	13-17
Engineered Hardwood Flooring Manufacturers	19-22
Hardwood Plywood - Prefinished	23-28
Hardwood Plywood - Stock Panels	29-38
Veneer - Rotary	39-44
Veneer - Sliced	47-54
Veneer - Spliced	55-60
Distributors of Hardwood Plywood	61-64
Supplier Manufacturers and Distributors	65-72
Associate Members	73
Adhesive Manufacturers	75-76

Introduction to the Decorative Hardwoods Association	5
DHA Member Listing, Membership Category, Advertising Page	8-9
DHA Member Listing by Major Product Category	10-11
Association Profile	45
Environmental Certification Codes and Wood Species List	12
Facts About Decorative Hardwood Veneers	18
DHA 2021 Conference.....	45
The DHA Bookstore	54

Printed by Good Printers, 213 Dry River Road, Bridgewater, VA 22812. Toll Free: (800) 296-3731 Web: www.goodprinters.com

Copyright © 2021. Published by the Decorative Hardwoods Association. All rights reserved. Federal law prohibits the unauthorized reproduction, distribution, or exhibition of copyrighted materials.

DHA Member Company, *Membership Category* (Advertising Page)

A special thanks to the advertising member companies listed in blue.

AHF Products, <i>Flooring</i>	20
Altamont Company, <i>Associate Member</i>	73
Altec Integrated Solutions LTD, <i>Precision Machinery & Controls</i>	66
American OEM Wood Floors, <i>Flooring</i>	20
Anderson Hardwood Floors, Inc., <i>Flooring</i>	20
Appalachian Engineered Flooring Inc., <i>Flooring</i>	20
Armstrong World Industries – Ceiling Division, <i>Associate Member</i>	73
Atlantic Veneer Corp., <i>Rotary, Slicer</i>	40, 48
Bamboo Ecologic Corp., <i>Associate Member</i>	73
Besse Forest Products Group, <i>Cut-To-Size, Rotary, Slicer, Splicer</i> (See our ad on page 46)	16, 40, 42, 44, 53, 59
Birchland Plywood-Veneer Ltd., <i>Slicer, Splicer</i> (See our ad on page 6)	48, 56
Birchwood Manufacturing Co., <i>Rotary</i> (See our ad on page 46)	40
Cahaba Veneer, Inc., <i>Rotary, Slicer</i>	40, 48
Cargill Industrial Specialties, <i>Supplier</i>	66
Chesterfield Wood Products Inc., <i>Stock Panel</i>	30
Clarke Veneers and Plywood, <i>Rotary, Splicer</i>	40, 56
Columbia Forest Products, <i>Prefinished, Stock Panel, Rotary, Slicer</i> (See our ad on page 41)	24, 25, 26, 30, 31, 32, 33, 41, 49
Commonwealth Plywood Inc., <i>Stock Panel</i>	33
Commonwealth Plywood Co. Ltd., <i>Rotary</i>	42
Danzer Specialty Veneer (DSV), <i>Slicer</i> (See our ad, inside back cover)	49
Danzer Veneer Americas - East and West, <i>Slicer</i> (See our ad, inside back cover)	50
Danzer Canada Inc., <i>Splicer</i> (See our ad, inside back cover)	56
Darlington Veneer Co., Inc., <i>Stock Panel</i>	34
Eastern Panel Manufacturing Inc., <i>Cut-To-Size</i>	14
Eldcan Forest Products Ltd., <i>Slicer, Splicer</i>	50, 57
Fessenden Hall, Inc., <i>Distributor</i>	62
Fisher + Rückle Service, Inc., <i>Machinery Manufacturer</i>	66
Forcey Lumber & Veneer Co., <i>Slicer</i> (See our ad on page 51)	51
Franklin Adhesives & Polymers, <i>Adhesives & Polymers Manufacturer</i>	67, 76
The Freeman Corp., <i>Rotary, Slicer</i>	42, 52
From the Forest, <i>Flooring</i>	21
GL Veneer Co., Inc., <i>Cut-To-Size, Stock Panel</i>	14, 34
Goodman Veneer and Lumber Co., <i>Rotary</i> (See our ad on page 46)	42
Great Lakes Veneer, <i>Rotary, Slicer, Splicer</i>	43, 52, 57
Grenzebach Corp., <i>Machinery Manufacturer</i>	67
Hexion Inc., <i>Adhesives and Resins Manufacturer</i> (See our ad on page 74)	68, 75
Howell Hardwood Flooring, <i>Flooring</i>	21
Howell Plywood Corporation, <i>Cut-To-Size</i>	14
Husky Plywood, <i>Stock Panel</i>	34
J.M. Longyear, LLC, <i>Supplier</i>	68
Kimball International, Inc., <i>Associate Member</i>	73
Kinetic Company, Inc., <i>Supplier</i>	68
Laminate Technologies Inc., <i>Cut-To-Size, Stock Panel</i>	15, 35
Les Boises La Fleur Inc., <i>Slicer, Splicer</i> (See our ad on page 58)	52, 58

DHA Member Company, *Membership Category* (Advertising Page)

A special thanks to the advertising member companies listed in blue.

Lonza, Associate Member	73
Manthei Veneer, Rotary, Splicer	43, 59
Marwood, Slicer	53
McCathay Timber, Inc., HWPW/Veneer Sales Agent	43, 53
McMillan Shell LLC, DBA Nordic Shell Co., Associate Member	73
Meinan Machinery Works, Inc., Machinery Manufacturer	69
Merritt Machinery, LLC, Machinery Manufacturer	69
Moehring-Group, Rotary, Slicer, Splicer	40, 48, 60
Mohawk Industries, Flooring	21
Mullican Flooring, Flooring	22
Murphy Company, Cut-To-Size, Prefinished, Stock Panel (See our ad, back cover)	15, 26, 35
Norbord, Inc., Manufacturer	69
North Carolina State University, Associate Member	73
Northern Michigan Veneers, Inc., Rotary, Slicer, Splicer (See our ad on page 46)	44, 53, 59
Numatic Finishing Corp., Wood Prefinishing	70
Nydree Flooring LLC, Flooring	22
The Penrod Company/St-Raymond Veneers Inc., Rotary, Slicer, Splicer (See our ads on page 3)	44, 54, 59
Pittsburg Forest Products Co., Distributor	62
Raute Canada Ltd., Machinery Manufacturer	70
Robert Weed Corp., Distributor	63
Roberts Plywood Company, Distributor	63
Rocket Industrial, Supplier	70
Rockshield Engineered Wood Products ULC, Stock Panel	35
Roddis Lumber & Veneer Co. LP., Distributor	63
Roo Glue, Inc, Adhesives Manufacturer	71, 76
Roseburg Forest Products Co., Prefinished, Stock Panel (See our ad on page 2)	27, 35
Russell Plywood Inc., Distributor	64
S.J. Morse Company, Cut-To-Size	15
Shaw Hard Surfaces, Flooring	22
Siemer Milling Company, Additives & Extenders Manufacturer	71
SLR International Corp., Environmental Consulting	71
Solenis LLC, Adhesive Manufacturer	72, 76
SparTek Industries, Associate Member	73
States Industries LLC, Cut-To-Size, Prefinished, Stock Panel (See our ad on page 1)	16, 27, 36
St-Raymond Veneers Inc./The Penrod Company, Rotary, Slicer, Splicer (See our ads on page 3)	44, 54, 59
Taihei Machinery Works, Ltd., Machinery Distributor/Manufacturer	72
Techniply of Michigan, Stock Panel	36
Timber Products Company, Prefinished, Stock Panel, Rotary, Splicer (See our ad on page 4)	28, 37, 44, 59
Townsend Flooring Inc., Flooring	22
Veneer Technologies, Inc. (Moehring Group), Splicer	60
Westmill Industries Ltd., Dryer Parts Supplier & Dryer Rebuilder	72
Wisconsin Veneer & Plywood, Inc., Cut-To-Size, Rotary (See our ad on page 46).....	16, 44
The Wood Gallery, Inc., Cut-To-Size, Stock Panel	17, 38

DHA Members By Major Product Category

HARDWOOD PLYWOOD MANUFACTURERS

Chesterfield Wood Products Inc.	30
Columbia Forest Products	24,25,26,30,31,32,33
Commonwealth Plywood Inc	33
Darlington Veneer Co., Inc.	34
Eastern Panel Manufacturing Inc..	14
GL Veneer Co., Inc.	14, 34
Howell Plywood Corporation	14
Husky Plywood	34
Laminate Technologies	15, 35
Murphy Company	15, 26, 35
Rockshield Engineered Wood Products ULC	35
Roseburg Forest Products Co.	27, 35
S.J. Morse Company	15
States Industries LLC	16, 27, 36
Techniply of Michigan	36
Timber Products Company	28, 37
Wisconsin Veneer & Plywood, Inc.	16
The Wood Gallery, Inc.	17, 38

ENGINEERED HARDWOOD FLOORING

AHF Products	20
American OEM Wood Floors	20
Anderson Hardwood Floors, Inc.	20
Appalachian Engineered Flooring Inc.	20
From The Forest	21
Howell Hardwood Flooring	21
Mohawk Industries	21
Mullican Flooring	22
Nydree Flooring LLC	22
Shaw Hard Surfaces	22
Townsend Flooring Inc.	22

VENEER MANUFACTURERS AND SALES COMPANIES/SALES AGENTS

Atlantic Veneer Corp.	40, 48
Besse Forest Products Group	40, 42, 44, 53, 59
Birchland Plywood-Veneer Ltd.	48, 56
Birchwood Manufacturing Co.	40
Cahaba Veneer Inc.	40, 48
Clarke Veneers and Plywood	40, 56
Columbia Forest Products	41, 49
Commonwealth Plywood Co., Ltd.	42
Danzer Specialty Veneer (DSV)	49
Danzer Veneer Americas	50
Danzer Canada Inc.	56
Eldcan Forest Products Ltd.	50, 57
Forcey Lumber & Veneer Co	51
The Freeman Corp.	42, 52
Goodman Veneer and Lumber Co.	42
Great Lakes Veneer	43, 52, 57
Les Boises La Fleur Inc.	52, 58
Manthei Veneer	43, 59
Marwood	53
McCathay Timber, Inc.	43, 53
Moehring-Group	40, 48, 60
Northern Michigan Veneers, Inc.	44, 53, 59
The Penrod Co./St-Raymond Veneers	44, 54, 59
St-Raymond Veneers/The Penrod Co.	44, 54, 59
Timber Products Company	44, 59
Veneer Technologies Inc.	60
Wisconsin Veneer & Plywood, Inc.	44

DHA Members By Major Product Category

WHOLESALE STOCKING DISTRIBUTORS

Fessenden Hall, Inc.	62
Pittsburgh Forest Products Co.	62
Robert Weed Corp.	63
Roberts Plywood Company	63
Roddis Lumber & Veneer Co. LP	63
Russell Plywood Inc.	64

SUPPLIER DIVISION MANUFACTURERS AND SALES COMPANIES/SALES AGENTS

Altec Integrated Solutions LTD	66
Cargill Industrial Specialties	66
Fisher + Rückle Service, Inc.	66
Franklin Adhesives & Polymers	67, 76
Grenzebach Corp.	67
Hexion Inc.	68, 75
J.M. Longyear LLC	68
Kinetic Company, Inc.	68
Meinan Machinery Works, Inc.	69
Merritt Machinery, LLC	69
Norbord Inc.	69
Numatic Finishing Corp.	70
Raute Canada Ltd.	70
Rocket Industrial	70
Roo Glue, Inc.	71, 76
Siemer Milling Company	71
SLR International Corp.	71
Solenis LLC	72, 76
Taihei Machinery Works, Ltd.	72
Westmill Industries Ltd.	72

ASSOCIATE MEMBERS

Altamont Company	73
Armstrong World Industries – Ceiling Division	73
Bamboo Ecologic Corp	73
Kimball International, Inc.	73
Lonza	73
McMillian Shell LLC/DBA Nordic Shell Co.	73
North Carolina State University	73
SparTek Industries	73



ENVIRONMENTAL CERTIFICATION CODES & WOOD SPECIES LIST

ENVIRONMENTAL CERTIFICATION CODES

F – FSC

(Forest Stewardship Council) Certified

S – SFI

(Sustainable Forestry Initiative) Certified

O

Other Environmental Certifications

WOOD SPECIES

NORTH AMERICAN

Alder
Ash, Black/White
Aspen
Baldcypress
Basswood
Beech
Birch
Butternut
Cedar, Red/Western
Cherry
Coffeetree, Kentucky
Cordia
Cypress
Douglas Fir
Elm
Gum
Hackberry
Hemlock
Hickory
Holly
Koa
Madrona
Maple, Hard/Soft
Myrtle
Oak, Red/White
Pecan
Persimmon
Pine
Poplar
Redwood
Sassafras
Satine
Spruce
Sweetgum
Sycamore
Tulipwood
Tupelo
Walnut, American/Claro
Willow, Black
Yew

AFRICAN

Afrormosia
Anegre
Avodire
Bubinga (Rosewood)
Cameron
Doussie
Ebony
Etimoe
Fuma
Iroko
Khaya (African Mahogany)
Korina
Koto (African Chestnut)
Limba
Makore
Mahogany
Movingui
Mozambique
(*Amazaque, Ovangkol*)
Okoume
Padauk
Samba (Obeche)
Sapele
Wenge
Zebrawood

EUROPEAN

Beech
Cypress
Elm, Carpathian
Larch
Oak, Bog
Oak, English Brown
Oak, European White/Spessart
Sycamore
Walnut
Yew

ASIAN (FIJI, INDIA, PHILIPPINES, SE ASIA, ETC.)

Apitong
Dakua (Fiji Birch)
Damanu (Fiji Cedar)
Jelutong
Kaudamu (Fiji Oak)
Kauvula (Fiji Ramin)
Keruing
Luan, Philippine
Laurel, East Indian
Mengkulang
Meranti
Mersawa
Paldao
Ramin
Rosewood, East Indian
Rubberwood
Satinwood
Sen (Japanese Ash)
Sonora
Tamo
Teak

SOUTH AMERICAN/ CENTRAL AMERICAN

Canelo
Cativo
Ceiba
Coigue
Eucalyptus (Chilean Oak)
Goncalo Alves
Grenadillo (Cocobolo)
Imbuia
Jacaranda (Rosewood)
Kelobra
Lapuna
Laurel, Black
(Louro Preto)
Mahogany, Honduras
Olivillo
Pau Ferro
Pau Marfim (Guatambu)
Pine
Prima Vera
Sande
Santo Wood
Tawa (Brazilian Oak)
Teak (Plantation)
Tepa
Ulmo

AUSTRALIAN

Eucalyptus
Lacewood
Pine, New Zealand
"Queensland Walnut"



CUT/MADE-TO-SIZE HARDWOOD PLYWOOD

Hardwood plywood cut-to-size and made-to-size by the manufacturer is used for furniture, cabinet components, and specialty products.

- Versatile – a variety of shapes and sizes available.
- Can be machined to meet customer needs.
- Eliminates the need to purchase and maintain expensive machinery.
- Reduces waste, inventory, and labor costs.
- Simplifies just-in-time sourcing.
- Customized product increases efficiency and yield.



Photo courtesy of Murphy Company

MANUFACTURERS OF MADE-TO-SIZE/CUT-TO-SIZE HARDWOOD PLYWOOD

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde; NAUF – No Added Urea Formaldehyde; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

	SIZES AVAILABLE	THICKNESS AVAILABLE	GLUE TYPES/ CAPITAL TESTING CERTIFICATION	CORE TYPES
<u>EASTERN PANEL MANUFACTURING INC.</u> Keith Van Asch 235 Woodlawn Heights, P.O. Box 1036 Chatham, VA 24531 (434) 432-3055; Fax: (434) 432-2338 E-mail: easternpanel@comcast.net Web: www.easternpanel.com			TSCA Title VI	
<u>GL VENEER CO., INC.</u> Sales: Jeffrey Levin 2224 E. Slauson Ave. Huntington Park, CA 90255 (323) 582-5203; Fax: (323) 582-9681 E-mail: sales@glveneer.com Web: www.glveneer.com Environmentally Certified Products Available: F	All sizes available	All thicknesses available	TSCA Title VI	All cores available
<u>HOWELL PLYWOOD CORPORATION</u> Sales: Nick Elmore, Andy McDuffie P.O. Box 250 Dothan, AL 36303 (334) 792-1197; Fax: (334) 792-8967 E-mail: bthagard@howellplywood.com Web: www.howellflooring.com	Cut-To- Size	5/32" - 1"	Type II TSCA Title VI	Veneer Core

SPECIES MANUFACTURED: Ash, Birch, Hickory, Red Oak (Southern), Walnut, White Oak (Southern or Northern)

SPECIALTY ITEMS: Flooring Panels, Furniture Components

MANUFACTURERS OF MADE-TO-SIZE/CUT-TO-SIZE HARDWOOD PLYWOOD

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde; NAUF – No Added Urea Formaldehyde; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

SIZES AVAILABLE	THICKNESS AVAILABLE	GLUE TYPES/ CAPITAL TESTING CERTIFICATION	CORE TYPES
--------------------	------------------------	---	------------

LAMINATE TECHNOLOGIES, INC

161 Maule Road, Tiffin, OH 44883
(419) 448-0812; Fax: (419) 448-0811
Web: www.Lamtech.net

MURPHY COMPANY

Hardwood Plywood Division
Sales: John Murphy Jr., Executive VP
2350 Prairie Rd., Eugene, OR 97402
(541) 461-4545; Fax: (541) 461-4547
E-mail: sales@murphyplywood.com
Web: www.murphyplywood.com
Environmentally Certified Products Available: FSC, CARB Exempt, ULEF

48" X 96"
48" X 84"
48" X 72"

1/4" -
1-1/4"

Type I
Type II
NAF
NAUF
Phenolic
PVA
TSCA Title VI
ANSI/HPVA HP-1

Baltic Birch
Calibrated Platforms
Combination
MDF
Particleboard
Veneer

SPECIES MANUFACTURED: Alder-P, Ash-R,P,Q, Beech-R,P,Q, Birch-R,P, Cedar-P, American Cherry-R,P,Q, Hickory-P, Knotty Pine-P, Maple-R,P,Q, Red & White Oak-R,P,Q,I, Pecan-P, Poplar-R,P, Walnut-P, Q, Other Domestic Species-R,P,Q, Imported Species-R,P,Q

SPECIALTY ITEMS: Aromatic Cedar Paneling, Edge-Banded, Cut-To-Size, Cabinet Door Inserts, Drawer Sides/Backs/Bottoms Bull-Nosed/Grooved, Finished Stock Panels, Furniture Panels, Kitchen Cabinet Components, Sequence Matched and Numbered, Custom Order Panels

S.J. MORSE COMPANY

Sales: Stuart Eiland, David Pancake
2736 Northwestern Pike, P.O. Box 600
Capon Bridge, WV 26711
(304) 856-3423; Fax: (304) 856-3073
E-mail: info@sjmorse.com
Web: www.sjmorse.com
Environmentally Certified Products Available: FSC

Made-To-
Size up to
60" X 144"

Two-Ply
Through
3"

Type I
Type II
PVA

Combination
MDF
Particleboard

SPECIES MANUFACTURED: Exotics-R,H,P,Q,I, Any Species on Request-R,H,P,Q,I

SPECIALTY ITEMS: Rainforest Alliance-Audited Chain-of-Custody on FSC Certified Veneer Species, Core Materials and Panels Architectural and Blueprinted Panel Sets; Cut-To-Size, Edge-Banded, Internal Lumber, CNC Machining.

Burls, Cabinet Doors, Curved/Molded Panels, Doors, Furniture Panels, Table & Desk Tops – Flame Spread Rating A, B, C, 150 Canada

MANUFACTURERS OF MADE-TO-SIZE/CUT-TO-SIZE HARDWOOD PLYWOOD

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde;

NAUF – No Added Urea Formaldehyde; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

	SIZES AVAILABLE	THICKNESS AVAILABLE	GLUE TYPES/ CAPITAL TESTING CERTIFICATION	CORE TYPES
<u>STATES INDUSTRIES LLC</u>	48" X 120"	5/32" -	Type II	Combination
Sales: Dan Hitchcock	48" X 96"	1 1/2"	NAF	MDF
P.O. Box 41150, Eugene, OR 97404	48" X 84"		PVA	Particleboard
(541) 688-7871; Fax: (541) 689-8051	48" X 72"		TSCA Title VI	Veneer
(800) 626-1981	Cut-To-Size		ANSI/HPVA HP-1	
E-mail: dhitchcock@statesind.com				
Web: www.statesind.com				
Environmentally Certified Products Available: FSC, SFI				

SPECIES MANUFACTURED: Anigre-P,Q, Ash-R,P,Q,I, Beech-R,P,Q, Birch-R,P,Q, Imported Birch-R, Butternut-P, Cedar-P, American

Cherry-R,P,Q, Hickory-R,P, Maple-R,P,Q, Red & White Oak-R,P,Q,I, Pecan-R,P, Pine-P, Poplar-R,P, Sapele-P,Q, Sycamore-Q, Walnut-P,Q

SPECIALTY ITEMS: Aromatic Cedar Paneling, Banded, Drawer Sides/Backs Nosed/Grooved, Furniture Panels, Kitchen Cabinet Components, Machined Parts (Shaped), School/Church Components, Stock Panels, TV & Stereo, Table & Desk Tops, Veneer,

Veneer - Reconstituted, Veneer/Plywood-Musical Instruments – Flame Spread Rating A, B, C, 150 Canada

<u>WISCONSIN VENEER & PLYWOOD, INC.</u>	24" X 36"	1/8" -	Type I	Combination
A Besse Forest Products Group Company	to 48" X 96"	4"	Type II	MDF
Greg Besse, Pres; Wayne Brock, V.P. Op	Cut-To-Size		Phenolic	Particleboard
P.O. Box 352, Gladstone, MI 49837			PVA	Veneer
(906) 428-3113; Fax: (906) 428-1525			TSCA Title VI	
E-mail: besse-sales@bessegroup.com				
Web: www.bessegroup.com				
Environmentally Certified Products Available: FSC, Other				

SPECIES MANUFACTURED: Ash-R,P, Basswood-R, Beech-R,P, Birch-R,P, American Cherry-R,P, Hickory-R,P, Maple-R,P, Red Oak-R,P, White Oak-R,P,Q, Pecan-R,P, Pine-R,P, Poplar-R,P, Walnut-R,P, Any Species on Request-R,P

SPECIALTY ITEMS: Die Boards, Furniture Panels, Kitchen Cabinet Components, School/Church Components,

TV & Stereo, Table & Desk Tops, Veneer, Veneer/Plywood-Musical Instruments, Platforms

MANUFACTURERS OF MADE-TO-SIZE/CUT-TO-SIZE HARDWOOD PLYWOOD

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde;
NAUF – No Added Urea Formaldehyde; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

	SIZES AVAILABLE	THICKNESS AVAILABLE	GLUE TYPES/ CAPITAL TESTING CERTIFICATION	CORE TYPES
<u>THE WOOD GALLERY, INC.</u>	60" X 144"	3/32" -	Type I	Lumber
Sales: Barrett Lee	Cut-To-Size	1 1/2"	Type II	MDF
10724 Goodnight Lane, Dallas, TX 75220-2409			NAUF	Particleboard
(972) 869-9161; Fax: (972) 869-0449			CARB	Veneer
E-mail: barrett@woodgallery.biz			TSCA Title VI	
Web: www.woodgallery.biz				
Environmentally Certified Products Available: FSC, NAUF				

SPECIES MANUFACTURED: Exotics-R,H,Q, Anigre-P,Q, Ash-P,Q, Beech-P,Q, Birch-R,P,Q, Cedar-P,Q, American Cherry-P,Q, Hickory-P, Honduras Mahogany-P,Q, Maple-H,P,Q, Red & White Oak-P,Q,I, Pecan-P, Pine-P,Q, Poplar-P, Sapele-P,Q, Sycamore-P,Q, Walnut-P,Q, Any Species on Request-P,Q

SPECIALTY ITEMS: Aircraft Applications, Aromatic Cedar Paneling, Furniture Panels, Kitchen Cabinet Components, TV & Stereo, Table & Desk Tops, Veneered Raised Panels – Flame Spread Rating A



Facts About Decorative Hardwood Veneers

Types of Veneer Cuts

Depending on the manner in which a log is cut, strikingly different visual effects can be achieved with the wood's grain and characteristics. This is the beauty of working with hardwood veneer - that two logs of the same species, cut in different ways, produce distinctive, individual veneers!

Six principal methods of cutting veneer are used: rotary, quarter slicing, plain slicing, rift-cut, half-round slicing and lengthwise slicing.



Rotary

Rotary veneer is produced by centering the log in a lathe and turning it against a broad cutting knife which is set into the log at a slight angle. Rotary cut veneer can be sufficiently wide to provide full sheet (one piece) faces.



Quarter Slicing

Quarter sliced veneer achieves a straight grain appearance by slicing approximately perpendicular to the annual growth rings.



Plain Slicing

Plain sliced veneer is veneer sliced parallel to the center of the log to achieve flat-cut veneer. The cathedrals are formed by the inner most growth rings as the veneer is cut through the flitch.



Rift-Cut

Rift-cut veneer is produced from the various species of oak. Oak has medullary ray cells which radiate from the center of the log like the curved spokes of a wheel. This straight grain cut is at a slight angle to the medullary rays to minimize ray fleck (flake).



Half-Round Slicing

Half-round slicing is cutting on an arch roughly parallel to the center of the log to achieve flat-cut veneer. The cathedrals can have more rounded tops since the grain is formed by the inner most growth rings as the veneer is cut through the flitch.



Lengthwise Slicing

A board of flat sawn lumber is passed flat over a stationary knife. As it passes, a sheet of veneer is sliced from the bottom of the board. This produces a variegated figure.

Figure Characteristics of Veneers

The figure of the face veneer is of the utmost importance to the designer and architect, because the whole character of the completed installation may be determined by the choice of veneer to be used. When discussing figure in wood, those who deal with veneer usually describe the characteristics of the "movement" in the wood - whether it has wide or narrow heart, cathedral, crossfire, or is highly figured.

Some of the more commonly used veneers are illustrated below.



Cherry,
American Black



Elm,
Carpathian Burl



Maple,
Hard



Oak,
Rift-Cut



Walnut,
Quartered

Our thanks to Sieling and Jones, Inc. for the photographs of veneer.



ENGINEERED HARDWOOD FLOORING

- Easy to install and maintain.
- Economical solution for renovating areas or replacing existing flooring.
- Adds warmth and beauty to any room.
- Dimensionally stable.
- Tight tolerances for consistent fit.
- Engineered for strength and stability.



Photo courtesy of From The Forest

MANUFACTURERS OF ENGINEERED HARDWOOD FLOORING

GLUE TYPES: Exterior – Technical; Exterior – Type I;

Interior – Type II; NAF – No Added Formaldehyde; NAUF – No Added Urea Formaldehyde;

Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA EF

	SIZES AVAILABLE	FACTORY FINISHED	UNFINISHED	GLUE TYPES/ CAPITAL TESTING CERTIFICATION	CRITICAL RADIANT FLUX ASTM E648
AHF PRODUCTS 3840 Hempland Road, Mountville, PA 17554 (717) 251-1139 E-mail: matt.myers@ahfproducts.com Web: www.bruce.com	Thickness: 3/8", 1/2", 3/4", 7/16", 9/16" Width: 3"- 9" Bevel, Square, Random Length Textures: Scraped, Smooth, Wire-brushed	X Standard High Performance	--	Type II TSCA Title VI	--

SPECIES MANUFACTURED: Rotary – Ash, Birch, Cherry, Hickory, Maple, Red & White Oak, Pecan, Walnut and Rotary Acrylic Infused

AMERICAN OEM WOOD FLOORS Sales: Don Finkell 1438 Highway 96, Burns, TN 37029 (888) 415-9496; Fax: (888) 415-9491 E-mail: info@americanoem.com Web: www.americanoem.com	Thickness: 3/8", 1/2"	X	--	TSCA Title VI ANSI/HPVA EF	--
---	--------------------------	---	----	-------------------------------	----

SPECIES MANUFACTURED: Hickory, Maple, Red & White Oak, Walnut

ANDERSON HARDWOOD FLOORS, INC. Sales: John Patterson P.O. Box 1155, Clinton, SC 29325-1155 (864) 833-6250; Fax: (864) 833-6664 E-mail: info@andersonfloors.com Web: www.andersonfloors.com Environmentally Certified Products Available: FSC	Thickness: 1/2", 3/8" Width: 2 1/4", 3", 3 1/2", 4", 4 1/2", 5", 6 1/4", 7"	X	--	Type II PVA	--
--	--	---	----	----------------	----

SPECIES MANUFACTURED: Rotary - Elm, Hickory, Maple, Red & White Oak, Pecan

APPALACHIAN ENGINEERED FLOORING INC. Sales: 454, de la Rivière Cowansville QC Canada, J2K 3G6 (866) 213-1110; Fax: (450) 263-5343 E-mail: info@appalachianflooring.com Veneer/Face: Solid Sawn	Thickness: 1/2", 3/4" Width: 4", 5", 7"	X	X	CARB NAF	--
---	---	---	---	-------------	----

Manufacturing:
105 Industrial Park Dr., North Troy, VT 05859
(802) 988-1073; Fax: (802) 744-2993
E-mail: info@appalachianflooring.com
Web: www.appalachianflooring.com

SPECIES MANUFACTURED: Red Oak, White Oak Plainsawn, Maple and Hickory

MANUFACTURERS OF ENGINEERED HARDWOOD FLOORING

GLUE TYPES: Exterior – Technical; Exterior – Type I;

Interior – Type II; NAF – No Added Formaldehyde; NAUF – No Added Urea Formaldehyde;

Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA EF

	SIZES AVAILABLE	FACTORY FINISHED	UNFINISHED	GLUE TYPES/ CAPITAL TESTING CERTIFICATION	CRITICAL RADIANT FLUX ASTM E648
<u>FROM THE FOREST</u> Sales: Susan Lang 9004 Progress Way, Weston, WI 54476 (715) 359-2627; Fax: (715) 359-8624 E-mail: susan.lang@fromtheforest.com Web: www.fromtheforest.com	Thickness: 3/8", 1/2" Width: 4 1/4", 5", 6" 7 1/2", 8"	X	X	PVA TSCA Title VI	Class 1
<u>SPECIES MANUFACTURED:</u> American Cherry, Hickory, Northern Hard & Red Maple, Northern Red & White Oak, Walnut					
<u>HOWELL HARDWOOD FLOORING</u> Sales: Nick Elmore, Andy McDuffie P.O. Box 250, Dothan, AL 36302 (334) 792-1197; Fax: (334) 792-8967 E-mail: salesinfo@howellflooring.com Web: www.howellflooring.com	Thickness: 3/8", 1/2" Width: 2 1/4", 3", 4", 5" 6", 7" Bevel or Square	X	X	Type II TSCA Title VI	--
<u>SPECIES MANUFACTURED:</u> Hickory, Red Oak (Southern), Walnut, White Oak (Southern or Northern)					
<u>MOHAWK INDUSTRIES</u> Technical Contact: Jerry Midyette 100 Maxine Road, Danville, VA 24541 (434) 793-4647 E-mail: jerry_midyette@mohawkind.com Web: www.mohawkflooring.com	Thickness: 5/16", 3/8", 1/2" Width: 3", 3 1/4", 5", 5 1/4", 6 1/2" Random Length	X	--	Type II TSCA Title VI	Class 1

Dealer Locator: (800) 266-4295

Environmentally Certified Products Available:

FloorScore Certified

CARB NAF Exempt

CALGreen, CA Code of Regulations Title 24, Part II, 2010, Sections 4.504/5.504.4.6

ANSI/ASHRAE/USGBC/IES Standard 189.1.1-2009, Section 8.4.2.3: Floor Covering Materials

USGBC LEED CI, NC, Schools, 2009, IEQ Credit 4.3: LEM – Flooring Systems

USGBC LEED for Healthcare, 2009 (Feb 2011), IEQ Credit 4: LEM, Group 3 – Flooring

Collaborative for High Performance Schools (CHPS) rating system, 2009 Criteria EQ2.2.3: Flooring Systems

Green Guide for Healthcare, V2.2, 2007, EQ Credit 4.3: LEM – Flooring Systems

SPECIES MANUFACTURED: Ash, Cherry, Hickory, Maple, Oak, Walnut

MANUFACTURERS OF ENGINEERED HARDWOOD FLOORING

GLUE TYPES: Exterior – Technical; Exterior – Type I;

Interior – Type II; NAF – No Added Formaldehyde; NAUF – No Added Urea Formaldehyde;

Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA EF

	SIZES AVAILABLE	FACTORY FINISHED	UNFINISHED	GLUE TYPES/ CAPITAL TESTING CERTIFICATION	CRITICAL RADIANT FLUX ASTM E648
MULLICAN FLOORING 655 Woodlyn Road, Johnson City, TN 37601 (423) 283-4695; Fax: (423) 915-1213 Web: www.mullicanflooring.com Dealer locator: mullicanflooring.com Environmentally Certified Products Available: FSC, NWFA RPP	Thickness: 3/8", 7/16", 1/2" Width: 3", 5", 6", 6.5", 7"	X	X	TSCA Title VI	--
SPECIES MANUFACTURED: Hickory, Maple, Red & White Oak					
NYDREE FLOORING LLC Sales: Jason Brubaker 1115 Vista Park Drive, Suite C Forest, VA 24551 800/682-5698; Fax: 434/525-7879 E-mail: sales@nydreeflooring.com Web: www.nydreeflooring.com	Width: 2 2/3", 4" 5 1/4", 7 1/2", 8 1/4"	X	X	Type II NAF NAUF	All species are ASTM-E648 Class I with the Exception of Reclaimed Oak and Walnut
SPECIES MANUFACTURED: Acrylic Infused Sawn: American Walnut, Ash, Hickory, Red & White Oak, R&Q White Oak, Acrylic Infused Rotary: Maple					
SHAW HARD SURFACES Sales: Kevin Thompson P.O. Drawer 2128, Mail Drop 071 Dalton, GA 30722 (706) 275-1871; Fax: (706) 275-2039 E-mail: kevin.thompson@shawinc.com Web: www.shawfloors.com Environmentally Certified Products Available: FSC	Thickness: 3/8" Width: 3 1/4", 5"	X	--	Type II TSCA Title VI* (*Other TPC)	--
SPECIES MANUFACTURED: Rotary - American Cherry, Hickory, Maple, Red Oak, American Walnut					
TOWNSEND FLOORING INC. Pennington Road Warren, AR 71671 (870) 226-7103; Fax: (870) 226-3084	Thickness: 5/8" Width: 2.25", 3", 4", 5", 6", 7", 8"	X	X	EPI	ASTM E648
SPECIES MANUFACTURED: Hickory, Maple, Red & White Oak, Black Walnut					



PREFINISHED HARDWOOD PLYWOOD

**Hardwood plywood that is factory finished by the manufacturer.
Available in various veneer species, colors, overlays, finishes, and patterns.
For retail and industrial applications.**

- Consistent quality.
- Strong and dimensionally stable.
- Available in thicknesses from 1/10" to over 2".
- Lowers finish cost.
- Extremely durable.



Photo courtesy of Columbia Forest Products

MANUFACTURERS OF PREFINISHED HARDWOOD PLYWOOD

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde; NAUF – No Added Urea Formaldehyde; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

	SIZES AVAILABLE	THICKNESS AVAILABLE Industrial Panels Wall Panels	GLUE TYPES/ CAPITAL TESTING CERTIFICATION	CORE TYPES
COLUMBIA FOREST PRODUCTS	48" X 120"	5/32" -	CARB	Calibrated Platforms
Chatham, VA Plant	48" X 96"	1 1/4"	Type I	Combination
Sales: Mike Young, Mat'l. Cust. Svc. Mgr.	48" X 84"		Type II	MDF
100 Paul Rd., SW, Chatham, VA 24531	48" X 72"		NAF	Particleboard
(800) 237-2428; (434) 432-2591			TSCA Title VI	Veneer
E-mail: myoung@cfpwood.com				
Web: www.cfpwood.com				
Environmentally Certified Products Available: FSC® MIX				

SPECIES MANUFACTURED: Alder-P, Anigre-P, Ash-P, Aspen-R, Bamboo-P, Basswood-R, American Beech-R, P, European Beech-P, Birch-R,P, Butternut-P, Cedar-P, Red, Clear, Aromatic Eastern, Western Red Cedar-P, Knotty Cedar-P, Cherry-P, Cypress-P, Grey Elm-P, American Red Elm-P, Engineered Veneer Obeche-P, Douglas Fir-P, Red Gum-P, Grandis-P, Red-P, Hemlock-P, Hickory-P, Holly-P, Ipe-P, Jatoba-P, Larch-P, Khaya-P, Maple-R,P, Red Maple-R, Red Oak-R, P, White Oak-P, Eastern/Western Clear, Knotty & Yellow Pine-P, Poplar-R,P, Sapele-P, American Sycamore-P, Teak-P, Plantation-P, Tineo-P, Walnut-P, Other Species-Inquire-R,P,Q,I

FINISH TYPES: UV Wood™ (clear, color); Labcoat™ UV SEFA rated (clear, color) finish or UV "fill and seal" only

COLUMBIA FOREST PRODUCTS	60" X 108"	1/8" -	CARB	Calibrated Platforms
Hearst, ON, Canada Plant	60" X 120"	1-5/8"	Type I	Combination
Sales: Mike Young, Mat'l Cust. Svc. Mgr.	48" X 120"		Type II	MDF
225 Prince Street, P.O. Box 10/Case Postale 10	48" X 108"		NAF	Particleboard
Hearst, ON, Canada POL 1N0	48" X 96"		TSCA Title VI	Veneer
(888) 664-1964; (450) 437-1964	48" X 84"			
E-mail: myoung@cfpwood.com	48" X 72"			
Web: www.cfpwood.com	31" X 96"			
Environmentally Certified Products Available:	31" X 108"			
FSC® MIX	31" X 120"			
	29" X 96"			
	29" X 108"			
	29" X 120"			

SPECIES MANUFACTURED: Alder-P, Anigre-P, Ash-P, Aspen-R, Bamboo-P, Basswood-R, American Beech-R, P, European Beech-P, Birch-R,P, Butternut-P, Cedar-P, Red, Clear, Aromatic Eastern, Western Red Cedar-P, Knotty Cedar-P, Cherry-P, Cypress-P, Grey Elm-P, American Red Elm-P, Engineered Veneer Obeche-P, Douglas Fir-P, Red Gum-P, Grandis-P, Red-P, Hemlock-P, Hickory-P, Holly-P, Ipe-P, Jatoba-P, Larch-P, Khaya-P, Maple-R,P, Red Maple-R, Red Oak-R, P, White Oak-P, Eastern/Western Clear, Knotty & Yellow Pine-P, Poplar-R,P, Sapele-P, American Sycamore-P, Teak-P, Plantation-P, Tineo-P, Walnut-P, Other Species-Inquire-R,P,Q,I

FINISH TYPES: UV Wood™ (clear, color); Labcoat™ UV SEFA rated (clear, color) finish or UV "fill and seal" only

MANUFACTURERS OF PREFINISHED HARDWOOD PLYWOOD

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde; NAUF – No Added Urea Formaldehyde; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

	SIZES AVAILABLE	THICKNESS AVAILABLE		GLUE TYPES/ CAPITAL TESTING CERTIFICATION	CORE TYPES
COLUMBIA FOREST PRODUCTS	60" X 108"	1/8" -	--	CARB	Calibrated Platforms
Kitchener, ON, Canada Plant	60" X 120"	1-5/8"		Type I	Combination
Sales: Mike Young, Mat'l Cust. Svc. Mgr.	48" X 120"			Type II	MDF
21 Balzer Road	48" X 108"			NAF	Particleboard
Kitchener, ON, Canada N2C 1X5	48" X 96"			TSCA Title VI	Veneer
(888) 664-1964; (450) 437-1964	48" X 84"				
E-mail: myoung@cfpwood.com	31" X 96"				
Web: www.cfpwood.com	31" X 108"				
Environmentally Certified Products Available:	31" X 120"				
FSC® MIX	29" X 96"				
	29" X 108"				
	29" X 120"				

SPECIES MANUFACTURED: Alder-P, Anigre-P, Ash-P, Aspen-R, Bamboo-P, Basswood-R, American Beech-R, P, European Beech-P, Birch-R,P, Butternut-P, Cedar-P, Red, Clear, Aromatic Eastern, Western Red Cedar-P, Knotty Cedar-P, Cherry-P, Cypress-P, Grey Elm-P, American Red Elm-P, Engineered Veneer Obeche-P, Douglas Fir-P, Red Gum-P, Grandis-P, Red-P, Hemlock-P, Hickory-P, Holly-P, Ipe-P, Jatoba-P, Larch-P, Khaya-P, Maple-R,P, Red Maple-R, Red Oak-R, P, White Oak-P, Eastern/Western Clear, Knotty & Yellow Pine-P, Poplar-R,P, Sapele-P, American Sycamore-P, Teak-P, Plantation-P, Tineo-P, Walnut-P, Other Species-Inquire-R,P,Q,I

FINISH TYPES: UV Wood™ (clear, color); Labcoat™ UV SEFA rated (clear, color) finish or UV "fill and seal" only

COLUMBIA FOREST PRODUCTS	48" X 120"	5/32" -	--	CARB	Calibrated Platforms
Klamath Falls, OR Plant	48" X 96"	1 1/2"		Type II	Combination
Sales: Mike Young, Mat'l. Cust. Svc. Mgr.	48" X 84"			NAF	MDF
4949 S Hwy 97, Klamath Falls, OR 97601	48" X 72"			TSCA Title VI	Particleboard
(800) 547-1791; (541) 882-7281					Veneer
E-mail: myoung@cfpwood.com					
Web: www.cfpwood.com					
Environmentally Certified Products Available: FSC® Mix					

SPECIES MANUFACTURED: Alder-P, Anigre-P, Ash-P, Aspen-R, Bamboo-P, Basswood-R, American Beech-R, P, European Beech-P, Birch-R,P, Butternut-P, Cedar-P, Red, Clear, Aromatic Eastern, Western Red Cedar-P, Knotty Cedar-P, Cherry-P, Cypress-P, Grey Elm-P, American Red Elm-P, Engineered Veneer Obeche-P, Douglas Fir-P, Red Gum-P, Grandis-P, Red-P, Hemlock-P, Hickory-P, Holly-P, Ipe-P, Jatoba-P, Larch-P, Khaya-P, Maple-R,P, Red Maple-R, Red Oak-R, P, White Oak-P, Eastern/Western Clear, Knotty & Yellow Pine-P, Poplar-R,P, Sapele-P, American Sycamore-P, Teak-P, Plantation-P, Tineo-P, Walnut-P, Other Species-Inquire-R,P,Q,I

FINISH TYPES: UV Wood™ (clear); Labcoat™ UV SEFA rated (clear) finish or UV "fill and seal" only

MANUFACTURERS OF PREFINISHED HARDWOOD PLYWOOD

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde; NAUF – No Added Urea Formaldehyde; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

	SIZES AVAILABLE	THICKNESS AVAILABLE	GLUE TYPES/ CAPITAL TESTING CERTIFICATION	CORE TYPES	
		Industrial Panels	Wall Panels		
COLUMBIA FOREST PRODUCTS	60" X 108"	1/8" -	--	CARB	Calibrated Platforms
St. Casimir, QC, Canada Plant	60" X 120"	1-5/8"		Type I	Combination
Sales: Mike Young, Mat'l Cust. Svc. Mgr.	48" X 120"			Type II	MDF
420 Route Guibault	48" X 108"			NAF	Particleboard
St. Casimir, QC, Canada G0A 3L0	48" X 96"			TSCA Title VI	Veneer
(888) 664-1964; (450) 437-1964	48" X 84"				
E-mail: myoung@cfpwood.com	48" X 72"				
Web: www.cfpwood.com	31" X 96"				
Environmentally Certified Products Available:	31" X 108"				
FSC® MIX	31" X 120"				
	29" X 96"				
	29" X 108"				
	29" X 120"				

SPECIES MANUFACTURED: Alder-P, Anigre-P, Ash-P, Aspen-R, Bamboo-P, Basswood-R, American Beech-R, P, European Beech-P, Birch-R, P, Butternut-P, Cedar-P, Red, Clear, Aromatic Eastern, Western Red Cedar-P, Knotty Cedar-P, Cherry-P, Cypress-P, Grey Elm-P, American Red Elm-P, Engineered Veneer Obeche-P, Douglas Fir-P, Red Gum-P, Grandis-P, Red-P, Hemlock-P, Hickory-P, Holly-P, Ipe-P, Jatoba-P, Larch-P, Khaya-P, Maple-R, P, Red Maple-R, Red Oak-R, P, White Oak-P, Eastern/Western Clear, Knotty & Yellow Pine-P, Poplar-R, P, Sapele-P, American Sycamore-P, Teak-P, Plantation-P, Tineo-P, Walnut-P, Other Species-Inquire-R, P, Q, I

FINISH TYPES: UV Wood™ (clear, color); Labcoat™ UV SEFA rated (clear, color) finish or UV "fill and seal" only

MURPHY COMPANY	48" X 96"	5/32" -	1/8"	Type I	Baltic Birch
Hardwood Plywood Division	48" X 84"	1 1/4"	5/32"	Type II	Calibrated Platforms
Sales: John Murphy Jr., Executive VP	48" X 72"		5.0mm	NAUF	Combination
2350 Prairie Road, Eugene, OR 97402			1/4"	NAF	MDF
(541) 461-4545; Fax: (541) 461-4547			7/16"	Phenolic	Particleboard
E-mail: sales@murphyplywood.com				PVA	Veneer
Web: www.murphyplywood.com				TSCA Title VI	
Environmentally Certified Products Available: FSC, CARB Exempt, ULEF				ANSI/HPVA HP-1	

SPECIES MANUFACTURED: Alder-P, Ash-R, P, Q, Beech-R, P, Q, Birch-R, P, Cedar-P, American Cherry-R, P, Q, Hickory-P, Knotty Pine-P, Maple-R, P, Q, Red & White Oak-R, P, Q, I, Pecan-P, Poplar-R, P, Walnut-P, Q, Other Domestic Species-R, P, Q, Imported Species-R, P, Q

FINISH TYPES: Print, Stain, Prime, Color, Ultra Violet Topcoat

INDUSTRIAL PANELS: Banded/Edge Banded, Cut-To-Size, Furniture Panels, Cabinet Fronts, Drawer Sides/Backs: Edge Banded/Nosed/Grooved

WALL PANELS: Paper/Vinyl Overlay/Melamine/Printed - Flame Spread Rating C

MANUFACTURERS OF PREFINISHED HARDWOOD PLYWOOD

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde; NAUF – No Added Urea Formaldehyde; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

	SIZES AVAILABLE	THICKNESS AVAILABLE		GLUE TYPES/ CAPITAL TESTING CERTIFICATION	CORE TYPES
		Industrial Panels	Wall Panels		
ROSEBURG FOREST PRODUCTS CO.	48" X 120"	5/32" -	5/32" -	Type II	Calibrated Platforms
Sales: Kelly Robertson	48" X 96"	1 1/4"	1 1/4"	TSCA Title VI*	Combination
3660 Gateway Street				(*other TPC)	MDF
Springfield, OR 97477					Particleboard
(541) 784-2893; Fax: (877) 370-0907					Veneer
E-mail: kellyr@rfpco.com					
Web: www.Roseburg.com					
Environmentally Certified Products Available: FSC, Greenguard, CARB ULEF Exempt					

SPECIES MANUFACTURED: Red Alder-P, Ash-R,P,Q, Bamboo-P,Q, Basswood-R, Beech-P,Q, Birch-R,P,Q, Butternut-P, Cedar-P, Aromatic Cedar-P, Cherry-P,Q, Fir-P,Q, Hickory-P, Idaho White Pine-P, Knotty Pine-P, Maple-R,P,Q, Red and White Oak-R,P,Q,I, Sycamore-P,Q, Walnut-P,Q, Other Imported and Domestic Species Available Upon Request

FINISH TYPES: UV Topcoat, Catalyzed Water Based Paint

WALL PANELS: Architectural – Flame Spread Rating "C"

SPECIALTY ITEMS: RediBead Bead Board, RediPLY-Hardwood Veneer Face/TFL Laminate Back, Sequence Matched and Numbered, Veneer-Reconstituted

STATES INDUSTRIES LLC	48" X 120"	5/32" -	5/32" -	Type II	Combination
Sales: Dan Hitchcock	48" X 96"	1 1/2"	3/8"	TSCA Title VI	MDF
P.O. Box 41150, Eugene, OR 97404	48" X 90"			ANSI/HPVA	Particleboard
(541) 688-7871; Fax: (541) 689-8051	48" X 84"			HP-1	Veneer
(800) 626-1981	48" X 72"				
E-mail: dhitchcock@statesind.com					
Web: www.statesind.com					
Environmentally Certified Products Available: FSC, SFI					

SPECIES MANUFACTURED: Ash-R,P,Q,I, Beech-R,P,Q, Birch-R,Q, Cedar-P, American Cherry-R,P,Q, Hickory-R,P, Knotty Pine-P, Maple-R,P,Q, Red & White Oak-R,P,Q,I, Pecan-R,P, Poplar-R,P, Walnut-P,Q, Other Domestic Species-R,P, Imported Species-P

FINISH TYPES: Print, Stain, Ultra Violet Topcoat

INDUSTRIAL PANELS: Banded/Edge Banded, Cut-To-Size/Furniture Panels, Drawer Sides/Backs Nosed/Grooved, Machine Parts (Shaped) – Flame Spread Rating A, B, C, 150 Canada

WALL PANELS: Architectural – Flame Spread Rating C

MANUFACTURERS OF PREFINISHED HARDWOOD PLYWOOD

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde; NAUF – No Added Urea Formaldehyde; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

	SIZES AVAILABLE	THICKNESS AVAILABLE Industrial Panels Wall Panels	GLUE TYPES/ CAPITAL TESTING CERTIFICATION	CORE TYPES
TIMBER PRODUCTS COMPANY	48" X 96"	5.2mm -	Type II	MDF
Sales: Davis Edwards, Sales Manager	48" X 84"	1 1/4"	NAUF	Particleboard
3059 Forest Hill Irene Road	48" X 72"		CARB	Veneer
Germantown, TN 38138			NAF	Calibrated Platforms
(901) 624-8201; Fax: (901) 757-9482			TSCA Title VI*	Combination
(800) 477-6195			(*other TPC)	
E-mail: dedwards@timberproducts.com				
Web: www.timberproducts.com				
Environmentally Certified Products Available: FSC				
SPECIES MANUFACTURED: Ash-R,P,I, Beech-R,P, Birch-R, Cedar-P, American Cherry-R,P,Q, Hickory-R,P, Knotty Pine-P, Maple-R,P,Q, Red & White Oak-R,P,I, Pecan-P, Poplar-R, Walnut-P, Imported Species-R,P, Veneer Reconstituted				
FINISH TYPES: Ultra Violet Topcoat				
TIMBER PRODUCTS COMPANY	48" X 120"	5/32" -	Type I	Combination
Sales: Davis Edwards, Sales Manager	48" X 96"	1 1/4"	Type II	MDF
P.O. Box 269	48" X 84"		NAUF	Particleboard
Springfield, OR 97477-0055	48" X 72"		CARB	Veneer
(901) 624-8201; Fax: (541) 744-5440	48" X 48"		NAF	Calibrated Platforms
(800) 547-9520			PHENOLIC	
E-mail: dedwards@timberproducts.com			PVA	
Web: www.timberproducts.com			TSCA Title VI*	
Environmentally Certified Products Available: FSC			(*other TPC)	
SPECIES MANUFACTURED: Ash-R,P,I, Beech-P, Birch-R,P, Cedar-R, American Cherry-R,P,I, Hickory-R,P, Knotty Pine-P, Maple-R,P,I, Red & White Oak-R,P,I, Pecan-P, Poplar-R, Walnut-P, Imported Species-R,P, Veneer Reconstituted				
FINISH TYPES: Ultra Violet Topcoat				
INDUSTRIAL PANELS: Banded/Edge Banded, Cut-To-Size/Furniture Panels, Drawer Sides/Backs Nosed/Grooved				



HARDWOOD PLYWOOD STOCK PANELS

Hardwood plywood stock panels are manufactured in standard sizes such as 4' x 8' or 4' x 10' and are commonly 1/4" to 3/4" in thickness. Stock panels are available through distribution centers for industrial users or through mass merchandisers for commercial and do-it-yourself customers.

Frequently cut to component size by the end user.

- Consistent quality.
- Diverse selection of species.
- Strong and dimensionally stable.
- A variety of cores: veneer, MDF, particleboard, lumber, and combination core.
- Can be obtained finished.



Photo courtesy of Roseburg Forest Products Co.

MANUFACTURERS OF HARDWOOD PLYWOOD STOCK PANELS

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde; NAUF – No Added Urea Formaldehyde; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

	SIZES AVAILABLE	THICKNESS AVAILABLE Industrial Panels Wall Panels	GLUE TYPES/ CAPITAL TESTING CERTIFICATION	CORE TYPES
CHESTERFIELD WOOD PRODUCTS INC. Sales: M. Todd Powell, V.P. P.O. Box 1792, Morganton, NC 28680 (828) 433-0042; Fax: (828) 437-6525 E-mail: bvi1981@att.net	All Sizes up to 60" X 110"	1/16" - 1 1/2"	Type II NAF TSCA Title VI	Calibrated Platforms Combination Lumber MDF Particleboard Veneer
SPECIES MANUFACTURED: Exotics-P, Ash-H,P,Q, Beech-P, Birch-R,H,P, Burls-P, Aromatic Cedar-P, American Cherry-H,P,Q, Hickory-H,P, Idaho White Pine-P, Knotty Pine-P, Honduras Mahogany-P, Maple-R,H,P,Q, Red Oak-R,H,P, White Oak-R,H,P,Q, Pecan-H,P, Poplar-R,H,P, Walnut-H,P,Q SPECIALTY ITEMS: Aromatic Cedar Paneling, Blueprint Matched Panels, Cut-To-Size, Doors, Finished Stock Panels, Flitch Selection Available, Kitchen Cabinet Components, Matched Sets, Seat Backs, Sketch Face Panels, Veneer - Reconstituted				
COLUMBIA FOREST PRODUCTS Chatham, VA Plant Sales: Mike Young, Mat'l. Cust. Svc. Mgr. 100 Paul Rd., SW, Chatham, VA 24531 (800) 237-2428; (434) 432-2591 E-mail: myoung@cfpwood.com Web: www.cfpwood.com Environmentally Certified Products Available: FSC® MIX (FSC-C017500)	48" X 72" 84", 96", 120"	5/32" - 1 1/4"	CARB Type I Type II NAF TSCA Title VI	Calibrated Platforms Combination MDF Particleboard Veneer
SPECIES MANUFACTURED: Alder-P, Anigre-P, Ash-P, Aspen-R, Bamboo-P, Basswood-R, American Beech-R, P, European Beech-P, Birch-R,P, Butternut-P, Red, Clear, Aromatic Eastern, Western Red Cedar-P, Knotty Cedar-P, Cherry-P, Cypress-P, Grey Elm-P, American Red Elm-P, Engineered Veneer Obeche-P, Douglas Fir-P, Red Gum-P, Grandis-P, Red-P, Hemlock-P, Hickory-P, Holly-P, Ipe-P, Jatoba-P, Larch-P, Khaya-P, Maple-R,P, Red Maple-R, Red Oak-R, P, White Oak-P, Eastern/Western Clear, Knotty & Yellow Pine-P, Poplar-R,P, Sapele-P, American Sycamore-P, Teak-P, Plantation-P, Tineo-P, Walnut-P, Other Species-Inquire-R,P,Q,I FINISH TYPES: UV Wood™ Clear in flat, satin, medium gloss levels, SEFA-compliant Labcoat® OEM custom color programs with custom gloss: custom stain, foil application SPECIALTY ITEMS: PureBond® NAF MPX® featuring Meinan® peel x-bands; Classic Core®, Classic Lam® combi core; 8' x 4' counterfront; Europly Plus® multiply core; Radius® bending; SMN Sets; Enhanced Grain™ (wire brush)				
COLUMBIA FOREST PRODUCTS Craigsville, WV Plant Sales: Mike Young, Mat'l Cust. Svc. Mgr. 242 Callahan Road, Craigsville, WV 26205 (304) 742-5317; Fax: (304) 742-5167 E-mail: myoung@cfpwood.com Web: www.cfpwood.com Environmentally Certified Products Available: FSC® MIX (FSC-C017500)	48" X 72" 84", 96"	3/8" - 1-7/16"	Type II NAF TSCA Title VI	Calibrated Platforms Combination Veneer
SPECIES MANUFACTURED: Birch-R, Maple-R, Poplar-R, Red Oak-R FINISH TYPES: None SPECIALTY ITEMS: Engineered Wood Flooring Blanks, Furniture Framestock, Industrial Panels, Plywood Blanks				

MANUFACTURERS OF HARDWOOD PLYWOOD STOCK PANELS

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde; NAUF – No Added Urea Formaldehyde; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

	SIZES AVAILABLE	THICKNESS AVAILABLE	GLUE TYPES/ CAPITAL TESTING CERTIFICATION	CORE TYPES
COLUMBIA FOREST PRODUCTS	60" X 108"	1/8" -	CARB	Calibrated Platforms
Hearst, ON, Canada Plant	60" X 120"	1-5/8"	Type I	Combination
Sales: Mike Young, Mat'l Cust. Svc. Mgr.	48" X 120"		Type II	MDF
225 Prince Street, P.O. Box 10/Case Postale 10	48" X 108"		NAF	Particleboard
Hearst, ON, Canada P0L 1N0	48" X 96"		TSCA Title VI	Veneer
(888) 664-1964; (450) 437-1964	48" X 84"			
E-mail: myoung@cfpwood.com	48" X 72"			
Web: www.cfpwood.com	31" X 96"			
Environmentally Certified Products Available:	31" X 108"			
FSC® MIX (FSC-C017500)	31" X 120"			
	29" X 96"			
	29" X 108"			
	29" X 120"			

SPECIES MANUFACTURED: Alder-P, Anigre-P, Ash-P, Aspen-R, Bamboo-P, Basswood-R, American Beech-R, P, European Beech-P, Birch-R, P, Butternut-P, Red, Clear, Aromatic Eastern, Western Red Cedar-P, Knotty Cedar-P, Cherry-P, Cypress-P, Grey Elm-P, American Red Elm-P, Engineered Veneer Obeche-P, Douglas Fir-P, Red Gum-P, Grandis-P, Red-P, Hemlock-P, Hickory-P, Holly-P, Ipe-P, Jatoba-P, Larch-P, Khaya-P, Maple-R, P, Red Maple-R, Red Oak-R, P, White Oak-P, Eastern/Western Clear, Knotty & Yellow Pine-P, Poplar-R, P, Sapele-P, American Sycamore-P, Teak-P, Plantation-P, Tineo-P, Walnut-P, Other Species-Inquire-R, P, Q, I

FINISH TYPES: Polypropylene Overlay [Premeer], UV Topcoat, SEFA Certified, Fumed Oak

SPECIALTY ITEMS: PureBond® NAF MPX® featuring Meinan® peel x-bands; calibrated aspen industrial panels; CanAm™ Gold Plus™ basswood faced industrial panels; Classic Core® combi panels; Classic Lam® combi platforms; multiply domestic, all-birch core constructions

COLUMBIA FOREST PRODUCTS	60" X 108"	1/8" -	CARB	Calibrated Platforms
Kitchener, ON, Canada Plant	60" X 120"	1-5/8"	Type I	Combination
Sales: Mike Young, Mat'l Cust. Svc. Mgr.	48" X 120"		Type II	MDF
21 Balzer Road	48" X 108"		NAF	Particleboard
Kitchener, ON, Canada N2C 1X5	48" X 96"		TSCA Title VI	Veneer
(888) 664-1964; (450) 437-1964	48" X 84"			
E-mail: myoung@cfpwood.com	31" X 96"			
Web: www.cfpwood.com	31" X 108"			
Environmentally Certified Products Available:	31" X 120"			
FSC® MIX (FSC-C017500)	29" X 96"			
	29" X 108"			
	29" X 120"			

SPECIES MANUFACTURED: Alder-P, Anigre-P, Ash-P, Aspen-R, Bamboo-P, Basswood-R, American Beech-R, P, European Beech-P, Birch-R, P, Butternut-P, Red, Clear, Aromatic Eastern, Western Red Cedar-P, Knotty Cedar-P, Cherry-P, Cypress-P, Grey Elm-P, American Red Elm-P, Engineered Veneer Obeche-P, Douglas Fir-P, Red Gum-P, Grandis-P, Red-P, Hemlock-P, Hickory-P, Holly-P, Ipe-P, Jatoba-P, Larch-P, Khaya-P, Maple-R, P, Red Maple-R, Red Oak-R, P, White Oak-P, Eastern/Western Clear, Knotty & Yellow Pine-P, Poplar-R, P, Sapele-P, American Sycamore-P, Teak-P, Plantation-P, Tineo-P, Walnut-P, Other Species-Inquire-R, P, Q, I

FINISH TYPES: Polypropylene Overlay [Premeer], UV Topcoat, SEFA Certified, Fumed Oak

SPECIALTY ITEMS: PVA NAF composite assemblies in NAF and ULEF, Classic Core, Thin panels, CFP 60"s five foot wide composites, 8' x 4' counterfront

MANUFACTURERS OF HARDWOOD PLYWOOD STOCK PANELS

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde; NAUF – No Added Urea Formaldehyde; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

	SIZES AVAILABLE	THICKNESS AVAILABLE Industrial Panels Wall Panels	GLUE TYPES/ CAPITAL TESTING CERTIFICATION	CORE TYPES
COLUMBIA FOREST PRODUCTS Klamath Falls, OR Plant Sales: Mike Young, Mat'l. Cust. Svc. Mgr. 4949 S. Hwy 97, Klamath Falls, OR 97601 (800) 547-1791; (541) 882-7281 E-mail: myoung@cfpwood.com Web: www.cfpwood.com Environmentally Certified Products Available: FSC® Mix (FSC-C017500)	48" X 72" 84", 96", 120"	5/32" - 1 1/2"	CARB Type II NAF TSCA Title VI	Calibrated Platforms Combination MDF Particleboard Veneer
SPECIES MANUFACTURED: Alder-P, Anigre-P, Ash-P, Aspen-R, Bamboo-P, Basswood-R, American Beech-R, P, European Beech-P, Birch-R,P, Butternut-P, Red, Clear, Aromatic Eastern, Western Red Cedar-P, Knotty Cedar-P, Cherry-P, Cypress-P, Grey Elm-P, American Red Elm-P, Engineered Veneer Obeche-P, Douglas Fir-P, Red Gum-P, Grandis-P, Red-P, Hemlock-P, Hickory-P, Holly-P, Ipe-P, Jatoba-P, Larch-P, Khaya-P, Maple-R,P, Red Maple-R, Red Oak-R, P, White Oak-P, Eastern/Western Clear, Knotty & Yellow Pine-P, Poplar-R,P, Sapele-P, American Sycamore-P, Teak-P, Plantation-P, Tineo-P, Walnut-P, Other Species-Inquire-R,P,Q,I FINISH TYPES: UV Wood™ Clear in flat, satin gloss levels, SEFA-compliant LabCoat™, UV "fill and seal" SPECIALTY ITEMS: PureBond® NAF MPX® featuring Meinan® peel x-bands; Classic Core®, Classic Lam® combi core; 8' x 4' counterfront; Europly Plus® multiply core; industrial blanks; Radius® bending; SM&N sets				
COLUMBIA FOREST PRODUCTS Old Fort, NC Plant Sales: Mike Young, Mat'l. Cust. Svc. Mgr. P.O. Box 1148, Old Fort, NC 28762 (800) 438-6069; (828) 724-4191 E-mail: myoung@cfpwood.com Web: www.cfpwood.com Environmentally Certified Products Available: FSC® Mix (FSC-C017500)	48" X 96"	1/2" - 1 1/8"	CARB Type I Type II NAF TSCA Title VI	Calibrated Platforms Combination Veneer
SPECIES MANUFACTURED: Alder-P, Anigre-P, Ash-P, Aspen-R, Bamboo-P, Basswood-R, American Beech-R, P, European Beech-P, Birch-R,P, Butternut-P, Red, Clear, Aromatic Eastern, Western Red Cedar-P, Knotty Cedar-P, Cherry-P, Cypress-P, Grey Elm-P, American Red Elm-P, Engineered Veneer Obeche-P, Douglas Fir-P, Red Gum-P, Grandis-P, Red-P, Hemlock-P, Hickory-P, Holly-P, Ipe-P, Jatoba-P, Larch-P, Khaya-P, Maple-R,P, Red Maple-R, Red Oak-R, P, White Oak-P, Eastern/Western Clear, Knotty & Yellow Pine-P, Poplar-R,P, Sapele-P, American Sycamore-P, Teak-P, Plantation-P, Tineo-P, Walnut-P, Other Species-Inquire-R,P,Q,I FINISH TYPES: UV Wood™ Clear in flat, satin gloss levels, SEFA-compliant LabCoat™, UV "fill and seal" only [trans shipped from Chatham, VA] SPECIALTY ITEMS: PureBond® NAF MPX® featuring Meinan® peel x-bands; Classic Core®, Classic Lam® combi core; 8' x 4' counterfront; Europly Plus® multiply core; industrial blanks; Radius® bending; SM&N sets				

MANUFACTURERS OF HARDWOOD PLYWOOD STOCK PANELS

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde; NAUF – No Added Urea Formaldehyde; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

	SIZES AVAILABLE	THICKNESS AVAILABLE Industrial Panels Wall Panels	GLUE TYPES/ CAPITAL TESTING CERTIFICATION	CORE TYPES
<u>COLUMBIA FOREST PRODUCTS</u>	60" X 108"	1/8" -	CARB	Calibrated Platforms
St. Casimir, QC, Canada Plant	60" X 120"	1-5/8"	Type I	Combination
Sales: Mike Young, Mat'l Cust. Svc. Mgr.	48" X 120"		Type II	MDF
420 Route Guibault	48" X 108"		NAF	Particleboard
St. Casimir, QC Canada G0A 3L0	48" X 96"		TSCA Title VI	Veneer
(888) 664-1964; (450) 437-1964	48" X 84"			
E-mail: myoung@cfpwood.com	31" X 96"			
Web: www.cfpwood.com	31" X 108"			
Environmentally Certified Products Available:	31" X 120"			
FSC® MIX (FSC-C017500)	29" X 96"			
	29" X 108"			
	29" X 120"			

SPECIES MANUFACTURED: Alder-P, Anigre-P, Ash-P, Aspen-R, Bamboo-P, Basswood-R, American Beech-R, P, European Beech-P, Birch-R, P, Butternut-P, Red, Clear, Aromatic Eastern, Western Red Cedar-P, Knotty Cedar-P, Cherry-P, Cypress-P, Grey Elm-P, American Red Elm-P, Engineered Veneer Obeche-P, Douglas Fir-P, Red Gum-P, Grandis-P, Red-P, Hemlock-P, Hickory-P, Holly-P, Ipe-P, Jatoba-P, Larch-P, Khaya-P, Maple-R, P, Red Maple-R, Red Oak-R, P, White Oak-P, Eastern/Western Clear, Knotty & Yellow Pine-P, Poplar-R, P, Sapele-P, American Sycamore-P, Teak-P, Plantation-P, Tineo-P, Walnut-P, Other Species-Inquire-R, P, Q, I

FINISH TYPES: Polypropylene Overlay [Premeer], UV Topcoat, SEFA Certified, Fumed Oak

SPECIALTY ITEMS: • PureBond® NAF MPX® featuring Meinan® peel x-bands; Melawood®, Classic Core®, 8' x 4' counterfront; Radius® bending plywood; multiply, domestic, all-birch core constructions

<u>COMMONWEALTH PLYWOOD INC.</u>	48 1/2" X	1/4"	CARB II	Veneer
Sales: Jane Jones, Office Manager	96 1/2"	1/2"	Type II	
Tom Lawler, Atlantic		5/8"	NAF	
Delia Sherwood – Inside Sales		3/4"	TSCA Title VI	
Sheldon Golub – Northeast		1"		
P.O. Box 30, Whitehall, NY 12887				
(518) 499-0099; Fax: (518) 499-0187				
(800) 643-9475				
E-mail: jjones@cpiwhitehall.com				
Environmentally Certified Products Available: FSC				

SPECIES MANUFACTURED: Exotics-R, P, Q, White Ash-P, Basswood-R, Beech-P, Birch-R, Cedar-P, Aromatic Cedar-P, American Cherry-P, Fir (vertical grain)-P, Hickory-P, Idaho White Pine-P, Khaya-P, Maple-R, P, Q, Red Oak-R, P, Q, I, Sycamore-P, White Oak-P, Q, I, Clear & Knotty Pine-P, Sapele-P, Walnut-P, Any Species on Request-R, P, Q

SPECIALTY ITEMS: Finished Stock Panels

MANUFACTURERS OF HARDWOOD PLYWOOD STOCK PANELS

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde; NAUF – No Added Urea Formaldehyde; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

	SIZES AVAILABLE	THICKNESS AVAILABLE Industrial Panels Wall Panels	GLUE TYPES/ CAPITAL TESTING CERTIFICATION	CORE TYPES
<u>DARLINGTON VENEER CO., INC.</u>	60" X 96"	5/32" -	ULEF	Permawood
Sales: Hugh Reynolds	48" X 144"	1 1/2"	Type I	Permacore I & II
P.O. Box 1087, Darlington, SC 29540	48" X 120"		Type II	Calibrated Platforms
(843) 393-3861; Fax: (843) 393-4441	48" X 96"		NAF	Combination
E-mail: hreynolds@darlingtonveneer.com	48" X 84"		TSCA Title VI	MDF
Web: www.darlingtonveneer.com	48" X 72"			Particleboard
Environmentally Certified Products Available: FSC, Other				Unidirectional Veneer

SPECIES MANUFACTURED: Exotics-R,H,P,Q,I, Red Alder-P, Anigre-P,Q, Ash-R,H,P,Q, Basswood-P, Beech-P,Q, Birch-R,P,Q, Butternut-P, Cedar-P, Aromatic Cedar-P, American Cherry-R,H,P,Q, Elm-P, Fir-Vertical Grain-P,Q, Hickory-R,H,P, Idaho White Pine-P, Khaya-R,H,P,Q, Honduras Mahogany-H,P,Q, Maple-R,H,P,Q,I, Red & White Oak-R,H,P,Q,I, Pecan-R,H,P, Knotty Pine-P, Poplar-R,H,P, Sapele-H,P,Q, Sycamore-P,Q, Walnut-H,P,Q, Any Species on Request-R,H,P,Q,I

SPECIALTY ITEMS: Bending Panels, Fire Retardant Class A, Counter Fronts, Center Matched Panels, Sequenced Sets, Engineered Veneer, UV Top Coating

<u>GL VENEER CO., INC.</u>	All sizes available	All thicknesses available	Exterior Technical Type I Interior Type II TSCA Title VI	All cores available
Sales: Jeffrey Levin				
2224 E. Slauson Ave.				
Huntington Park, CA 90255				
(323) 582-5203; Fax: (323) 582-9681				
E-mail: sales@glveneer.com				
Web: www.glveneer.com				

SPECIES MANUFACTURED: Over 200 species of domestics and exotics

SPECIALTY ITEMS: Live Edge Slabs, Logs, Veneer Faces, Sketch Faces, Exotic Veneer, Blueprint Matched Panels, Architectural Panels, Fire Rated Products, Oversize Plywood, Cut-To-Size Plywood, Custom Plywood, High Pressure Laminates

<u>HUSKY PLYWOOD</u>	48" X 120"	1/8" -	Type I	Calibrated Platforms
(Division of Commonwealth Plywood Inc.)	48" X 108"	2"	Type II	Combination
Sales: Christian Noël, V.P., Plywood	48" X 96"		NAF	Lumber
15 Boulevard Labelle	48" X 84"		TSCA Title VI	MDF
Ste-Therese, QC, Canada J7E 4H9	48" X 72"			Particleboard
(450) 435-6511; Fax: (450) 435-6295	36" X 96"			Veneer
(866) 414-8759				All Maple
E-mail: cnoel@commonwealthplywood.com				
Web: www.huskyplywood.com				
Environmentally Certified Products Available: FSC, Other				

SPECIES MANUFACTURED: Exotics-R,H,P,Q,I, Red Alder-P, Anigre-P,Q, Ash-R,P,Q,I, Beech-P, Birch-R,P, Butternut-P, Cedar-P, Aromatic Cedar-P, American Cherry-P,Q,I, Fir-Vertical Grain-P, Hickory-P, Idaho White Pine-P, Khaya-P, Knotty Pine-P, Honduras Mahogany-P, Maple-R,P,Q,I, Red & White Oak-R,P,Q,I, Pecan-P, Poplar-P, Sapele-P,Q, Sycamore-P,Q, Walnut-P,Q, Any Species on Request-R,P,Q,I

SPECIALTY ITEMS: Banded, Finished Stock Panels, Marine Panels, Veneer - Reconstituted – Flame Spread Rating C, Flex Core

MANUFACTURERS OF HARDWOOD PLYWOOD STOCK PANELS

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde; NAUF – No Added Urea Formaldehyde; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

SIZES AVAILABLE	THICKNESS AVAILABLE		GLUE TYPES/ CAPITAL TESTING CERTIFICATION	CORE TYPES
	Industrial Panels	Wall Panels		

LAMINATE TECHNOLOGIES, INC

161 Maule Road, Tiffin, OH 44883
(419) 448-0812; Fax: (419) 448-0811
Web: www.Lamtech.net

MURPHY COMPANY

Hardwood Plywood Division
Sales: John Murphy Jr., Executive VP
2350 Prairie Road, Eugene, OR 97402
(541) 461-4545; Fax: (541) 461-4547
E-mail: sales@murphyplywood.com
Web: www.murphyplywood.com
Environmentally Certified Products Available: FSC, CARB Exempt, ULEF

48" X 96" 5/32" -
48" X 84" 1 1/4"
48" X 72"
+ 1/2" oversized

Type I
Type II
NAF
NAUF
Phenolic
PVA
TSCA Title VI
ANSI/HPVA HP-1
Baltic Birch
Calibrated Platforms
Combination
MDF
Particleboard
Veneer

SPECIES MANUFACTURED: Alder-P, Ash-R,P,Q, Beech-R,P,Q, Birch-R,P, Cedar-P, American Cherry-R,P,Q, Hickory-P, Knotty Pine-P, Maple-R,P,Q, Red & White Oak-R,P,Q,I, Pecan-P, Poplar-R,P, Walnut-P, Q, Other Domestic Species-R,P,Q, Imported Species-R,P,Q

SPECIALTY ITEMS: Aromatic Cedar Paneling, Edge-Banded, Cut-To-Size, Cabinet Door Inserts, Drawer Sides/Backs/Bottoms Bull-Nosed/Grooved, Finished Stock Panels, Furniture Panels, Kitchen Cabinet Components, Sequence Matched and Numbered, Custom Order Panels

ROCKSHIELD ENGINEERED WOOD PRODUCTS

4 Bolsvert Crescent, Cochrane, ON P0L 1C0
Canada
(705) 272-7610; Fax: (705) 272-3509
Web: www.RockshieldEWP.com

48" X 96" 1/4" – 1 1/2"
48 1/2" X 96 1/2"

TSCA Title VI
Combination
MDF
Particleboard
Veneer

ROSEBURG FOREST PRODUCTS CO.

Sales: Kelly Robertson
3660 Gateway Street
Springfield, OR 97477
(541) 784-2893; Fax: (877) 370-0907
E-mail: kellyr@rfpco.com
Web: www.Roseburg.com
Environmentally Certified Products Available: FSC, Greenguard, CARB ULEF Exempt

48" X 120" 5.2mm -
48" X 96" 1 1/4"
Inquire Inquire

Type II
TSCA Title VI*
(*other TPC)
Calibrated Platforms
Combination
MDF
Particleboard
Veneer

SPECIES MANUFACTURED: Red Alder-P, Ash-R,P,Q, Bamboo-P,Q, Basswood-R, Beech-P,Q, Birch-R,P,Q, Butternut-P, Cedar-P, Aromatic Cedar-P, Cherry-P,Q, Fir-P,Q, Hickory-P, Idaho White Pine-P, Knotty Pine-P, Maple-R,P,Q, Red and White Oak-R,P,Q,I, Sycamore-P,Q, Walnut-P,Q, Other imported and domestic species available upon request

FINISH TYPES: UV Topcoat, Catalyzed Water Based Paint

WALL PANELS: Architectural – Flame Spread Rating "C"

SPECIALTY ITEMS: RediBead Bead Board, RediPly-Hardwood Veneer Face/TFL Laminate Back, Sequence Matched and Numbered

MANUFACTURERS OF HARDWOOD PLYWOOD STOCK PANELS

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde; NAUF – No Added Urea Formaldehyde; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

	SIZES AVAILABLE	THICKNESS AVAILABLE Industrial Panels Wall Panels	GLUE TYPES/ CAPITAL TESTING CERTIFICATION	CORE TYPES
STATES INDUSTRIES LLC	48" X 120"	1/8" -	Type II	Calibrated Platforms
Sales: Dan Hitchcock	48" X 96"	1 1/2"	NAF	Combination
P.O. Box 41150, Eugene, OR 97404	48" X 90"		TSCA Title VI	MDF
(541) 688-7871; Fax: (541) 689-8051	48" X 84"		ANSI/HPVA	Particleboard
(800) 626-1981	48" X 72"		HP-1	Veneer

E-mail: dhitchcock@statesind.com

Web: www.statesind.com

Environmentally Certified Products Available: FSC, SFI

SPECIES MANUFACTURED: Red Alder-R,P, Anigre-P,Q, Ash-R,P,Q, Beech-R,P,Q, Birch-R,P,Q, Butternut-P, Cedar-P, Aromatic Cedar-P, American Cherry-R,P,Q, Fir-Vertical Grain-P, Hickory-R,P, Idaho White Pine-P, Khaya-P,Q, Knotty Pine-P, Maple-R,P,Q, Red & White Oak-R,P,Q,I, Pecan-R,P, Poplar-R,P, Sapele-P,Q, Sycamore-Q, Walnut-P,Q

SPECIALTY ITEMS: Aromatic Cedar Paneling, Banded, Cut-To-Size, Drawer Sides/Backs Nosed/Grooved, Finished Stock Panels, Kitchen Cabinet Components, Machined Parts (Shaped), Veneer - Reconstituted - Flame Spread Rating A, B, C, 150 Canada

TECHNIPLY OF MICHIGAN	48" X 120"	1/8"-	Type I	Calibrated Platforms
Sales: Jon DeMotte	48" X 96"	1 1/2"	Type II	Combination
3996 US 31 South, Petoskey, MI 49770	48" X 84"		NAF	MDF
(231) 347-7040; Fax: (231) 347-3750	48" X 72"		Exterior	Particleboard
E-mail: jdemotte@techniply.com	60" X 96"		TSCA Title VI	Veneer
	60" X 120"			Multi-Ply

Environmentally Certified Products Available: FSC, CARB Certified, TSCA Title VI

SPECIES MANUFACTURED: Red Alder-P, Anigre-P,Q, Ash-R,P,Q, Bamboo-P,Q, Basswood-R, Beech-R,P,Q, Birch-R,P,Q, Butternut-P, Cedar-P, Aromatic Cedar-P, Cherry-P,Q, Fir-P,Q, Hickory-R,P, Idaho White Pine-P, Jatoba-P,Q, Khaya-P,Q, Knotty Pine-P, Maple-R,P,Q, Pecan-R,P, Red and White Oak-R,P,Q,I, Okuome-R, Sapele-P,Q, Sycamore-P,Q, Walnut-P,Q, Teak-P,Q, Zebrawood-Q, Other imported and domestic species available upon request

SPECIALTY ITEMS: Cut-To-Size, Finished Stock Panels, Flat & Rotary Die Boards, Kitchen Cabinet Components, Lazer Panels, Veneer-Reconstituted - Flame Spread Rating A,B,C, Door Skins

MANUFACTURERS OF HARDWOOD PLYWOOD STOCK PANELS

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde; NAUF – No Added Urea Formaldehyde; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

	SIZES AVAILABLE	THICKNESS AVAILABLE Industrial Panels Wall Panels	GLUE TYPES/ CAPITAL TESTING CERTIFICATION	CORE TYPES
<u>TIMBER PRODUCTS COMPANY</u>	48" X 96"	5.2mm -	Type II	MDF
Sales: Davis Edwards, Sales Manager	48" X 84"	1 1/4"	NAUF	Particleboard
3059 Forest Hill Irene Road	48" X 72"		CARB	Veneer
Germantown, TN 38138			NAF	Calibrated Platforms
(901) 624-8201; Fax: (901) 757-9482			TSCA Title VI*	Combination
(800) 477-6195			(*other TPC)	
E-mail: dedwards@timberproducts.com				
Web: www.timberproducts.com				
Mill: 2701 S. Harper Rd., Corinth, MS 38834				
(662) 287-3766; Fax: (662) 287-2147				
Environmentally Certified Products Available: FSC				

SPECIES MANUFACTURED: Exotics-P,Q, Red Alder-P, Anigre-P,Q, Ash-R,P,Q, Beech-P,Q, Birch-R,P, Cedar-P, Aromatic Cedar-P, American Cherry-R,P,Q, Fir-Vertical Grain-P, Hickory-R,P, Idaho White Pine-P, Khaya-P,Q, Knotty Pine-P, Maple-R,P,Q, Red & White Oak-R,P,Q,I, Poplar-P, Sapele-P,Q, Walnut-P

SPECIALTY ITEMS: Aromatic Cedar Paneling, Finished Stock Panels, Veneer – Reconstituted, Beaded, Cross Grain

<u>TIMBER PRODUCTS COMPANY</u>	48" X 120"	5/32" -	Type I	Calibrated Platforms
Sales: Davis Edwards, Sales Manager	48" X 96"	1 1/2"	Type II	Combination
P.O. Box 269, Springfield, OR 97477-0055	48" X 84"		NAUF	MDF
(901) 624-8201; Fax: (541) 744-5440	48" X 72"		CARB	Particleboard
(800) 547-9520	60" X 120"		NAF	Veneer
E-mail: dedwards@timberproducts.com	60" X 96"		PHENOLIC	
Web: www.timberproducts.com			PVA	
Mill: P.O. Box 1669, Medford, OR 97501			TSCA Title VI*	
(541) 773-6681; Fax: (541) 770-1509			(*other TPC)	
Mill: P.O. Box 1896, Grants Pass, OR 97526				
(541) 479-6822; Fax: (541) 479-0954				
Environmentally Certified Products Available: FSC				

SPECIES MANUFACTURED: Exotics-P,Q, Red Alder-P, Anigre-P,Q, Ash-R,P, Beech-P,Q, Birch-R,P, Cedar-P, Aromatic Cedar-P, American Cherry-R,P,I, Fir-Vertical Grain-P, Hickory-R,P, Idaho White Pine-P, Khaya-P,Q, Knotty Pine-P, Maple-R,P,Q, Red Oak-R,P,Q,I, White Oak-R,P,I, Pecan-P, Poplar-P, Sapele-P,Q,I, Walnut-P,Q

SPECIALTY ITEMS: Banded, Cut-To-Size, Drawer Sides/Backs Nosed/Grooved, Finished Stock Panels, Veneer – Reconstituted, Cross Grain

MANUFACTURERS OF HARDWOOD PLYWOOD STOCK PANELS

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde; NAUF – No Added Urea Formaldehyde; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB, ANSI/HPVA HP-1

	SIZES AVAILABLE	THICKNESS AVAILABLE		GLUE TYPES/ CAPITAL TESTING CERTIFICATION	CORE TYPES
		Industrial Panels	Wall Panels		
<u>THE WOOD GALLERY, INC.</u> Sales: Barrett Lee 10724 Goodnight Lane, Dallas, TX 75220-2409 (972) 869-9161; Fax: (972) 869-0449 E-mail: barrett@woodgallery.biz Web: www.woodgallery.biz Environmentally Certified Products Available: FSC, NAUF	Up to 77" X 160"	1/16" - 6"		Type I Type II CARB TSCA Title VI	Lumber MDF Particleboard Veneer

SPECIES MANUFACTURED: Exotics R,H,Q, Anigre-P,Q, Ash-P,Q, Beech-P,Q, Birch-R,P,Q, Burls-R, American Cherry-P,Q, Fir-Vertical Grain-Q, Hickory-P, Khaya-P,Q, Knotty Pine-P, Honduras Mahogany-P,Q, Maple-H,P,Q, Red & White Oak-P,Q,I, Pecan-P, Sapele-P,Q, Sycamore-P,Q, Walnut-P,Q, Any Species on Request-P,Q

SPECIALTY ITEMS: Aircraft Applications, Cut-To-Size – Flame Spread Rating A



ROTARY HARDWOOD VENEERS

- The grain pattern varies from log to log, making each piece its own natural unique piece of art.
- Wide variety of species available.
- Maximizes the usable veneer taken from each tree.
- Ability to select a specific flitch or “look.”
- By using hardwood veneer, you honor centuries of craftsman heritage and contribute to an environmentally responsible use of a natural resource.

For more information, read: *Facts About Decorative Veneers* listed in the Table of Contents.



Photo courtesy of Darlington Veneer Company

ROTARY HARDWOOD VENEERS MANUFACTURERS (M) AND SALES COMPANIES (S)

	MINIMUM THICKNESS	MAXIMUM THICKNESS	MINIMUM LENGTH	MAXIMUM LENGTH	TYPE
<u>ATLANTIC VENEER CORPORATION (M)</u> Division of Moehring-Group Sales: Jack Taylor P.O. Box 660, Beaufort, NC 28516-0660 (252) 728-3169; Fax: (252) 728-4203 E-mail: jtaylor@moehring-group.com Web: www.moehring-group.com Environmentally Certified Products Available: FSC, SFI, Other	1/100" 0.3mm	1/8" 3.2mm	--	216" 18' 5486mm	Rotary Half Round
SPECIES AVAILABLE: Ash, Aspen, Beech, Birch SPECIALTY ITEMS: Veneer - Edge Band, Veneer for Export, Veneer - Stock Panel/Door Faces					
<u>BIRCHWOOD MANUFACTURING CO. (M)</u> A Besse Forest Products Group Company Greg Besse, President; Wayne Brock, V.P. Operations P.O. Box 352, Gladstone, MI 49837 (906) 428-3113; Fax: (906) 428-1525 Mill: Rice Lake, WI E-mail: besse-sales@bessegroup.com Web: www.bessegroup.com Environmentally Certified Products Available: FSC, Other	1/50" 0.5mm	3/16" 4.8mm	10" 254mm	104" 2640mm	Rotary
SPECIES AVAILABLE: Red Alder, Ash, Aspen, Basswood, Birch, Cherry, Fir/Hemlock, Hickory/Pecan, Bird's-Eye, Curly/Fiddleback, Hard & Soft Maple, Red & White Oak, White & Yellow Pine, Poplar, Walnut, Other North American Species SPECIALTY ITEMS: Veneer-Cut-To-Size, Veneer for Export, Veneer-Stock Panel/Door Faces					
<u>CAHABA VENEER, INC (M)</u> Sales: Pete Browder, President P.O. Box 98, 324 Mill St., Centreville, AL 35042 (205) 926-9797; Fax: (205) 926-5496 E-mail: Pete@cahabaveneer.com Web: www.cahabaveneer.com	1/24" 1mm	3/16" 4.8mm	--	78"	Rotary
SPECIES AVAILABLE: Southern – Ash, Cypress, Gum, Hickory, Red and White Oak, Poplar, Sycamore, Tupelo Gum; Northern – Cherry, Hard Maple, Red and White Oak, Walnut SPECIALTY ITEMS: Cut-To-Size Veneer and Plywood, Skateboard Veneers					
<u>CLARKE VENEERS & PLYWOOD (S)</u> Sales: Stuart Clarke Bronson Newburger P.O. Box 4876, Jackson, MS 39296-4876 (601) 366-0331; Fax: (601) 366-0334 E-mail: info@clarkeveneers.com Web: www.clarkeveneers.com Environmentally Certified Products Available: FSC, Other	1/85" 0.3mm	1/6" 4.1mm	--	123" 3125mm	Rotary
SPECIES AVAILABLE: Exotics, Ash, Aspen, Basswood, Beech, Birch, Cottonwood, Fir/Hemlock, Black & Sweet Gum, Hard & Soft Maple, Red & White Oak, White & Yellow Pine, Poplar, Sycamore, Tupelo, Walnut, Other North American Species SPECIALTY ITEMS: Custom Splicing, Platforms, Veneer-Cut-To-Size, Veneer for Export, Veneer-Stock Panel/Door Faces					

ROTARY HARDWOOD VENEERS MANUFACTURERS (M) AND SALES COMPANIES (S)

	MINIMUM THICKNESS	MAXIMUM THICKNESS	MINIMUM LENGTH	MAXIMUM LENGTH	TYPE
<u>COLUMBIA FOREST PRODUCTS (M)</u>					
Hardwood Veneer Division	1/64"	1/17"	16"	123"	Rotary
Sales: Rocky Boucher, Director of Sales	0.4mm	1.5mm	406mm	3124mm	
Tanya Lamoureux, No. American Ven. Sales					
Wendy McGillivray, Sales Coordinator					
Adam Thurston, Inside Sales					
Jeremy Roberge, Inside Sales					
324 Bluff Rd., Newport, VT 05855					
(802) 334-3600; Fax: (802) 334-5149					
(800) 231-4148					
E-mail: rboucher@cfpwood.com					
Web: www.columbiaforestproducts.com					
Environmentally Certified Products Available: FSC					

SPECIES AVAILABLE: Ash, Basswood, Birch, Hard & Soft Maple, Red Oak, Tulip Poplar

SPECIALTY ITEMS: Custom Splicing, Custom Lumber Slicing, Log Run, Tulip Poplar, Aspen, Fir Platforms from multiple locations in 7/16", 11/16" with calibrated availability in 8', 9' and 10' lengths, Veneer-Cut-To-Size, Veneer for Export, Veneer-Stock Panel/Door Faces



Together, we manufacture success.

- North American rotary, sliced and cut-to-size decorative veneers in alder, ash, birch, maple, poplar and red oak, available with chain-of-custody assurance.
- Book matched, slip matched, planked appearance veneer panels as well as flitch stock and furniture grade sorts.
- TSCA Title VI compliant Menian® peel platforms, including Classic Lam® combination core panels, aspen industrial panels and framestock featuring PureBond® soy-based assembly technology.

Contact our veneer and platform sales team today:
1-800-231-4148 | veneerinfo@cfpwood.com



The power of responsible forestry



ROTARY HARDWOOD VENEERS MANUFACTURERS (M) AND SALES COMPANIES (S)

	MINIMUM THICKNESS	MAXIMUM THICKNESS	MINIMUM LENGTH	MAXIMUM LENGTH	TYPE
<u>COMMONWEALTH PLYWOOD CO., LTD. (M)</u>	1/50"	1/16"	14"	123"	Rotary
Veneer Division	0.5mm	0.59mm	356mm	3124mm	
Sales: Daniel Pacheco, Mike Palmerton, Jason Miller, Pierre Donais, Raul Dominguez					
15 Labelle Boulevard, P.O. Box 90					
Ste-Therese, QC, Canada J7E 4H9					
(450) 435-6541; Fax: (450) 435-2895					
E-mail: sales@commonwealthplywood.com					
Web: www.commonwealthplywood.com					
Environmentally Certified Products Available: Other					

SPECIES AVAILABLE: Basswood, Birch, Hard Maple, Red Oak

SPECIALTY ITEMS: Veneer-Cut-To-Size, Veneer for Export, Veneer-Stock Panel/Door Faces

<u>THE FREEMAN CORPORATION (M)</u>	1/21"	1/6"	--	63"	Rotary
Sales: Andrew Falk	1.2mm	4.2mm		1600mm	
P.O. Box 96, Winchester, KY 40392-0096					
(859) 744-4311; Fax: (859) 744-4363					
E-mail: sales@freemancorp.com					
Web: www.freemancorp.com					
Environmentally Certified Products Available: FSC					

SPECIES AVAILABLE: Red Alder, Beech, Birch, Cherry, Hickory/Pecan, Hard & Soft Maple, Red & White Oak, Poplar, Sycamore, Walnut, Other North American Species

SPECIALTY ITEMS: Veneer-Cut-To-Size, Veneer-Edge Band, Veneer for Export

<u>GOODMAN VENEER AND LUMBER CO. (M/S)</u>	1/42"	3/16"	50"	104"	Rotary
A Besse Forest Products Group Company	0.6mm	4.8mm	1270mm	2640mm	
Sales: Don Tomaszewski; Wayne Brock, V.P. Operations					
P.O. Box 352, Gladstone, MI 49837					
(906) 428-3113; Fax: (906) 428-1525					
E-mail: besse-sales@bessegroup.com					
Web: www.bessegroup.com					
Environmentally Certified Products Available: FSC, Other					

SPECIES AVAILABLE: Red Alder, Ash, Aspen, Basswood, Birch, Cherry, Hickory/Pecan, Bird's-Eye, Curly/Fiddleback, Hard & Soft Maple, Red & White Oak, Walnut, Other North American Species

SPECIALTY ITEMS: Veneer-Cut-To-Size, Veneer for Export, Veneer-Stock Panel/Door Faces, Platforms, Plywood

ROTARY HARDWOOD VENEERS MANUFACTURERS (M) AND SALES COMPANIES (S)

	MINIMUM THICKNESS	MAXIMUM THICKNESS	MINIMUM LENGTH	MAXIMUM LENGTH	TYPE
<u>GREAT LAKES VENEER (M)</u>	1/50"	1/5"	10"	104"	Rotary
Sales: David Williams, President	0.5mm	5.1mm	254mm	2550mm	Sliced
Michael Burkart, Business & Product Dev. Dir.					
Nick Rogers, Business & Product Dev. Mgr.					
P.O. Box 476, Marion, WI 54950-0476					
(715) 754-2501; Fax: (715) 754-2582					
E-mail: mike.burkart@greatlakesveneer.com ; nrogers@greatlakesveneer.com					
Web: www.greatlakesveneer.com					
Environmentally Certified Products Available: FSC					
SPECIES AVAILABLE: Ash, Aspen, Basswood, Beech, Birch, Cherry, Cottonwood, Elm, Black & Sweet Gum, Hickory/Pecan, Bird's-Eye, Curly/Fiddleback, Hard & Soft Maple, Red & White Oak, White & Yellow Pine, Poplar, Sycamore, Walnut, Other North American Species					
SPECIALTY ITEMS: Custom Splicing, Veneer-Cut-To-Size, Veneer for Export, Veneer-Stock Panel/Door Faces					
<u>MANTHEI VENEER (M)</u>	1/82"	1/12"	12"	104"	Rotary
Sales: Matt Smith	0.3mm	2.1mm	305mm	2642mm	
3996 US 31 South					
Petoskey, MI 49770					
(231) 347-7040; Fax: (231) 347-1369					
E-mail: sales@mantheiveneer.com					
Web: www.mantheiveneer.com					
SPECIES AVAILABLE: Aspen, Basswood, Beech, Birch, Cherry, Hickory/Pecan, Bird's-Eye, Curly/Fiddleback, Hard & Soft Maple, Red & White Oak, Poplar					
SPECIALTY ITEMS: Veneer-Cut-To-Size, Veneer for Export, Veneer-Stock Panel/Door Faces					
<u>MCCATHAY TIMBER, INC. (S)</u>	1/85"	1/6"	2"	126"	Rotary
Sales: Dan Roach, President				10.5'	Half Round
Ken Roach, Vice-President	0.3mm	4.2mm	50mm	3200mm	
1529 West Armitage Avenue, #200					
Chicago, IL 60642-1258					
(773) 227-1171; Fax: (773) 227-6767					
(800) 6 VENEER					
E-mail: info@mccathaytimber.com					
Web: www.mccathaytimber.com					
Environmentally Certified Products Available: FSC, SFI					
SPECIES AVAILABLE: Exotics, Red Alder, Ash, Aspen, Basswood, Beech, Birch, Cherry, Cottonwood, Elm, Fir/Hemlock, Black & Sweet Gum, Hickory/Pecan, Western, Quilted, Hard & Soft Maple, Red & White Oak, White & Yellow Pine, Poplar, Sycamore, Tupelo, Walnut, Other North American Species					
SPECIALTY ITEMS: Clipped & Bundled, Custom Splicing to Door Faces and Panel Dimensions, Plywood, Platforms, Butcher Block, Edge-Glued Lumber, Veneer-Cut-To-Size, Veneer-Edge Band, Veneer for Export					

ROTARY HARDWOOD VENEERS MANUFACTURERS (M) AND SALES COMPANIES (S)

	MINIMUM THICKNESS	MAXIMUM THICKNESS	MINIMUM LENGTH	MAXIMUM LENGTH	TYPE
--	----------------------	----------------------	-------------------	-------------------	------

<u>NORTHERN MICHIGAN VENEERS, INC. (M/S)</u> A Besse Forest Products Group Company Sales: Don Tomaszewski; Greg Besse, Pres. P.O. Box 352, Gladstone, MI 49837 (906) 428-3113; Fax: (906) 428-1525 Mill: Gladstone, MI E-mail: besse-sales@bessegroup.com Web: www.bessegroup.com Environmentally Certified Products Available: FSC, Other	1/50" 0.5mm	3/16" 4.8mm	10" 254mm	123" 3124mm	Rotary
---	----------------	----------------	--------------	----------------	--------

SPECIES AVAILABLE: Exotics, Red Alder, Ash, Aspen, Basswood, Birch, Cherry, Fir/Hemlock, Hickory/Pecan, Bird's-Eye, Curly/Fiddleback, Hard & Soft Maple, Red & White Oak, White & Yellow Pine, Poplar, Walnut, Other North American Species

SPECIALTY ITEMS: Custom Splicing, Platforms, Veneer-Cut-To-Size, Veneer for Export, Veneer-Stock Panel/Door Faces

<u>THE PENROD COMPANY (M/S)</u> Sales: Forest Products Sales 272 Bendix Rd., Suite 550 Virginia Beach, VA 23452 (757) 498-0186; Fax: (757) 498-1075 E-mail: ForestProductsSales@ThePenrodCompany.com Web: www.thepenrodcompany.com	1/85" 0.3mm	1/4" 6.3mm	10" 254mm	145" 3685mm	Rotary
---	----------------	---------------	--------------	----------------	--------

SPECIES AVAILABLE: A variety of domestic and international fine hardwood and decorative softwood species.

SPECIALTY ITEMS: A variety of specialty veneer and panel products for various manufacturing applications

<u>TIMBER PRODUCTS COMPANY (M)</u> Sales: Terry Ostrander, Veneer Sales Mgr. P.O. Box 378, Munising, MI 49862-0378 (906) 452-6221; Fax: (906) 452-6348 E-mail: tostrander@timberproducts.com Web: www.timberproducts.com Environmentally Certified Products Available: FSC	1/64" 0.4mm	1/28" 0.91mm	34" 864mm	99" 2515mm	Rotary
--	----------------	-----------------	--------------	---------------	--------

SPECIES AVAILABLE: Ash, American Beech, Birch, Cherry, Hard & Soft Maple, Red & White Oak

SPECIALTY ITEMS: Veneer-Cut-To-Size, Veneer for Export, Veneer-Stock Panel/Door Faces

<u>WISCONSIN VENEER & PLYWOOD, INC. (M/S)</u> A Besse Forest Products Group Company Greg Besse, Pres; Rich Reed, G.M.. P.O. Box 352, Gladstone, MI 49837 (906) 428-3113; Fax: (906) 428-1525 Mill: Mattoon, WI E-mail: besse-sales@bessegroup.com Web: www.bessegroup.com Environmentally Certified Products Available: FSC, Other	1/50" 0.5mm	3/16" 4.8mm	10" 254mm	110" 2794mm	Rotary
---	----------------	----------------	--------------	----------------	--------

SPECIES AVAILABLE: Red Alder, Ash, Aspen, Basswood, Birch, Cherry, Hickory/Pecan, Bird's-Eye, Curly/Fiddleback, Hard & Soft Maple, Red & White Oak, White & Yellow Pine, Poplar, Walnut, Other North American Species

SPECIALTY ITEMS: Custom Splicing, Platforms, Veneer-Cut-To-Size, Veneer for Export, Veneer-Stock Panel/Door Faces, Plywood



**DECORATIVE
HARDWOODS**
AssociationSM

DHA MISSION

The mission of the Decorative Hardwoods Association, formerly known as the Hardwood Plywood & Veneer Association, is to promote and support high quality, sustainably and legally produced decorative engineered wood products and hardwood veneer manufactured in North America.

OUR CORE VALUES

- Our unique strength is our depth and breadth of technical expertise in engineered hardwoods
- Our marketing of North American-produced engineered hardwoods drives consumer preference
- The Decorative Hardwoods Association is the single voice of our industry, advocating for a fair market and level playing field
- We actively collaborate to promote the sustainable management of forest resources and access to legally sourced timber
- Our national consensus standards for hardwood plywood, engineered wood flooring, and due diligence for sourcing legal timber are recognized and specified by producers and consumers

To become a member, advertise with us, or buy publications, contact:

703.435.2900

www.DecorativeHardwoods.org



**DECORATIVE
HARDWOODS**
AssociationSM

2021 100TH ANNIVERSARY MEETING & SPRING CONFERENCE

SUNDAY, MAY 23 - TUESDAY, MAY 25

Sonesta Resort Hilton Head Island, SC

Register online at www.decorativehardwoods.org/events/2021-dha-spring-conference
or email ementel@decorativehardwoods.org.





Forever Green™

BESSE

FOREST PRODUCTS GROUP



NORTH AMERICA'S PREMIUM HARDWOOD PRODUCTS

DISTRIBUTED TO WORLD MARKETS

ROTARY VENEERS

Whole Piece and Spliced for
Stock Panel, Door Faces and
Cut-to-Size Veneers

Whole Piece and Spliced for
Flooring, Musical Instruments,
Sporting Goods, Windows,
Doors, Furniture

Random Width/Unspliced

Thickness available: 1/100"
through 1/6" (.250 mm
through 4.25mm)

SLICED VENEERS

Spliced Stock Panel, Door
Faces and Cut-to-Size Veneers

Flitch Stock

PLYWOOD

Engineered Flooring

Die Boards

Specialty Plywoods

LUMBER

Kiln-Dried Lumber

Green Lumber

Custom Drying

Custom Ripping

Industrial Lumber

Planing

Railroad Ties

SPECIES

Aspen

Basswood

Birch

Birds Eye Maple

Cherry

Curly Maple

Fir

Hard (Sugar) Maple

Hickory

Knotty Pine

Northern Red
(Wheat) Oak

Soft (Red) Maple

Walnut

White Ash

White Oak



The mark of
responsible forestry

GROUP HEADQUARTERS

PO Box 352 • Gladstone, MI 49837

906.428.3113 • Fax 906.428.3310

Emails: veneer@bessegroup.com • lumber@bessegroup.com

www.bessegroup.com



SLICED HARDWOOD VENEERS

- Beautiful heart structure.
- Uniformity of appearance.
- Smooth surface.
- Ability to select a specific flitch or “look.”
- Wide variety of species available.
- Sliced veneer gives a unique and sophisticated touch to your product.
- By using hardwood veneer, you honor centuries of craftsman heritage and contribute to an environmentally responsible use of a natural resource.

For more information, read: *Facts About Decorative Veneers* listed in the Table of Contents.



Photo courtesy of Danzer

SLICED HARDWOOD VENEER MANUFACTURERS (M) AND SALES COMPANIES (S)

	MINIMUM THICKNESS	MAXIMUM THICKNESS	MINIMUM LENGTH	MAXIMUM LENGTH	TYPE
<u>ATLANTIC VENEER CORPORATION (M)</u>	1/100"	1/8"	36"	180"	Half Round
Division Moehring-Group			3'	15'	Plain Sliced
Sales: Jack Taylor	0.3mm	3.2mm	914mm	4572mm	Rift/ Quarter Slcd.
P.O. Box 660, Beaufort, NC 28516-0660					
(252) 728-3169; Fax: (252) 728-4203					
E-mail: jtaylor@moehring-group.com					
Web: www.moehring-group.com					
Environmentally Certified Products Available: FSC, SFI, Other					
SPECIES AVAILABLE: Exotics, Red Alder, Ash, Beech, Birch, Butternut, Aromatic Cedar, Cherry, Elm, Gum, Hackberry, Hickory/Pecan, Curly/Fiddleback, Western, Quilted, Hard & Soft Maple, Red & White Oak, White/Ponderosa/Sugar & Yellow Pine, Poplar, Sycamore, Tupelo, Walnut, Other North American Woods					
SPECIALTY ITEMS: Clipped & Bundled – Export, Custom Slicing, Logs for Sale, Veneer-Architectural, Veneer, Cut-To-Size, Veneer-Edge Band, Veneer-Reconstituted					
<u>BIRCHLAND PLYWOOD-VENEER LTD.</u>	1/40"	1/16"	28"	150"	Rotary
P.O. Box 430, Thessalon, ON, Canada P0R 1L0	0.6mm	1.6mm	711mm	3810mm	Half Round
(705) 842-2430; Fax: (705) 842-2496					Plain Sliced
E-mail: sales@birchlandplywood.com					Rift/ Quarter Slcd.
Web: www.birchlandplywood.com					
Environmentally Certified Products Available: FSC					
SPECIES AVAILABLE: Exotics, Red Alder, Anigre, Ash, Basswood, Beech, Birch, Burls, Butternut, Cedar, Aromatic Cedar, American Cherry, Elm, Fir-Vertical Grain, Gum, Hickory, Idaho White Pine, Khaya, Knotty Pine, Honduras Mahogany, Maple, Red & White Oak, Pecan, Poplar, Sapele, Sycamore, Tupelo, Walnut, Any Species on Request					
SPECIALTY ITEMS: Aromatic Cedar Paneling, Blueprint Matched Panels, Calibrated Platforms, Combination, Cut-To-Size, Door Skins, Finished Stock Panels, Lumber, MDF, Particleboard, Stock Panels, Unidirectional, Veneer - Reconstituted – Flame Spread Rating A, B, C					
<u>CAHABA VENEER, INC (M)</u>	1/40"	1/12"	36"	192"	Plain Sliced
Sales: Pete Browder, President	.6mm	2mm	914mm	4880mm	
P.O. Box 98, 324 Mill St., Centreville, AL 35042					
(205) 926-9797; Fax: (205) 926-5496					
E-mail: Pete@cahabaveneer.com					
Web: www.cahabaveneer.com					
SPECIES AVAILABLE: Southern – Ash, Cypress, Gum, Hickory, Red and White Oak, Poplar, Sycamore, Tupelo Gum; Northern – Cherry, Hard Maple, Red and White Oak, Walnut					
SPECIALTY ITEMS: Cut-To-Size Veneer and Plywood, Skateboard Veneers					

SLICED HARDWOOD VENEER MANUFACTURERS (M) AND SALES COMPANIES (S)

	MINIMUM THICKNESS	MAXIMUM THICKNESS	MINIMUM LENGTH	MAXIMUM LENGTH	TYPE
<u>COLUMBIA FOREST PRODUCTS (M)</u>					
Hardwood Veneer Division	1/50"	1/10"	16"	123"	Plain Sliced
Sales: Rocky Boucher, Director of Sales	0.5mm	2.5mm	406 mm	3124mm	
Tanya Lamoureux, No. America Veneer Sales					
Wendy McGillivray, Sales Coordinator					
Adam Thurston, Inside Sales					
Jeremy Roberge, Inside Sales					
606 Wilderness Drive, Mellen, WI 54546					
(802) 334-3600; Fax: (802) 334-5149					
(800) 231-4148					
E-mail: rboucher@cfpwood.com					
Web: www.columbiaforestproducts.com					
Environmentally Certified Products Available: FSC					
SPECIES AVAILABLE: Red Alder, Beech, Aromatic Cedar, Hickory, Hard Maple, Red & White Oak					
SPECIALTY ITEMS: Custom Lumber (Marunaka) Slicing, Logs for Sale, Platforms, Veneer-Cut-To-Size					
<u>DANZER SPECIALTY VENEER (DSV) (M/S)</u>					
Danzer Veneer Americas	1/64"	5/32"	--	155"	Half Round
Sales: Mike Nupnau, Darlington, PA	0.35mm	4.0mm		4000mm	Plain Sliced
(724) 827-8366					Rift/
Matt Miller, Edinburgh, IN					True Quarter
(812) 526-2601					
Web: www.danzer.com					
Please see our ad on inside back cover for more information.					
Certified (FSC-Mixed Credit & FSC-CW) veneer is available.					
SPECIES AVAILABLE: Exotics, Red Alder, Ash, Basswood, Beech, Birch, Butternut, Aromatic & Western Red Cedar, Cherry, Elm, Fir/Hemlock, Guanacaste, Gum, Hackberry, Hickory/Pecan, Madrone, Bird's-Eye, Curly/Fiddleback, Western, Quilted, Hard & Soft Maple, Red & White Oak, White/Ponderosa/Sugar & Yellow Pine, Poplar, Sapelli, Sycamore, Tupelo, Walnut, Yew, Other North American Woods					
SPECIALTY ITEMS: Architectural Veneer, Burls/Crotches, Clipped & Bundled Veneer, Custom Slicing, Cut-To-Size Veneer, Figura, Freeform, Linea, Logs for Sale, Reconstituted Veneer, Rustic, Sliced Flooring, Spliced Faces, Unclipped Veneer, Vintage, Vinterio, Veneer for Export, 3D Veneer					

SLICED HARDWOOD VENEER MANUFACTURERS (M) AND SALES COMPANIES (S)

	MINIMUM THICKNESS	MAXIMUM THICKNESS	MINIMUM LENGTH	MAXIMUM LENGTH	TYPE
<u>DANZER VENEER AMERICAS - EAST (M/S)</u>	1/64"	5/32"	--	155"	Half Round
Sales: Vijay Reddy, Darlington, PA	0.35mm	4.0mm		4000mm	Plain Sliced
(724) 827-8366					Rift/
Ty Pruitt, High Point, NC					True Quarter
(336) 210-6278					
Mike Schierz, Durham, ON, Canada					
(519) 369-3310					
Serge Chagnon, Montreal, QC, Canada					
(514) 592-2986					
Web: www.danzer.com					
Please see our ad on inside back cover for more information.					
Certified (FSC-Mixed Credit & FSC-CW) veneer is available.					

SPECIES AVAILABLE: Exotics, Red Alder, Ash, Basswood, Beech, Birch, Butternut, Aromatic & Western Red Cedar, Cherry, Cypress, Elm, Fir/Hemlock, Guanacaste, Gum, Hackberry, Hickory/Pecan, Madrone, Bird's-Eye, Curly/Fiddleback, Western, Quilted, Hard & Soft Maple, Red & White Oak, White/Ponderosa/Sugar & Yellow Pine, Poplar, Sapelli, Sycamore, Tupelo, Walnut, Yew, Other North American Woods

SPECIALTY ITEMS: Architectural Veneer, Burls/Crotches, Clipped & Bundled Veneer, Custom Slicing, Cut-To-Size Veneer, Figura, Freeform, Linea, Logs for Sale, Reconstituted Veneer, Rustic, Sliced Flooring, Spliced Faces, Unclipped Veneer, Vintage, Vinterio, Veneer for Export, 3D Veneer

<u>DANZER VENEER AMERICAS - WEST (M/S)</u>	1/64"	5/32"	--	155"	Half Round
Sales: Matt Miller, Edinburgh, IN	0.35mm	4.0mm		4000mm	Plain Sliced
(812) 526-2601					Rift/
Mike Barajas, Cerritos, CA					True Quarter
(562) 926-3639					
Jason Shade, Sumner, WA					
(570) 772-7869					
Web: www.danzer.com					
Please see our ad on inside back cover for more information.					
Certified (FSC-Mixed Credit & FSC-CW) veneer is available.					

SPECIES AVAILABLE: Exotics, Red Alder, Ash, Basswood, Beech, Birch, Butternut, Aromatic & Western Red Cedar, Cherry, Cypress, Elm, Fir/Hemlock, Guanacaste, Gum, Hackberry, Hickory/Pecan, Madrone, Bird's-Eye, Curly/Fiddleback, Western, Quilted, Hard & Soft Maple, Red & White Oak, Ponderosa/Sugar, White & Yellow Pine, Poplar, Sapelli, Sycamore, Tupelo, Walnut, Yew, Other North American Woods

SPECIALTY ITEMS: Architectural Veneer, Burls/Crotches, Clipped & Bundled Veneer, Custom Slicing, Cut-To-Size Veneer, Figura, Freeform, Linea, Logs for Sale, Reconstituted Veneer, Rustic, Sliced Flooring, Spliced Faces, Unclipped Veneer, Vintage, Vinterio, Veneer for Export, 3D Veneer

<u>ELDCAN FOREST PRODUCTS LTD. (M/S)</u>	1/127"	1/8"	36"	156"	Plain Sliced
Owner: George Doonan			3'		Quarter Slcd.
Sales/Plant Manager: Shane Hoffman	0.2mm	7.2mm	914mm	3962mm	
2949 Shuswap Road					
Kamloops, BC, Canada V2H 1S9					
(250) 573-1900; Fax: (250) 573-1816					
E-mail: gdoonan@eldcan.com ; shanehoffman@eldcan.com					
Web: www.eldcan.com					
Environmentally Certified Products Available: FSC					

SPECIES AVAILABLE: Red Alder, Aspen, Birch, Yellow & Western Red Cedar – VG & Crown, Douglas Fir, Hemlock, Western Maple, White Pine, Poplar, VG Sitka Spruce, White Spruce

SPECIALTY ITEMS: Custom Slicing, Veneer for Export

**SLICED HARDWOOD VENEER
MANUFACTURERS (M) AND SALES COMPANIES (S)**

	MINIMUM THICKNESS	MAXIMUM THICKNESS	MINIMUM LENGTH	MAXIMUM LENGTH	TYPE
<u>FORCEY LUMBER AND VENEER CO. (M/S)</u>	1/50"	1/10"	48"	144"	Plain Sliced/Rift
Sales: Ross Forcey 2020 Shiloh Rd., Woodland, PA 16881 (814) 857-5002; Fax: (814) 857-5000 Mobile: (814) 592-1726 E-mail: ross@forceylumber.com Web: www.forceylumber.com Environmentally Certified Products Available: FSC, Chain of Custody, Controlled Wood, RA-COC-005219, RA-CW-005219	0.50mm	2.5mm	4' 1220mm	12' 3657mm	

SPECIES AVAILABLE: Ash, Cherry, Hard & Soft Maple, Red & White Oak, Poplar
SPECIALTY ITEMS: Custom Slicing, Cut-To-Size, Clipped & Bundled Veneer, Lumber



FORCEY LUMBER & VENEER, CO.

Quality Pennsylvania Hardwood Lumber and Veneer.

Forcey Lumber & Veneer is a leading manufacturer of high quality Marunaka sliced veneers. Our team not only takes pride in serving our customers but also understands the importance of quality and service. Our family owned company was built on honesty and integrity with the belief that customer satisfaction is our primary goal. We will always stay focused on the quality of our products and the service of our team to ensure our customers receive 100% satisfaction.

423 Appalachian Drive • Clearfield, PA 16830
Office: (814) 857-5002 • Fax: (814) 857-5000

info@forceylumber.com
www.forceylumber.com

SLICED HARDWOOD VENEER MANUFACTURERS (M) AND SALES COMPANIES (S)

	MINIMUM THICKNESS	MAXIMUM THICKNESS	MINIMUM LENGTH	MAXIMUM LENGTH	TYPE
<u>THE FREEMAN CORPORATION (M)</u> Sales: George Freeman P.O. Box 96, Winchester, KY 40392-0096 (859) 744-4311; Fax: (859) 744-4363 E-mail: sales@freemancorp.com Web: www.freemancorp.com Environmentally Certified Products Available: FSC	1/85" 0.3mm	1/7" 3.5mm	--	204" 5180mm	Half Round Plain Sliced Rift/ Quarter Slcd.
SPECIES AVAILABLE: Red Alder, Ash, Basswood, Beech, Birch, Butternut, Cherry, Elm, Gum, Hackberry, Hickory/Pecan, Bird's-Eye, Curly/Fiddleback, Hard & Soft Maple, Red & White Oak, White/Ponderosa/Sugar & Yellow Pine, Poplar, Sycamore, Walnut, Other North American Woods SPECIALTY ITEMS: Clipped & Bundled – Export, Logs for Sale, Veneer-Architectural, Veneer-Cut-To-Size					
<u>GREAT LAKES VENEER (M)</u> Sales: David Williams, President Michael Burkart, Business & Product Dev. Dir. Nick Rogers, Business & Product Dev. Mgr. P.O. Box 476, Marion, WI 54950-0476 (715) 754-2501; Fax: (715) 754-2582 E-mail: mike.burkart@greatlakesveneer.com ; nrogers@greatlakesveneer.com Web: www.greatlakesveneer.com Environmentally Certified Products Available: FSC	1/50" 0.5mm	1/5" 5.1mm	10" 254mm	104" 2550mm	Sliced
SPECIES AVAILABLE: Ash, Basswood, Beech, Birch, Cherry, Elm, Gum, Hackberry, Hickory/Pecan, Curly/Fiddleback, Hard & Soft Maple, Red & White Oak, White/Ponderosa/Sugar Pine, Poplar, Sycamore, Walnut SPECIALTY ITEMS: Logs for Sale, Veneer-Cut-To-Size					
<u>LES BOISES LA FLEUR INC</u> Sales: Shane Walker 219 Francois Bourgeois Victoriaville, Que, Canada G6T 2G9 (819) 758-9441; Cell: (819) 352-3299 E-mail: swalker@blf-inc.com Web: www.blf-inc.com	1/50" 0.50mm	1/26" 0.85mm	24" 610mm	124" 3150mm	Rift False Rift Quartered Plain Sliced
SPECIES AVAILABLE: Red Alder, Cherry, Maple, Walnut, Euro Steamed Beech, White Oak, Poplar, Radiata Pine, Khaya, Sapele, Aromatic Cedar, Hickory, White Ash SPECIALTY ITEMS: Stock Panel, Door Faces, Counter Fronts, Architectural Matching, Cut-To-Size					

SLICED HARDWOOD VENEER MANUFACTURERS (M) AND SALES COMPANIES (S)

	MINIMUM THICKNESS	MAXIMUM THICKNESS	MINIMUM LENGTH	MAXIMUM LENGTH	TYPE
<u>McCATHAY TIMBER, INC. (S)</u>	1/85"	1/6"	2"	180"	Half Round
Sales: Dan Roach, President				15'	Plain Sliced
Ken Roach, Vice-President	0.3mm	4.2mm	50mm	4572mm	Rift/ Quarter Slcd.
1529 West Armitage Avenue, #200					
Chicago, IL 60642-1258					
(773) 227-1171; Fax: (773) 227-6767					
(800) 6 VENEER					
E-mail: info@mccathaytimber.com					
Web: www.mccathaytimber.com					
Environmentally Certified Products Available: FSC, SFI					

SPECIES AVAILABLE: Exotics, Red Alder, Ash, Aspen, Basswood, Birch, Beech, Cherry, Cottonwood, Elm, Fir/Hemlock, Black & Sweet Gum, Hickory/Pecan, Western, Quilted, Hard & Soft Maple, Red & White Oak, White & Yellow Pine, Poplar, Sycamore, Tupelo, Walnut, and other North American Woods

SPECIALTY ITEMS: Clipped & Bundled, Custom Splicing to Door Faces and Panel Dimensions, Veneer-Cut-To-Size, Veneer-Edge Band, Veneer for Export, Plywood, Platforms, Butcher Block, Edge-Glued Lumber

<u>MARWOOD (S)</u>	1/64"	1/16"	---	12'6"	Plain Sliced
Sales Jim and Lyman Martin					Half Round
2901 Hamburg Pike					Rift/ Quarter Slcd.
Jeffersonville, IN 47130					Rotary
(812) 288-8344; Fax: (812) 282-0734					
E-mail: Jim@MarwoodVeneer.com					
Web: www.MarwoodVeneer.com					
Environmentally Certified Products Available: FSC, Other					

SPECIES AVAILABLE: Exotics, Reclaimed Sinker Cypress, Reclaimed Sinker Pine, Teak, Burls, Rosewood, Purpleheart, Ash, Butternut, Cherry, Fir, Maple, Oak, Walnut

SPECIALTY ITEMS: Okoume Backs – Rotary Cut, Skateboard Maple Veneers, Color Dyed Veneers

<u>NORTHERN MICHIGAN VENEERS, INC. (M/S)</u>	1/50"	3/16"	30"	123"	Plain Sliced
A Besse Forest Products Group Company	0.5mm	4.8mm	762mm	3124mm	Rift/ Quarter Slcd.
Sales: Don Tomaszewski, Greg Besse, President					
P.O. Box 352, Gladstone, MI 49837					
(906) 428-3113; Fax: (906) 428-1525					
Mill: Gladstone, MI					
E-mail: besse-sales@bessegroup.com					
Web: www.bessegroup.com					
Environmentally Certified Products Available: FSC, Other					

SPECIES AVAILABLE: Exotics, Red Alder, Ash, Basswood, Beech, Birch, Aromatic & Western Red Cedar, Cherry, Fir/Hemlock, Hickory/Pecan, Bird's-Eye, Curl/Fiddleback, Hard & Soft Maple, Red & White Oak, White/Ponderosa/Sugar Pine, Poplar, Walnut, Other North American Woods

SPECIALTY ITEMS: Clipped & Bundled - Export, Custom Slicing, Logs for Sale, Veneer-Architectural, Veneer-Cut-To-Size

SLICED HARDWOOD VENEER MANUFACTURERS (M) AND SALES COMPANIES (S)

	MINIMUM THICKNESS	MAXIMUM THICKNESS	MINIMUM LENGTH	MAXIMUM LENGTH	TYPE
<u>ST-RAYMOND VENEERS, THE PENROD COMPANY</u>	1/64"	1/16"	48"	130"	Plain Sliced
Sales: St-Raymond Veneers Sales (M/S)	0.4mm	1.5mm	1219mm	3302mm	Rift/ Quarter Slcd.
595 Guyon Street					
St-Raymond, QC, Canada G3L 1Z1					
(418) 337-4607; Fax: (418) 337-8342					
E-mail: Sales.SRV@SRVINC.com					
Web: www.SRVINC.com					

SPECIES AVAILABLE: Exotics, Birch, Aromatic Cedar, Cherry, Fir/Hemlock, Hickory/Pecan, Bird's-Eye, Curly/Fiddleback, Hard & Soft Maple, Red & White Oak, Yellow Pine, Poplar, Spruce, Walnut, Other North American Woods

SPECIALTY ITEMS: Burls/Crotches, Clipped & Bundled - Export, Custom Slicing, Veneer-Architectural, Veneer-Cut-To-Size, Veneer, Edge Band



**DECORATIVE
HARDWOODS
Association™**

Bookstore

Order your copy
of our professional
standards and
handbooks
at
[www.decorativehardwoods.org/
products](http://www.decorativehardwoods.org/products)

**AMERICAN
NATIONAL STANDARD**

**American National Standard
for Hardwood and Decorative
Plywood, ANSI/HPVA
HP-1-2020**

Requirements for face, back, and
inner ply grades plus formaldehyde
emissions, moisture content,
tolerances, and more.

**AMERICAN
NATIONAL STANDARD**
FOR ENGINEERED WOOD FLOORING

**American National Standard
for Engineered Wood Flooring,
ANSI/HPVA EF 2020**

Grade descriptions, test procedures,
and requirements for veneer
thickness, machining, moisture
content, and finishing.



**American National Standard
for Due Diligence in Procuring/
Sourcing Legal Timber ANS
LTDD 1.0 2015**

Guidelines for creating and managing
a quality assurance program to
exclude illegal timber from the
supply chain.



**Hardwood Plywood
Handbook**

A visual introduction to panel
components and construction,
packed with photographs of what is
between and within grades.



Veneer Species Guide

Photographs and detailed
descriptions of the 150 veneer species
available to help specifiers select the
best species for every project.



**Grading Workshop
Sessions**

This comprehensive course on
decorative hardwood plywood includes
product construction, standards, species,
grades, and much more.



SPLICED HARDWOOD VENEERS

- Environmentally friendly.
- Made to standards agreed upon between buyer and seller – grade, craftsmanship, etc.
- Continuity from order to order.
- Cost control.

For more information, read *Facts About Decorative Veneers* listed in the Table of Contents.



Photo courtesy of Timber Products Company

SPliced FACE VENEER MANUFACTURERS (M) AND SALES COMPANIES (S)

	MINIMUM THICKNESS	MAXIMUM THICKNESS	MINIMUM LENGTH	MAXIMUM LENGTH	TYPE
<u>BIRCHLAND PLYWOOD-VENEER LTD.</u> P.O. Box 430, Thessalon, ON, Canada P0R 1L0 (705) 842-2430; Fax: (705) 842-2496 E-mail: sales@birchlandplywood.com Web: www.birchlandplywood.com Environmentally Certified Products Available: FSC	1/40" 0.6mm	1/16" 1.6mm	28" 711mm	150" 3810mm	Rotary Half Round Plain Sliced Rift/ Quarter Slcd.
SPECIES AVAILABLE: Exotics, Red Alder, Anigre, Ash, Basswood, Beech, Birch, Burls, Butternut, Cedar, Aromatic Cedar, American Cherry, Elm, Fir-Vertical Grain, Gum, Hickory, Idaho White Pine, Khaya, Knotty Pine, Honduras Mahogany, Maple, Red & White Oak, Pecan, Poplar, Sapele, Sycamore, Tupelo, Walnut, Any Species on Request SPECIALTY ITEMS: Aromatic Cedar Paneling, Blueprint Matched Panels, Calibrated Platforms, Combination, Cut-To-Size, Door Skins, Finished Stock Panels, Lumber, MDF, Particleboard, Stock Panels, Unidirectional, Veneer - Reconstituted – Flame Spread Rating A, B, C					
<u>CLARKE VENEERS & PLYWOOD (S)</u> Sales: Stuart Clarke Bronson Newburger P.O. Box 4876, Jackson, MS 39296-4876 (601) 366-0331; Fax: (601) 366-0334 E-mail: info@clarkeveneers.com Web: www.clarkeveneers.com Environmentally Certified Products Available: FSC, Other	1/85" 0.3mm	1/6" 4.1mm	--	123" 3125mm	Rotary Plain Sliced Rift/ Quarter Slcd.
SPECIES AVAILABLE: Exotics, Ash, Aspen, Basswood, Beech, Birch, Aromatic Cedar, Cherry, Eucalyptus, Gum, Hickory/Pecan, Khaya, Hard & Soft Maple, Red & White Oak, Ponderosa/Sugar & Yellow Pine, Poplar, Sycamore, Tupelo, Walnut, Other North American Species SPECIALTY ITEMS: Counter Fronts, Custom Splicing, Cut-To-Size Veneer, Stock Panel/Door Faces, Veneer for Export					
<u>DANZER CANADA INC. (M/S)</u> Danzer Veneer Americas Sales: Mike Schierz, Durham, ON, Canada (519) 369-3310 Scott Kaufman, Durham, ON, Canada (519) 369-3310 Serge Chagnon, Boucherville, QC, Canada (450) 655-6060 Barry Carroll, Darlington, PA (724) 827-8366 Web: www.danzer.com Please see our ad on inside back cover for more information. Certified (FSC-PURE & FSC-CW) faces are available.	1/50" 0.5mm	1/16" 1.5mm	--	122" 3098mm	Half Round Plain Sliced Rift/ Quarter Slcd.
SPECIES AVAILABLE: Exotics, Red Alder, Ash, Aspen, Basswood, Beech, Birch, Butternut, Aromatic Cedar, Cherry, Elm, Eucalyptus, Fir, Hemlock, Hickory/Pecan, Khaya, Madrone, Honduras Mahogany, Bird's-Eye, Curly/Fiddleback, Western, Quilted, Hard & Soft Maple, Myrtlewood, Red & White Oak, Ponderosa/Sugar, White & Yellow Pine, Poplar, Spruce, Sycamore, Walnut, Other North American Species SPECIALTY ITEMS: Architectural Matching, Counter Fronts, Custom Splicing, Cut-To-Size Veneer, Stock Panel/Door Faces, Veneer for Export					

SPliced FACE VENEER MANUFACTURERS (M) AND SALES COMPANIES (S)

	MINIMUM THICKNESS	MAXIMUM THICKNESS	MINIMUM LENGTH	MAXIMUM LENGTH	TYPE
<u>ELDCAN FOREST PRODUCTS LTD. (M/S)</u>	1/50"	1/16"	50"	106"	Plain Sliced
Owner: George Doonan	0.5mm	1.5mm	1270mm	2692mm	Quarter Slcd.
Sales/Plant Manager: Shane Hoffman					
2949 Shuswap Road					
Kamloops, BC, Canada V2H 1S9					
(250) 573-1900; Fax: (250) 573-1816					
E-mail: gdoonan@eldcan.com ; shanehoffman@eldcan.com					
Web: www.eldcan.com					
Environmentally Certified Products Available: FSC					
SPECIES AVAILABLE: Red Alder – B/M P/M clear & knotty, Western Maple – B/M P/M, Douglas Fir, Western Red Cedar – B/M S/M, Sitka Spruce, White Spruce – B/M S/M, Yellow Cedar – B/M S/M, Birch – B/M P/M					
SPECIALTY ITEMS: Custom Splicing, Veneer for Export					
<u>GREAT LAKES VENEER (M)</u>	1/50"	1/4"	10"	104"	Rotary
Sales: David Williams, President	0.5mm	6.4mm	254mm	2550mm	Half Round
Michael Burkart, Business & Product Dev. Dir.					Plain Sliced
Nick Rogers, Business & Product Dev. Mgr.					Rift/
P.O. Box 476, Marion, WI 54950-0476					Quarter Slcd.
(715) 754-2501; Fax: (715) 754-2582					
E-mail: mike.burkart@greatlakesveneer.com ; nrogers@greatlakesveneer.com					
Web: www.greatlakesveneer.com					
Environmentally Certified Products Available: FSC					
SPECIES AVAILABLE: Ash, Aspen, Basswood, Beech, Birch, Cherry, Cottonwood, Elm, Gum, Hickory/Pecan, Hard & Soft Maple, Red & White Oak, Poplar, Sycamore, Walnut, Other North American Species					
SPECIALTY ITEMS: Custom Splicing, Cut-To-Size Veneer, Veneer for Export					

SPliced FACE VENEER MANUFACTURERS (M) AND SALES COMPANIES (S)

	MINIMUM THICKNESS	MAXIMUM THICKNESS	MINIMUM LENGTH	MAXIMUM LENGTH	TYPE
LES BOISES LA FLEUR INC Sales: Shane Walker 219 Francois Bourgeois Victoriaville, Que, Canada G6T 2G9 (819) 758-9441; Cell: (819) 352-3299 E-mail: swalker@blf-inc.com Web: www.blf-inc.com	1/50" 0.50mm	1/26" 0.85mm	24" 610mm	124" 3150mm	Rift False Rift Quartered Plain Sliced
SPECIES AVAILABLE: Red Alder, Cherry, Maple, Walnut, Euro Steamed Beech, White Oak, Poplar, Radiata Pine, Khaya, Sapele, Aromatic Cedar, Hickory, White Ash					
SPECIALTY ITEMS: Stock Panel, Door Faces, Counter Fronts, Architectural Matching, Cut-To-Size					



MORE THAN 40 SPECIES OF VENEER

**Dedicated to finding
the right veneer
for your project**



**les boisés
La Fleur**

819 758-9441 | info@blf-inc.com
219, rue Francois-Bourgeois, Victoriaville, QC G6T 2G9

blf-inc.com  Nous sommes bilingues.
We are bilingual.

SPliced FACE VENEER MANUFACTURERS (M) AND SALES COMPANIES (S)

	MINIMUM THICKNESS	MAXIMUM THICKNESS	MINIMUM LENGTH	MAXIMUM LENGTH	TYPE
<u>MANTHEI VENEER (M)</u> Sales: Matt Smith 3996 US 31 South Petoskey, MI 49770 (231) 347-7040; Fax: (231) 347-1369 E-mail: sales@mantheiveneer.com Web: www.mantheiveneer.com	1/100" 0.25mm	1/6" 4.2mm	2" 50mm	168" 14' 4267mm	Rotary Half Round Plain Sliced Rift/ Quarter Slcd.
SPECIES AVAILABLE: Ash, Aspen, Basswood, Beech, Birch, Cherry, Hickory/Pecan, Madrone, Bird's-Eye, Curly/Fiddleback, Hard & Soft Maple, Red & White Oak, Poplar, Walnut SPECIALTY ITEMS: Architectural Matching, Counter Fronts, Stock Panel/Door Faces, Veneer-Cut-To-Size, Veneer for Export					
<u>NORTHERN MICHIGAN VENEERS, INC. (M/S)</u> A Besse Forest Products Group Company Sales: Don Tomaszewski, Greg Besse, President P.O. Box 352, Gladstone, MI 49837 (906) 428-3113; Fax: (906) 428-1525 Mill: Gladstone, MI E-mail: besse-sales@bessegroup.com Web: www.bessegroup.com Environmentally Certified Products Available: FSC, Other	1/50" 0.5mm	3/16" 4.8mm	30" 762mm	123" 3124mm	Rotary Plain Sliced Rift/ Quarter Slcd.
SPECIES AVAILABLE: Exotics, Red Alder, Ash, Birch, Aromatic & Western Red Cedar, Cherry, Fir, Hickory/Pecan, Bird's-Eye, Curly/Fiddleback, Hard & Soft Maple, Red & White Oak, Ponderosa/Sugar & White Pine, Walnut, Other North American Species SPECIALTY ITEMS: Counter Fronts, Custom Splicing, Cut-To-Size Veneer, Stock Panels/Door Faces, Veneer for Export					
<u>ST-RAYMOND VENEERS, THE PENROD COMPANY</u> Sales: St-Raymond Veneers Sales (M/S) 595 Guyon Street St-Raymond, QC, Canada G3L 1Z1 (418) 337-4607; Fax: (418) 337-8342 E-mail: Sales.SRV@SRVINC.com Web: www.SRVINC.com	1/64" 0.4mm	1/16" 1.5mm	48" 1219mm	130" 3302mm	Rotary Half Round Plain Sliced Rift/ Quarter Slcd.
SPECIES AVAILABLE: Exotics, Red Alder, Ash, Beech, Birch, Aromatic & Western Red Cedar, Cherry, Fir, Hickory/Pecan, Bird's-Eye, Curly/Fiddleback, Hard & Soft Maple, Red & White Oak, White Pine, Poplar, Walnut, Other North American Species SPECIALTY ITEMS: Counter Fronts, Custom Splicing, Cut-To-Size Veneer, Stock Panel/Door Faces, Veneer for Export					
<u>TIMBER PRODUCTS COMPANY (M)</u> Sales: Terry Ostrander, Veneer Sales Mgr. P.O. Box 378, Munising, MI 49862-0378 (906) 452-6221; Fax: (906) 452-6348 E-mail: tostrander@timberproducts.com Web: www.timberproducts.com Environmentally Certified Products Available: FSC	1/64" 0.4mm	1/28" 0.91mm	34" 864mm	99" 2515mm	Rotary
SPECIES AVAILABLE: Ash, American Beech, Birch, Cherry, Hard & Soft Maple, Red & White Oak SPECIALTY ITEMS: Architectural Matching, Counter Fronts, Cut-To-Size Veneer, Stock Panel/Door Faces, Veneer for Export					

**SPliced FACE VENEER
MANUFACTURERS (M) AND SALES COMPANIES (S)**

	MINIMUM THICKNESS	MAXIMUM THICKNESS	MINIMUM LENGTH	MAXIMUM LENGTH	TYPE
<u>VENEER TECHNOLOGIES INC. (M)</u> Division of Moehring-Group Sales: Greg Simon P.O. Box 1145, Newport, NC 28570 (252) 223-5600; Fax: (252) 223-3511 (800) 593-5601 E-mail: gsimon@veneertech.com Web: www.veneertech.com Environmentally Certified Products Available: FSC	1/50" 0.5mm	1/24" 1.0mm	38" 965mm	135" 3429mm	Rotary Half Round Plain Sliced Rift/ Quarter Slcd.

SPECIES AVAILABLE: Exotics, Red Alder, Ash, Aspen, Basswood, Beech, Birch, Butternut, Western Red Cedar, Cherry, Elm, Eucalyptus, Fir, Gum, Hemlock, Hickory/Pecan, Khaya, Madrone, Honduras Mahogany, Bird's-Eye, Curly/Fiddleback, Western, Quilted, Hard & Soft Maple, Myrtlewood, Red & White Oak, Ponderosa/Sugar, White & Yellow Pine, Poplar, Sapele, Sycamore, Tupelo, Walnut, Other North American Species

SPECIALTY ITEMS: Burls/Crotches, Counter Fronts, Custom Splicing, Cut-To-Size Veneer, Edge Band Veneer, Stock Panel/Door Faces, Paperbacked/Flexed Veneer, 2-Ply Faces, Reconstituted Veneer



DHA DISTRIBUTORS



DISTRIBUTORS OF HARDWOOD PLYWOOD

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: EPA TSCA; CARB; Exterior – Technical; Exterior – Type I;

Interior – Type II; NAF – No Added Formaldehyde; NAUF – No Added Urea Formaldehyde;

Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

	SIZES AVAILABLE	THICKNESSES AVAILABLE	GLUE TYPES	CORE TYPES	ENVIRONMENTALLY CERTIFIED PRODUCTS AVAILABLE FSC, SFI, Other
<u>FESSENDEN HALL DELAWARE</u> Contact: Pat Shearon 1037 Fowler Court, Dover, DE 19901 (302) 674-4505; Fax: (302) 674-4507 (800) 220-6681 E-mail: patshearon@fessendenhall.com	96" X 48" 48" X 72" 48" X 96" to 48" X 144"	1/8" - 1"	Type I Type II	Combination Lumber MDF Particleboard Unidirectional Veneer	F, S, O
<u>FESSENDEN HALL OF PENNSYLVANIA</u> Contact: Edgar Lobley 3021 Industry Drive, Lancaster, PA 17603 (717) 394-1047; Fax: (717) 295-1725; (800) 220-3157 E-mail: edgarlobley@fessendenhall.com					
<u>FESSENDEN HALL, INC.</u> 1050 Sherman Ave., Pennsauken, NJ 08110 (856) 665-2210; Fax: (856) 665-6518; (800) 220-2233					
<u>FESSENDEN HALL, INC.</u> Contact: John Bergin 1 Fairfield Place, West Caldwell, NJ 07006 (800) 220-2233; Fax: (800) 210-4248 E-mail: johnbergin@fessendenhall.com					
SPECIES DISTRIBUTED: Exotics-R,H,P,Q,I, Anigre-Q, Ash-R,P, Beech-P,Q, Birch-R, Butternut-P, Cedar-Q, American Cherry-P,Q, Hickory-P, Idaho White Pine-P, Khaya-P, Knotty Pine-P, Koa-P,Q, Honduras Mahogany-P, Maple-R,P, Bird's-Eye Maple-P, Red & White Oak-R,P,Q,I, Pecan-P, Poplar-R, Sycamore-Q, Walnut-P, Any Species on Request-R,H,P,Q,I HARDWOOD PLYWOOD SPECIALTY ITEMS: Banded, Bending Boards, Cabinet Doors, Curved/Molded Items, Die Boards, Drawer Sides/Backs Nosed/Grooved, Edge Banding, Furniture Panels, Kitchen Cabinet Components, Stock Panels, Table & Desk Tops, Veneer, Bendable, Veneer/Plywood – Musical Instruments – Flame Spread Rating A, B, C, 150 Canada PREFINISHED SPECIALTY PANELS: Architectural, Industrial, Paper Overlay, Printed, Vinyl Laminated – Flame Spread A, B, C, 150 Canada					
<u>PITTSBURGH FOREST PRODUCTS CO.</u> Contact: Troy Halo 375 Valleybrook Rd., McMurray, PA 15317 (724) 969-5000; Fax: (724) 969-1100 E-mail: inquiry@pittsburghforest.com Web: www.pittsburghforest.com	48" X 96" Cut-To-Size Oversize	1/8" - 1 3/16"	CARB Type I CARB Type II NAUF Phenolic PVA	Combination Lumber MDF Particleboard Unidirectional Veneer	FSC
SPECIES DISTRIBUTED: Exotics-R,P, Bamboo-R,P, Beech-R,P, Birch-R,P, American Cherry-R,P, Hickory-P, Knotty Pine-P, Maple-R,P, Honduras Mahogany-R,P, Red Oak-R,P,Q, White Oak-P,Q, Pecan-P, Poplar-R, Walnut-P, Any Species on Request-R,H,P,Q HARDWOOD PLYWOOD SPECIALTY ITEMS: Aircraft Applications, Banded, Bending Boards, Cabinet Doors, Curved/Molded Items, Die Boards, Door Skins, Drawer Sides/Backs Nosed/Grooved, Edge Banding, Furniture Panels, IIB Door Core, Kitchen Cabinet Components, Machine Parts (Shaped), School/Church Components, Stock Panels, Table & Desk Tops, Upholstery Frame Panels, Veneer, Bendable PREFINISHED SPECIALTY PANELS: Architectural, Industrial, Paper Overlay, Printed, Vinyl Laminated, UV Topcoats					

DISTRIBUTORS OF HARDWOOD PLYWOOD

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: EPA TSCA; CARB; Exterior – Technical; Exterior – Type I;

Interior – Type II; NAF – No Added Formaldehyde; NAUF – No Added Urea Formaldehyde;

Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

SIZES AVAILABLE	THICKNESSES AVAILABLE	GLUE TYPES	CORE TYPES	ENVIRONMENTALLY CERTIFIED PRODUCTS AVAILABLE FSC, SFI, Other
--------------------	--------------------------	---------------	---------------	---

ROBERT WEED CORP.

Contact: Dave Ramundo

P.O. Box 487, Bristol, IN 46507

(574) 848-4408; Fax: (574) 848-5812

E-mail: sales@robertweedplywood.com

Web: www.robertweedplywood.com

60" X 96"

48" X 72"

to 48" X 144"

1/8" -

1 1/4"

Type I

Type II

Combination

MDF

Particleboard

Veneer

--

SPECIES DISTRIBUTED: Exotics-R,H,P,Q, Ash-P,Q, Beech-P,Q, Birch-R,P, Cedar-R,H,P,Q, American Cherry-P,Q, Hickory-R,H,P,Q, Knotty Pine-R,H,P,Q, Koa-R,H,P,Q, Maple-R,P, Bird's-Eye Maple-R,P, Red & White Oak-R,P,Q, Pecan-R,P, Poplar-R,P, Walnut-P, Any Species on Request-R,H,P,Q,

HARDWOOD PLYWOOD SPECIALTY ITEMS: Banded, Bending Boards, Drawer Sides/Backs Nosed/Grooved, Edge Banding, Kitchen Cabinet Components, School/Church Components, Stock Panels, Veneer, Bendable - Flame Spread Rating A, B, C, 150 Canada

PREFINISHED SPECIALTY PANELS: Architectural, CNC Router, Cut-To-Size, Foil, Paper Overlay, Printed, Profile Mouldings, RTF Vacuum Wrap, Vinyl Laminated, Wrap Mouldings

ROBERTS PLYWOOD CO.

Contact: Norman Roberts

45 N. Industry Court, Deer Park, NY 11729

(631) 586-7700; Fax: (631) 586-7009

Web: www.getwood.com

96" X 48"

48" X 144"

48" X 120"

48" X 96"

1/8" -

1 1/2"

Type I

Type II

Combination

Lumber

MDF

Particleboard

Unidirectional

Veneer

--

SPECIES DISTRIBUTED: Exotics-P,Q, Anigre-Q, Ash-P,Q, Bamboo-Q, Beech-Q, Birch-R, Butternut-P, Cedar-P, American Cherry-P,Q, Hickory-P, Idaho White Pine-P, Khaya-P,Q, Knotty Pine-P, Koa-P, Honduras Mahogany-P, Maple-P,Q, Bird's-Eye Maple-P, Red & White Oak-R,P,Q, Sycamore-Q, Walnut-P, Any Species on Request-R,P,Q,

HARDWOOD PLYWOOD SPECIALTY ITEMS: Aircraft Applications, Banded, Bending Boards, Cabinet Doors, Curved/Molded Items, Die Boards, Door Skins, Drawer Sides/Backs Nosed/Grooved, Edge Banding, Furniture Panels, Kitchen Cabinet Components, Machine Parts (Shaped), Marine Panels, School/Church Components, Stock Panels, Veneer, Bendable, Veneer/Plywood – Musical Instruments - Flame Spread Rating A, B, C, 150 Canada

PREFINISHED SPECIALTY PANELS: Architectural, Industrial, Paper Overlay, Printed, Vinyl Laminated - Flame Spread Rating A, B, C

RODDIS LUMBER & VENEER CO. LP.

Contact: Scott Friedrichsen

727 N. Cherry St., San Antonio, TX 78202

(210) 226-1426; Fax: (210) 226-1591

E-mail: sfriedrichsen@roddislumber.com

Web: www.roddislumber.com

60" X 60"

48" X 120"

48" X 96"

48" X 72"

1/8" -

1 1/8"

Type I

Type II

Combination

Lumber

MDF

Particleboard

Veneer

F

SPECIES DISTRIBUTED: Exotics-R,P,Q,I, Anigre-P,Q, Ash-R,P, Bamboo-R, Beech-P,Q, Birch-R,P, Butternut-P, Cedar-P, American Cherry-P, Hickory-P, Idaho White Pine-P, Khaya-P,Q, Knotty Pine-P, Koa-P, Honduras Mahogany-P,Q, Maple-R,P, Bird's-Eye Maple-P, Red & White Oak-R,P,Q,I, Pecan-P, Poplar-R, Sycamore-P, Walnut-P, Any Species on Request-R,P,Q,I

HARDWOOD PLYWOOD SPECIALTY ITEMS: Bending Boards, Curved/Molded Items, Drawer Sides/Backs Nosed/Grooved, Edge Banding, Marine Panels, Stock Panels, Table & Desk Tops, Veneer, Bendable - Flame Spread Rating A, C

PREFINISHED SPECIALTY PANELS: Architectural, Industrial, Paper Overlay, Printed, Vinyl Laminated - Flame Spread Rating A, C

DISTRIBUTORS OF HARDWOOD PLYWOOD

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: EPA TSCA; CARB; Exterior – Technical; Exterior – Type I;

Interior – Type II; NAF – No Added Formaldehyde; NAUF – No Added Urea Formaldehyde;

Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

	SIZES AVAILABLE	THICKNESSES AVAILABLE	GLUE TYPES	CORE TYPES	ENVIRONMENTALLY CERTIFIED PRODUCTS AVAILABLE FSC, SFI, Other
RUSSELL PLYWOOD INC. Contact: Russell DiGiallorenzo 401 Old Wyomissing Rd., Reading, PA 19611 (610) 374-4017; Fax: (610) 374-9138 E-mail: rdg@russellplywood.com Web: www.russellplywood.com	96" X 48", 120" 60" X 97", 120" 48" X 72", 84", 96", 109", 120", 144"	1/8" - 2"	Type I Type II	Combination Lumber MDF Particleboard Unidirectional Veneer	F

SPECIES DISTRIBUTED: Exotics-R,H,P,Q, Anigre-P,Q, Ash-R,P,Q, Basswood-R, Beech-R,P,Q, Birch-R,H,P, Butternut-P, Cedar-R,P, American Cherry-R,P,Q, Hickory-P, Idaho White Pine-R,P, Khaya-P,Q, Knotty Pine-P, Koa-P, Honduras Mahogany-P, Maple-R,H,P,Q, Bird's-Eye Maple-R,P, Red & White Oak-R,H,P,Q, Pecan-P, Poplar-R,P, Sycamore-R,P, Walnut-P, Wormy Chestnut-P, Any Species on Request-R,H,P,Q

HARDWOOD PLYWOOD SPECIALTY ITEMS: Banded, Bending Boards, Cabinet Doors, Curved/Molded Items, Die Boards, Drawer Sides/Backs Nosed/Grooved, Edge Banding, Furniture Panels, Kitchen Cabinet Components, Machined Parts (Shaped), Marine Panels, School/Church Components, Stock Panels, Table & Desk Tops, Veneer, Bendable, Veneer/Plywood-Musical Instruments - Flame Spread Rating A, B, C, 150 Canada

PREFINISHED SPECIALTY PANELS: Architectural, Hardwood Tambour, Industrial, Paper Overlay, Printed, Vinyl Laminated - Flame Spread Rating A, B, C, 150 Canada



DHA SUPPLIERS



SUPPLIER MANUFACTURERS (M) AND DISTRIBUTORS (D)

P-Plywood V-Veneer O-Other

ALTEC INTEGRATED SOLUTIONS LTD. (PRECISION MACHINERY AND CONTROLS) (M)

Altec supplies precision machinery and controls to solve the toughest application demands in the veneer and plywood industry. With engineering and manufacturing facilities in Diboll, TX and Coquitlam, BC. From our early days in 1999 we have, for the last 20 years, continued to expand our products and services, setting new benchmarks for innovation and integration.

120-185 Golden Drive
Coquitlam, BC V3K 6T1, Canada
(604) 529-1991; Fax: (604) 529-1992
E-mail: sales@alteconline.com
Web: www.alteconline.com

PVO – Control Systems; V – Lathe Systems; V – XY Scanners; V – Chargers
V – Clipper Scanners; V – Clippers; PV – Handling and Stacking;
PVO – Engineering and Design

CARGILL INDUSTRIAL SPECIALTIES

Cargill provides food, agriculture, financial and industrial products and services to the world. Together with farmers, customers, governments and communities, we help people thrive by applying our insights and more than 150 years of experience. We have 150,000 employees in 70 countries who are committed to nourishing the world in a responsible way, reducing environmental impact and improving the communities where we live and work.

Cargill Industrial Specialties is the largest business unit within Cargill that exclusively focuses on providing bio-based solutions to industrial markets, including binders and adhesives for construction materials, dielectric fluids, paints, inks and coatings, lubricants, oilfield chemicals, consumer products, flexible foam and other diverse applications in the chemical industry. With our extensive specialty chemical technical expertise, we collaboratively work with our customers to solve their toughest challenges with unique, innovative technologies that create bottom-line value. Furthermore, our customers count on Cargill's global supply chain expertise to provide consistent and reliable supply.

For more information, visit cargill.com/industrial-oils

Sales: Dave Garlie, NA BDM – Construction & Building Materials
15401 McGinty Road, Wayzata, MN 55391
(715) 271-4225
E-mail: Dave_Garlie@cargill.com
Web: www.cargill.com

FISHER + RÜCKLE AG (Headquarter) (M) Fisher + Rückle AG, Manufactures of high quality, long lasting wood veneer machines including; crossfeed splicers, longitudinal splicers, single knife and double knife guillotines, jointers, glue applicators, cross clippers and veneer grading lines.

Sales: Alexander Baptista
Hardhofstrasse 15, 8424 Embrach
Switzerland
011 41 56 460 67 00; Fax: 011 41 56 460 67 00
E-Mail : sales@fisher-ruckle.ch
Web: <http://www.fisher-ruckle.ch>

V – Consulting-Design/Application; V – Conveyors; V – Crossfeed Splicers;
V – Flooring Equipment; V – Glue Applicators; V – Veneer Clippers;
V – Veneer Guillotines; V – Veneer Jointers; V – Veneer Splicers; V – Grading Lines

FISHER + RÜCKLE SALES AND SERVICE, INC. (M) Fisher + Rückle Sales and Service Inc. is the North American representative for Fisher + Rückle AG (Headquarter in Switzerland) and they offer sales support, quality service, and original OEM parts for Fisher + Rückle AG, Embrach, Switzerland. Supporting FISHER + RÜCKLE AG supplying the veneer industry with new and used veneer machines including crossfeed and longitudinal splicers, single-knife and double-knife guillotines, jointers, glue applicators, cross clippers and veneer grading lines

Contact: Jeff Suehring
513 S. Howard Street, P.O. Box 373
Wittenberg, WI 54499
(715) 253-3366, Fax (715) 253-3365
E-Mail: fishruck@frontiernet.net; Web: <http://www.fisher-ruckle-sales.com>

V – Consulting-Design/Application; V – Conveyors; V – Crossfeed Splicers; V – Grading Lines;
V – Flooring Equipment; V – Glue Applicators; V – Veneer Clippers;
V – Veneer Guillotines; V – Veneer Jointers; V – Veneer Splicers

SUPPLIER MANUFACTURERS (M) AND DISTRIBUTORS (D)

P-Plywood V-Veneer O-Other

FRANKLIN ADHESIVES & POLYMERS (M)

For 75 years, Franklin Adhesives & Polymers has been the industry leader in bonding wood and wood products. Manufacturers in more than 60 countries trust Franklin's products to provide them the productivity and quality they demand. Their customers know they can rely on their longstanding experience and deep commitment to the development of practical, hardworking solutions that meet real needs on the plant floor. Many of Franklin's brands- Titebond, Multibond, and Advantage - have become renowned in the manufacture of wood products, in assembly, edging and facing, lamination, veneering, and finger jointing. The unmatched breadth of their adhesive product line offers Franklin's customers the performance characteristics they seek. Whatever you might be running in your plant, call Franklin Adhesives & Polymers and see for yourself what makes them the most trusted adhesion company in the world.

Sales: Jaye Schroeder, V.P. of Industrial Business
2020 Bruck St., Columbus, OH 43207
(800) 487-4583; Fax: (614) 445-1366
E-mail: JayeSchroeder@FranklinInternational.com
Web: www.FranklinAdhesivesandPolymers.com

PVO – Adhesives Manufacturer
Edge Gluing: [Multibond](#) – X PVA, Liquid
[Reactite](#) – E P I, Emulsion
Interior Plywood: [Multibond](#) – X PVA, Liquid
[Reactite](#) – E P I, Emulsion

GRENZEBACH CORP. (M)

Grenzebach has been an OEM equipment supplier to the building materials industry for over 100 years, supplying high end handling, processing, and drying solutions to the Glass, Solar, Gypsum, Veneer, Fiber Cement, and Insulation industries. With over 60 years of experience providing new dryers and processing equipment into the veneer industry, and over 30 years of experience in rebuilding all brands of veneer dryers, Grenzebach has engineered multiple enhanced veneer drying solutions and rebuild solutions that can be custom fit to the needs of any wood type or customer preference. Grenzebach supplies complete processing lines to the veneer industry with: standard roller dryers, press dryers, belts dryers, sinus belt dryers, feeding systems, unloading systems, stackers, slicers, scanners, and custom AGV transport systems.

USA Sales: Charles Shurtliff
10 Herring Road, Newnan, GA 30265
(770) 254-5032; Fax: (770) 253-5189
E-mail: charles.shurtliff@grenzebach.com

V – Dryer Systems; V – Electronic Measuring Machines; V – Feeders;
V – Handling Systems; V – Loaders/Unloaders; V – Stacking Systems;
V – Veneer Lathe-Staylog/Full Round; V – Veneer Scanning Systems;
V – Veneer Slicers; V – X-Y Chargers

Worldwide Sales: Michael Meyer
Rudolf-Grenzebach-Strabe 1
36251 Bad Hersfeld, Germany
011 49 6621 81-3544; Fax: 011 49 6621 81-93496
E-mail: michael.meyer@grenzebach.com
Web: www.grenzebach.com

SUPPLIER MANUFACTURERS (M) AND DISTRIBUTORS (D)

P-Plywood V-Veneer O-Other

HEXION INC. (M)

As the world's largest producer of thermoset resins and the leader in adhesive and structural resins and coatings, Hexion Inc. meets customers' specific application needs with a total solutions approach of products and services. Hexion Inc. offers the broadest range of thermoset resin technologies and unmatched technical support and provides them around the globe. With their extensive research and development capabilities and applications know-how, they are uniquely able to work in partnership with customers to co-develop better products and systems.

Order Desk: (866) 443-9466

Web: www.hexion.com

Sales: Performance Adhesives

Alex Brown, Regional Account
Manager, West

610 S. 2nd Street, Springfield, OR 97477

(541) 744-3245; Fax: (541) 747-3868

E-mail: alex.brown@hexion.com

Sales: Performance Adhesives

Scott Steller, Account Manager, East

1717 Ward Ave., High Point, NC 27261

(336) 884-8918 ext. 5117; Fax: (336) 884-1023

E-mail: scott.steller@hexion.com

Sales: Plywood and LVL

David Dark, Business Dir., N.A.

3901 Sugarhouse Rd., Alexandria, LA 71301

(318) 445-6115 ext. 17; Cell: (318) 471-7791

E-mail: david.dark@hexion.com

PV – Additives; P – Extenders; P – Fillers; V – Glue Release Coatings

PVO – Manufacturer

Precatalyzed Cross Link PVA

EPI, Emulsion – non-structural and structural

Assembly Gluing

Edge Gluing

HRA rated (Method A) Finger Jointing – vertical studs

Structural Finger Jointing

Hardwood Plywood

Flush Doors

CARB Phase II Technologies

Plastic Laminating

I-Beams

Laminated Beams

Casein Systems

Scarf Jointing

Furniture

Window and Door Component Gluing

Plywood

J.M. LONGYEAR, LLC (D)

J.M. Longyear produces and sells hardwood veneer logs and saw logs.

Sales: Jake Hayrynen

210 N. Front Street, 1st Floor, Marquette, MI 49855

(906) 250-5284; Fax: (906) 228-9499

E-mail: jakehayrynen@jmlongyear.com

Web: www.jmlongyear.com

KINETIC CO., INC. (M)

Sales: Scott Reboletti – Wood Market Manager

6775 W. Loomis Road, Greendale, WI 53129

(414) 425-8221; Fax: (414) 425-7927

E-mail: Scott.Reboletti@knifemaker.com

Web: www.knifemaker.com

SUPPLIER MANUFACTURERS (M) AND DISTRIBUTORS (D)

P-Plywood V-Veneer O-Other

MEINAN MACHINERY WORKS, INC. (M)

Meinan develops and manufactures innovative machinery for veneer and plywood production, holding hundreds of worldwide patents. Meinan changed the basic engineering concept of veneer peeling with its revolutionary lathe, using spiked disks to drive logs on their circumference, providing better veneer quality, higher yield, and extremely close thickness tolerance. The lathe is part of an automatic veneer peeling line with significant labor cost savings. The newest line features the world's first in-line green veneer composers for joining random width green veneer to improve dryer utilization. Meinan also manufactures scarf composers, grading systems, automatic layup lines, and sanders. Represented in USA by Merritt Machinery, LLC.

Sales Japan: E. Tame, K. Takahashi
3-130 Kajita-Cho
Obu City, Aichi 434-8543, Japan
011 81 562 472 211; Fax: 011 81 562 48 7300
E-mail: sales@meinan.co.jp

PV – Core Composing Systems; V – Crossfeed Splicers;
PV – Lathe Systems; P – Lay-up Lines; V – Reeling Systems;
PV – Veneer Lathe-Staylog/Full Round; PV – X-Y Chargers

Sales North America:
Merritt Machinery, LLC
10 Simonds St., Lockport, NY 14094
(716) 434-5558; Fax: (716) 434-5575
E-mail: amccann@merrittmachinery.com
Web: www.merrittmachinery.com

MERRITT MACHINERY, LLC (M)

Merritt has been manufacturing machinery for the production of decorative veneer and plywood for more than 150 years. Merritt rotary and guillotine-style veneer clippers, conveyors, slicers, vacuum flitch tables, and knife carriage control upgrades are in operation worldwide. Our newest innovation is the patented FlitchPrep™ machine for automatically cleaning veneer flitches prior to slicing. Merritt is the U.S. representative of Meinan Machinery Works, a global supplier of veneer and plywood equipment. We are committed to providing innovative high-tech production machinery backed by first-rate customer service.

Sales: Anna McCann
10 Simonds St., Lockport, NY 14094
(716) 434-5558; Fax: (716) 434-5575
E-mail: amccann@merrittmachinery.com
Web: www.merrittmachinery.com

V – Controls; V – Conveyors; V – Double Sided Flitch Planers;
V – Electronic Measuring Machines; V – Flitch Machines;
V – Handling Systems; V – Lathe Systems; V – Reeling Systems;
V – Stacking Systems; V – Vacuum Systems; V – Veneer Clippers;
V – Veneer Guillotines; V – Veneer Jointers;
V – Veneer Lathe-Staylog/Full Round; V – Veneer Slicers

NORBORD, INC. (M)

Norbord, Inc., the world's largest producer of Oriented Strand Board, is now producing Industrial Core for the most demanding of applications such as Hardwood Plywood and Engineered Flooring. Norbord's mills are strategically located throughout North America near key manufacturing operations such as yours. Norbord offers an array of dimensions and finishes that help to improve your yield and throughput. Norbord's Engineered Strand Panels (E.S.P.) blend many of the attributes of the traditional cores you are familiar with in one exciting new hybrid core. Reach out to Norbord today and get introduced to our Solutions Team that will work with your team to provide service, quality and supply second to none.

Sales: Blair S. Ruzicka
1 Toronto Street, Suite 600, Toronto,
ON M5C 2W4, Canada
(470) 201-7660; Fax: 1-866-791-3334
E-mail: ruzickab@norbord.com
Web: www.norbord.com

O – Manufacturer

SUPPLIER MANUFACTURERS (M) AND DISTRIBUTORS (D)

P-Plywood V-Veneer O-Other

NUMATIC FINISHING CORP. (M)

Numatic Finishing is a full architectural wood pre-finishing plant, finishing doors, millwork, paneling, and casework. They do all types of wood finishes including wood treat, preservative treat, fire treat, custom stains and finishes also priming and painting. They work with architects, designers, and owners to help develop and design custom colors and finishes. They are fully automated with two millwork flat-lines, automated door line curing under infrared heat and two areas for those hot samples and rush orders. In 1999 they purchased their first UV flat line, since then they have added a new UV finishing line with a stain module, wiping systems, and three sanders. they can run LEED qualified finishes in all areas

Sales: Mario Vicente (VP) Dan Sportsman (estimating, and management)

Wood Pre-finishing

3132 C Street N.E., Auburn, WA 98002-1790

(253) 939-2391; Fax: (253) 939-2597

(800) 847-5489

Email: Mario@numaticfinishing.com; dansportsman@numaticfinishing.com; jason@numaticfinishing.com

Web: www.numaticfinishing.com

RAUTE CANADA LTD. (M)

Suppliers of machinery, services, and technology to the decorative veneer, veneer-based panel, and engineered wood industries globally. Products: veneer slicers and press dryers, veneer lathes and lathe deck equipment, veneer scanners and clippers, green and dry veneer stackers, veneer dryers, plywood layup lines, press systems, veneer composers, panel finishing lines, panel overlaying lines, and control systems. Turnkey supply of automatic veneer slicing and drying lines, plywood plants, and LVL mills.

Sales: Trevor Wendt

1633 Cliveden Ave.

Delta, BC, Canada V3M 6V5

(604) 524-6611; Fax: (604) 521-4035

E-mail: trevor.wendt@raute.com

E-mail: timo.tikka@raute.com

Web: www.raute.com

PVO – Engineering; PVO – Process Control Systems; PVO – Chippers;

PVO – Consulting-Design/Application; PVO – Controls; PVO – Conveyors;

PVO – Core Composing Systems; PVO – Crossfeed Splicers; V – Dryer Systems;

PV – Feeders; PO – Flooring Equipment; PVO – Glue Applicators; PO – Glue Mixers;

PVO – Handling Systems; PVO – Hoists; V – Knives; PV – Lathe Systems;

PVO – Lay-Up Lines; PVO – Loaders/Unloaders; PV – Optimizer Systems;

PO – Overlay Systems; PO – Panel Lines; PV – Patching Lines; PO – Press Equipment;

V – Reeling Systems; PVO – Saw Lines; PVO – Stacking Systems;

PO – Tongue and Groove Machinery; V – Tray Systems; PV – Turnover Conveyors;

PV – Vacuum Systems; V – Veneer Clippers; PV – Veneer Hogs; V – Veneer Jointers;

V – Veneer Lathe-Staylog/Full Round; PV – Veneer Scanning Systems;

V – Veneer Slicers; PV – X-Y Chargers

ROCKET INDUSTRIAL (D)

At Rocket Industrial we share your passion for wood products, and the natural environment that provides them. Our mission to Package with Less™ includes a commitment to sustainability and minimizing waste. We have played a supportive role in veneer production for decades, providing the world's best veneer tapes, glue thread, poly strapping, sheeting, pallet covers, and moisture barriers. The same absolute precision that goes into manufacturing your veneers guides the manufacturing and distribution of Rocket Industrial's veneer tapes, glues and poly products.

Sales: Matt Hahn

200 Washington St., Suite 220

Wausau, WI 54403

(800) 826-4405

E-mail: mhahn@rocketindustrial.com

Web: www.rocketindustrial.com

SUPPLIER MANUFACTURERS (M) AND DISTRIBUTORS (D)

P-Plywood V-Veneer O-Other

ROO GLUE INC. (M)

Roo Glue is a manufacturer of innovative water-based adhesives and adhesive polymers. Roo Glue industrial adhesives are formulated with the latest polymer technology developed in-house. With a fully equipped wood glue testing lab and manufacturing sites on the East and West coasts, Roo Glue is ready to provide solutions for any wood adhesive needs, including custom formulation for your exact application. For plywood and panel manufacturing, ask the experienced team at Roo Glue about switching to a NAUF adhesive solution for your product line. As a division of family-owned Specialty Polymers, Inc., you can count on Roo Glue to deliver innovation, responsiveness, and flexibility to every customer. Our employees are committed to providing the best customer service in the industry. This is what sets Roo Glue apart from the rest!

Sales: Steve Leonard

North American Sales Manager – East Region

869 Old Richburg Rd.

Chester, SC 29706

(336) 688-0930

E-mail: sleonard@rooglu.com

Web: www.rooglu.com

Diverse Application and Technology Expertise

Furniture

Flat/Curved plywood

Engineered flooring

Doors/Windows

Veneering

Paper lamination

Packaging

Wood to non-wood bonding

Vinyl acetate – D2, D3, D4 (1 part, 2 part)

Acrylic

SIEMER MILLING CO. (M)

Siemer Milling Company is a cereal processor located in Hopkinsville, KY. GLU-X and GLU-Xtra are produced as special glue extenders for the plywood industry. These extenders are used to control viscosity and spread, improve tack and bonds, conserve resin, reduce downgrades, and facilitate environmental compliance.

Sales: Jay Wallace

P.O. Box 670, Teutopolis, IL 62467

(217) 857-2240; Fax: (217) 857-3092

Cell: (217) 343-9551

E-mail: jwallace@siemermilling.com

Web: www.siemermilling.com

PO – Additives; PO – Extenders

SLR INTERNATIONAL CORPORATION (M)

SLR provides ongoing compliance support and training for a range of wood products facilities. These efforts include due diligence, air permitting, water permitting, stormwater plans, SPCC plans, EPCRA (Form R and Tier 2 reportings), RCRA compliance, and environmental program training. SLR professionals provide in-depth regulatory knowledge and technical skills to guide projects to completion. They work as partners with their clients helping them with the range of issues from day-to-day environmental compliance tasks to long-term, strategic planning necessary for future growth. SLR provides support to wood products operations throughout North America including pulp and paper mills, hardwood flooring facilities, particleboard facilities, plywood mills, packaging facilities, veneer plants, saw mills, chip mills, and door manufacturing.

Sales: Heather Bartlett

1800 Blankenship Road, Suite 440

West Linn, OR 97068

(503) 723-4423; Fax: (503) 723-4436

E-mail: hbartlett@slrconsulting.com

Web: www.slrconsulting.com

Environmental Consulting

SUPPLIER MANUFACTURERS (M) AND DISTRIBUTORS (D)

P-Plywood V-Veneer O-Other

SOLENIIS LLC (M)

Solenis is a global leader in specialty chemical solutions for consumer and industrial markets. The company's Soyad™ adhesive technology is a patented, bio-based, formaldehyde-free adhesive system that is widely used to manufacture environmentally-friendly hardwood plywood and engineered wood flooring. Soyad™ adhesives are used to produce boards with veneer or composite panel cores. The strength provided by Soyad™ adhesives is comparable to that of formaldehyde-based adhesives. Soyad™ adhesives are cost competitive with formaldehyde-based adhesives and, in most cases, cost less than other no-added-formaldehyde (NAF) technologies.

Sales: Dwight Chapman

2475 Pinnacle Drive

Wilmington, DE 19803

(904) 631-0926

E-mail: dwight_chapman@solenis.com

Web: www.solenis.com; www.soyad.com

PO - Adhesives; O - Extenders; PO - Glue Release Coatings; PO - Additives

Interior Plywood:

Soyad™ CA Series – Soy Adhesive, Liquid

Soyad™ SD Series – Soy Dispersion, Liquid

Presstige™ BP Series – Release Agents

TAIHEI MACHINERY WORKS, LTD. (M)

Taihei Machinery is a leading manufacturer of veneer and plywood equipment, especially horizontal hot presses up to 140 openings and jet roller dryers. Taihei is the leader in today's knife grinding and honing technologies. In Sep 2016, we opened a showroom of knife grinder and knife honer in Oregon State. We would be happy to have you visit our showroom, where we can grind you company's knives and then arrange for peeling tests at your facilities.

Sales Japan: Dennis Ishida

955-8, Miyamae, Irukade-Shinden

Komaki City, Aichi, Japan 485-0084

+81-568-73-6431; Fax: +81-568-73-6414

E-mail: d_ishida@taihei-ss.co.jp

Web: www.taihei-ss.co.jp

P – Glue Applicators; PV – Knife Grinders; PV – Press Equipment;

PV – Reeling Systems; P – Saw Lines; PV - Dryers

PV – X-Y Charger

Showroom location: 29322 Airport Road, Eugene, OR

WESTMILL INDUSTRIES LTD. (M)

Westmill Industries has been serving the Panelboard Industry for over 40 years. We are North America's leading specialists for new veneer dryers, rebuild all makes of existing dryers and offer consulting and engineering services. Westmill has an extensive inventory of parts to service and supply all makes and models of dryers. Warehouses located in Oregon, Georgia and British Columbia.

Sales: George Harmati

3063 – 275A Street

Aldergrove, BC, Canada V4W 3L4

(604) 607-7010; Fax: (604) 607-7099

Toll free number: (877) 607-7010.

E-mail: sales@westmill.com

Web: www.westmill.com

PV – Engineering; PVO – Process Control Systems; V – Dryer Systems;

V – Electronic Measuring Machines; PV – Handling Systems; PV – Hoists;

V – Loaders/Unloaders; PV – Stacking Systems; V – Vacuum Systems

ASSOCIATE MEMBERS

ALTAMONT COMPANY

901 N. Church St., Thomasboro, IL 61878
(217) 643-3125; Fax: (217) 643-7973
Merlin Enright
Web: www.altamontco.com

BAMBOO ECOLOGIC CORPORATION

5206 Paylor Lane, Sarasota, FL 34240
(217) 622-9791
Craig Rosenlund
Web: www.becbamboo.com

LONZA

1400 Bluegrass Lakes Pkwy, Alpharetta, GA 30004
(678) 627-2463; Fax: (678) 627-2083
Belinda Remley
Web: www.wolmanizedwood.com

NORTH CAROLINA STATE UNIVERSITY

411 Dan Allen Drive
Raleigh, NC 27695
(919) 515-2881
Lyndsey Campbell
Web: <https://cnr.ncsu.edu/fb/facilities-and-services/sustainable-materials-technical-services/>

ARMSTRONG WORLD INDUSTRIES

2500 Columbia Avenue, Lancaster, PA 17603
(717) 397-0611
Web: www.armstrong.com

KIMBALL INTERNATIONAL, INC.

Manufacturer of Fine Office and Hospitality Furniture
1155 W. 12th Avenue, Jasper, IN 47549
(800) 482-1616; Fax: (812) 482-8804
Web: www.kimball.com

MCMILLAN SHELL LLC/DBA NORDIC SHELL CO.

P.O. Box 24026, Overland Park, KS 66283
(913) 274-1371
Kipton Blue
Web: www.nordicshells.com

SPARTEK INDUSTRIES

2221 N Argyle St., Portland, OR 97217
(503) 283-4749; Fax: (503) 289-1621
Web: www.spartek.com

Enabling Engineered Wood Products

Innovative Solutions for the Engineered Wood Products Industry.

Hexion is a world leader in supplying resins, adhesives, wax emulsions, and ancillary products to the engineered wood and hardwood veneer products industries. We meet the most challenging applications with a complete package of innovative, cost-effective solutions. We're also at the forefront in developing environmentally suitable technologies for reduced emissions.

Product Lines

- Urea Resins
- Melamine Resins
- Phenolic Resins
- Phenol-Resorcinol Resins
- PVA Adhesives –Conventional and Cross Link
- Casein Adhesive
- EcoBind™ Ultra-low Emitting Resin and Adhesive Technologies
- EPI Adhesive
- HRA Technology (Heat Rated Adhesives)

Applications

- Veneer Splicing
- Composite
- Panels
- Hardwood Plywood
- Furniture
- Laminating
- Saturating
- All Woodworking Applications
- Fingerjointing – Structure and Non-structural Adhesives

Sales Offices

- Alexandria, LA +1 318 445 6115
- High Point, NC +1 336 884 8918
- Portland, OR +1 503 286 3653
- Springfield, OR +1 866 443 9466

Visit us at Hexion.com

ADHESIVE MANUFACTURERS

NAME AND LOCATION OF COMPANY		FORM				APPLICATION																											
<div>HEXION INC.</div> <div>(866) 443-9466 Order Desk</div> <div>Web: www.hexion.com</div> <div>610 S. 2nd Street, Springfield, OR 97477</div> <div>(541) 744-3245; Fax: (541) 747-3868</div> <div>Alex Brown, Regional Account Manager, West Performance Adhesives</div> <div>E-mail: alex.brown@hexion.com</div> <div>1717 Ward Avenue, High Point, NC 27261</div> <div>(336) 884-8918 ext 5117; Fax: (336) 884-1023</div> <div>Scott Steller, S.M., East Performance Adhesives</div> <div>E-mail: scott.steller@hexion.com</div> <div>3901 Sugarhouse Road, Alexandria, LA 71301</div> <div>(318) 445-6115; Fax: (318) 473-1086</div> <div>David Dark, Business Dir., North America Plywood/LVL</div> <div>E-mail: david.dark@hexion.com</div>		EMULSION	LIQUID	POWDER	SOLID	ASSEMBLY GLUING	BOATS (MARINE USES)	EDGE GLUING	EXTERIOR PLYWOOD	FILMS & PAPER OVERLAYS	FINGER JOINTING	FLUSH DOORS	HARDBOARD	HARDBOARD BINDER	INTERIOR PLYWOOD	LAMINATED TIMBERS	LAMINATED VENEER LUMBER	MOLDED PRODUCTS	OSB BINDER	PANEL TO FRAME	PAPER TO WOOD	PARTICLEBOARD	PARTICLEBOARD BINDER	PLASTIC LAMINATING	SCARF JOINTING	TAPELESS SPLICING	VENEER SPLICING	WAFFERBOARD BINDER					
		BRAND NAME		TYPE																													
		Casco	Casein		X								X	X		X									X								
		Cascamite Splicer Adhesives	Urea Powder		X																								X				
		Cascamite General Purpose Adhesives	Urea Powder		X		X		X				X	X		X					X		X		X	X							
Casco Resin	Modified Urea Resins	X			X		X				X	X		X								X		X									
Casco Resin	Urea Resins – Plywood	X			X		X		X	X	X	X		X					X	X	X		X	X									
Casco Resin	Urea Resins – Particleboard	X																					X										
Cascophen	Phenolic – Hardboard	X											X																				
Cascophen	Resorcinol, Phenol-Resorcinol	X			X	X	X	X				X			X							X		X	X								
Cascophen	Phenolic	X						X										X										X					
Cascorez	Polyvinyl Acetate	X			X		X		X	X	X	X		X						X	X	X		X	X		X						
Cascomel	Melamine		X					X	X	X																							
Cascomel	Melamine			X	X		X	X	X	X	X	X									X	X		X	X								
Cascomel	Melamine Urea			X	X		X	X	X	X	X	X									X	X		X	X								
Cascowax	Wax Emulsion		X									X						X				X						X					
Paper Overlay Resins	Urea – Paper Overlay		X						X			X									X	X											
Wonderbond	Cross Link PVA	X			X		X	X		X	X	X		X						X		X		X	X								
Wonderbond	Precatalyzed Cross Link PVA	X			X		X	X		X	X	X		X						X		X		X	X								
XB-9000 Series	Thermoset Emulsions	X	X				X	X		X																							

ADHESIVE MANUFACTURERS

NAME AND LOCATION OF COMPANY		FORM				APPLICATION																						
<div>FRANKLIN ADHESIVES AND POLYMERS</div> <div>2020 Bruck Street</div> <div>Columbus, OH 43207</div> <div>(800) 487-4583; Fax: (614) 445-1366</div> <div>Jaye Schroeder, V.P. of Industrial Business</div> <div>E-mail: jayeschroeder@franklininternational.com</div> <div>Web: www.franklinadhesivesandpolymers.com</div>		EMULSION	LIQUID	POWDER	SOLID	ASSEMBLY GLUING	BOATS (MARINE USES)	EDGE GLUING	EXTERIOR PLYWOOD	FILMS & PAPER OVERLAYS	FINGER JOINTING	FLUSH DOORS	HARDBOARD	HARDBOARD BINDER	INTERIOR PLYWOOD	LAMINATED TIMBERS	LAMINATED VENEER LUMBER	MOLDED PRODUCTS	OSB BINDER	PANEL TO FRAME	PAPER TO WOOD	PARTICLEBOARD	PARTICLEBOARD BINDER	PLASTIC LAMINATING	SCARF JOINTING	TAPELESS SPLICING	VENEER SPLICING	WAFFERBOARD BINDER
BRAND NAME	TYPE																											
Multibond	X PVA		X			X		X			X	X			X													
Reactite	E P I	X				X		X				X			X													

ROO GLUE, INC 869 Old Richburg Rd Chester, SC 29706 (336) 688-0930 Steve Leonard E-mail: sleonard@rooglu.com Web: www.rooglu.com		EMULSION	LIQUID	POWDER	SOLID	ASSEMBLY GLUING	BOATS (MARINE USES)	EDGE GLUING	EXTERIOR PLYWOOD	FILMS & PAPER OVERLAYS	FINGER JOINTING	FLUSH DOORS	HARDBOARD	HARDBOARD BINDER	INTERIOR PLYWOOD	LAMINATED TIMBERS	LAMINATED VENEER LUMBER	MOLDED PRODUCTS	OSB BINDER	PANEL TO FRAME	PAPER TO WOOD	PARTICLEBOARD	PARTICLEBOARD BINDER	PLASTIC LAMINATING	SCARF JOINTING	TAPELESS SPLICING	VENEER SPLICING	WAFFERBOARD BINDER
BRAND NAME	TYPE																											
Roo 2820	X-PVAc	X	X				X	X	X		X																	
Roo 6575	X-PVAc	X	X				X	X	X		X																X	
Roo 6565	X-PVAc	X	X			X		X	X	X	X	X	X		X					X	X	X					X	

SOLENIS LLC. 2475 Pinnacle Drive Wilmington, DE 19803 (904) 631-0926 Dwight Chapman E-mail: dwright_chapman@solenis.com Web: www.solenis.com ; www.soyad.com		EMULSION	LIQUID	POWDER	SOLID	ASSEMBLY GLUING	BOATS (MARINE USES)	EDGE GLUING	EXTERIOR PLYWOOD	FILMS & PAPER OVERLAYS	FINGER JOINTING	FLUSH DOORS	HARDBOARD	HARDBOARD BINDER	INTERIOR PLYWOOD	LAMINATED TIMBERS	LAMINATED VENEER LUMBER	MOLDED PRODUCTS	OSB BINDER	PANEL TO FRAME	PAPER TO WOOD	PARTICLEBOARD	PARTICLEBOARD BINDER	PLASTIC LAMINATING	SCARF JOINTING	TAPELESS SPLICING	VENEER SPLICING	WAFFERBOARD BINDER
BRAND NAME	TYPE																											
Soyad CA Series	Soy Adhesive		X											X	X								X					
Soyad SD Series	Soy Dispersion		X											X	X							X						
Presstige™ BP Series	Release Agents	X											X		X			X				X						



A GOOD FEELING

There are lots of reasons to work with Danzer. Like access to best-in-the-industry experts. Quality wood products delivered how and when you need them. Innovations that help you stand out. And the peace of mind that keeps you focused on business. When you partner with Danzer, the feeling's good. For good reasons. www.danzer.com



DANZER
Hardwood Excellence.



Photo: Courtesy Omega Cabinetry using Murphy plywood.

 **MURPHY**  FAMILY OWNED AND
OPERATED SINCE 1909
AMERICAN MADE HARDWOOD PLYWOOD