

Maple Veneer Requirements for the European Union

Update: 05-03-2021

To: U.S. Department of Commerce
Attn: Erik Hunt and Mark Cooper
Cc: Kip Howlett, Decorative Hardwoods Association

Dear Erik and Mark,

We received a good news phone call from [REDACTED] the USDA today. There will no longer be any restriction on Maple logs for veneer coming from the 5 states of Wisconsin, Michigan, New York, North Carolina, and Vermont. I'm not sure about logs from Ontario in Canada.

[REDACTED] thinks your efforts paid off. Hooray. A PC will still be required for now.

Many thanks for all of your efforts.

From the PCIT Website for the European Union

The Phytosanitary Certificate Issuance and Tracking (**PCIT**) system tracks the inspection of agricultural commodities and certifies compliance with plant health standards of importing countries. ...

Acer saccharum – Veneer - Phytosanitary Certificate (PC) is required.

Additional Information

The veneer must be less than 6 mm in thickness

Source: Phone call [REDACTED] and the below website.

[PExD: View Country Information - USDA](#)

<https://pcit.aphis.usda.gov> > [PExD](#) > [signIn](#)

Welcome to the Phytosanitary Export Database (**PExD**) System. **PExD** contains phytosanitary import requirements of U.S.-origin commodities to foreign countries ...

The information in this databased is considered correct and current. Nevertheless, this information is not legally authoritative.