

A COMPANY OF TO BUY

HARDWOOD PLYWOOD, VENEER, & ENGINEERED HARDWOOD FLOORING

> Decorative Hardwoods Association Membership Directory www.decorativehardwoods.org


> > Formerly the Hardwood Plywood & Veneer Association®





Get Hand-Selected Quality with

SkyPly® Hardwood Plywood







MAKING LIVES BETTER FROM THE GROUND UP.

- · Hand-selected hardwood veneers
- Offered in a range of species, veneer cuts, and matches
- Available on the most highly specified core options in North America such as Arreis[®], Medex[®], and Medite[®]
- SkyPly[®] panels are available with RediFinish - a UV coat that protects from surface scratches

Available with these standards and certifications:

- · UL GREENGUARD certified
- CARB ULEF Exempt/TSCA Title VI compliant
- LEED® v4 credit support
- FSC® certified option FSC-C017580
- Sustainable Forestry Initative® (SFI) program - certified available

Wine cellar features SkyPly® Hardwood Plywood in walnut with Medex® MDF shelves with walnut edge banding. To learn more about this project visit: www.roseburg.com/inspirations













Select Your Veneer



Choose Your Finish



Specify Machining



States Industries invented ApplePly® and we do a whole lot more, too. With our unique capabilities in panel manufacturing, you can specify every detail of your custom hardwood plywood to create the perfect panel for your next project. Additional options include NOVA flat line finishing and component manufacturing.

Specified by you. Built for you.



INTRODUCTION

Warm Natural Beauty | Sustainably Sourced | Safe | Legal

The Decorative Hardwoods Association (DHA) began its second century in 2022. This directory of our members describes our diverse membership of North American hardwood plywood, engineered wood flooring, and hardwood veneer manufacturers and suppliers. Now is a great time to be a member of DHA. We are advertising decorative hardwoods directly to consumers and the design community and defending the definition of "real wood." If you are not yet a member and your company manufactures, supplies, or distributes decorative hardwoods, learn more about becoming a DHA member on our website or contact DHA President, Keith Christman, at kchristman@decorativehardwoods.org.

This 2024 edition of *Where to Buy* showcases all our members and their products, including their location and contact information. This award-winning directory makes it easy to specify and purchase American-made products, certified to American standards. These American engineered hardwood products are the natural, beautiful choice that you can trust.

Our 15,000-square-foot state-of-the-art testing facility and association office is located in Sterling, VA, next to the Dulles International Airport. Capital Testing and Certification Services, which offers technical services to our members and to non-members, continues to be the recognized expert in engineered hardwood products and other building and consumer products. Our lab provides a wide range of fire, physical property, and formaldehyde testing and certification.

Our website continues to set new records for the number of visitors each year. The biweekly *eNews* reaches over 10,000 readers with diverse, pertinent news tailored for our industry and its customers. DHA sponsors three national consensus standards: hardwood plywood (ANSI/HPVA HP-1-2020), engineered wood flooring (ANSI/HPVA EF 2020), and the newly updated due diligence management system for sourcing legal timber (ANS LTDD 2.0 2023). In 2023, DHA launched a new continuing education program for decorative hardwoods that has been completed by more than 2,300 architects and designers in the last six months. In addition, DHA believes in maintaining the integrity of products marketed as wood. We have successfully pursued challenges against the misleading marketing of fake products that claim to be wood but are just laminated paper or plastic.

If you are looking for natural, beautiful wood products that have stood the test of time—<u>and deliver climate benefits</u>, you have come to the right place.



Rocky Boucher
Columbia Forest Products
2023-2024 DHA Chairman of the Board

DECORATIVE HARDWOODS ASSOCIATION

42777 Trade West Drive Sterling, VA 20166 Phone: (703) 435-2900

Fax: (703) 435-2537

E-mail: resources@decorativehardwoods.org

www.decorativehardwoods.org

DHA PROFESSIONAL STAFF

Keith Christman, President Eva Mentel, Office Manager

CAPITAL TESTING PROFESSIONAL STAFF

Josh Hosen, Managing Director
Chris Palumbo, Senior Manager of Testing—Engineer
Chris Kaiser, Lab Tech II, Fire Testing—Engineer
James Fishenden, Lab Tech I, Emissions Testing
Patrick Dwyer, Lab Tech II, Physical Testing—Engineer
Victoria Gastrock, Lab Tech I, Fire Testing—Engineer

DHA is a member of the following organizations:

American Forest & Paper Association

American Wood Council


American Hardwood Export Council

American Society of Testing & Materials

ANSI

Forest Resources Association
Hardwood Forestry Fund
Hardwood Federation
International Code Council
National Fire Protection Association
Real American Hardwood Coalition

Experience custom hardwood plywood as unique as you



Our specialty lies in our extensive collection of over 100 natural and engineered veneers, all meticulously spliced in-house. Whether you're drawn to the timeless elegance of natural wood or the consistency of engineered veneers, we've got you covered.

We offer versatility like no other with thicknesses ranging from 1/8" to 2", and sizes up to 5'x 12'.



Hwy 17, Thessalon, ON, P0R1L0

Toll Free: 1-800-461-2226 Local: 705-842-2430

birchlandplywood.com





Color Key to Sections

Hardwood Plywood - Cut/Made-To-Size	11-15
Engineered Hardwood Flooring Manufacturers	17-20
Hardwood Plywood - Prefinished	21-27
Hardwood Plywood - Stock Panels	29-38
Veneer - Rotary	39-44
Veneer - Sliced	47-53
Veneer - Spliced	55-60
Distributors of Hardwood Plywood	61-64
Supplier Manufacturers and Distributors	65-78
Associate Members	79
Associate Members	
Adhesive Manufacturers	81-82
	81-82
Adhesive Manufacturers	81-82
Adhesive Manufacturers Introduction to the Decorative Hardwoods Association	81-82 3 6-7
Adhesive Manufacturers Introduction to the Decorative Hardwoods Association DHA Member Listing, Membership Category, Advertising Page	81-82 3 6-7 8-9
Adhesive Manufacturers Introduction to the Decorative Hardwoods Association DHA Member Listing, Membership Category, Advertising Page DHA Member Listing by Major Product Category	81-82 3 6-7 8-9 54
Adhesive Manufacturers Introduction to the Decorative Hardwoods Association DHA Member Listing, Membership Category, Advertising Page DHA Member Listing by Major Product Category Association Profile	81-82 3 6-7 8-9 54 10
Adhesive Manufacturers Introduction to the Decorative Hardwoods Association DHA Member Listing, Membership Category, Advertising Page DHA Member Listing by Major Product Category Association Profile Environmental Certification Codes and Wood Species List	81-82 3 6-7 8-9 54 10 16

DHA Member Company, *Membership Category* (Advertising Page)

A special thanks to the advertising member companies listed in blue.

AHF Products, Flooring	18
Altamont Company, Associate Member	
Altec, Precision Machinery & Controls	
Arclin, <i>Supplier</i>	
Armstrong World Industries – Ceiling Division, Associate Member	
Atlantic Veneer Corp., Rotary, Slicer	40, 48
Bamboo Ecologic Corp., Associate Member	
Besse Forest Products Group, <i>Cut-To-Size, Rotary, Slicer, Splicer</i> (See our ad on page 46)	15, 40, 42, 44, 53, 59
Birchland Plywood-Veneer Ltd., <i>Slicer, Splicer</i> (See our ad on page 4)	48, 56
Birchwood Manufacturing Co., <i>Rotary</i> (See our ad on page 46)	40
Cahaba Veneer & Plywood, Inc., <i>Cut-To-Size, Stock Panel, Rotary, Slicer</i>	12, 30, 40, 48
Cargill Bioindustrial, <i>Supplier</i>	66
Chesterfield Wood Products Inc., Stock Panel	30
Clarke Veneers and Plywood, <i>Rotary, Splicer</i>	
Columbia Forest Products, <i>Prefinished, Stock Panel, Rotary, Slicer</i> (See our ad on page 41)	12,22,23,24,30,31,32,33,41,49
Commonwealth Plywood, Stock Panel, Rotary	34, 42
Danzer Specialty Veneer (DSV), <i>Slicer</i> (See our ad, inside back cover)	49
Danzer Veneer Americas - East and West, <i>Slicer</i> (See our ad, inside back cover)	50
Danzer Canada Inc., <i>Splicer</i> (See our ad, inside back cover)	56
Darlington Veneer Co., Inc., Stock Panel	
Eastern Panel Manufacturing Inc., Cut-To-Size	12
Eldcan Forest Products Ltd., Slicer, Splicer	51, 57
Fessenden Hall, Inc., <i>Distributor</i>	
Fisher + Rückle Service, Inc., <i>Machinery Manufacturer</i>	
Forcey Lumber & Veneer Co., Slicer	
Franklin Adhesives & Polymers, <i>Adhesives & Polymers Manufacturer</i>	67, 82
The Freeman Corp., <i>Rotary, Slicer</i>	
From the Forest, <i>Flooring</i>	
GL Veneer Co., Inc., Cut-To-Size, Stock Panel	13, 34
Goodman Veneer and Lumber Co., <i>Rotary</i> (See our ad on page 46)	42
Great Lakes Veneer, <i>Cut-to-Size, Rotary, Slicer, Splicer</i>	
Grenzebach Corp., <i>Machinery Manufacturer</i> (See our ad on page 68)	68
Hardwood Industries Inc., <i>Distributor</i>	63
Heinrich Kuper GmbH, Machinery Manufacturer	69
Hexion Inc., Adhesives and Resins Manufacturer (See our ad on page 80)	70, 81
Howell Hardwood Flooring, <i>Flooring</i>	
Howell Plywood Corporation, <i>Cut-To-Size</i>	
Husky Plywood, Stock Panel	35
Industrie Ergie Inc., Splicer	
J.M. Longyear, LLC, Supplier	
Kimball International, Inc., Associate Member	
Laminate Technologies Inc., Cut-To-Size, Stock Panel	
Les Boises La Fleur Inc., <i>Slicer, Splicer</i> (See our ad on page 58)	52, 58

DHA Member Company, *Membership Category* (Advertising Page)

A special thanks to the advertising member companies listed in blue.

Lignum Veneer, Splicer	59
Lignin Holdings, LLC, Stock Panel	
Manthei Wood Products, Stock Panel, Rotary, Splicer	
McCathay Timber, Inc., HWPW/Veneer Sales Agent	43, 52
Meinan Machinery Works, Inc., Machinery Manufacturer	71
Mercier Wood Flooring	18
Merritt Machinery, LLC, Machinery Manufacturer	71
Moehring-Group, Rotary, Slicer, Splicer	40, 48, 60
Mohawk Industries, Flooring	19
Mullican Flooring, Flooring	19
Murphy Company, Cut-To-Size, Prefinished, Stock Panel (See our ad on page 36)	14, 24, 36
North Carolina State University, Associate Member	
Northern Michigan Veneers, Inc., Rotary, Slicer, Splicer (See our ad on page 46)	44, 53, 59
Numatic Finishing Corp., Wood Prefinishing	71
Nydree Flooring LLC, Flooring	19
Patrick Industries, Associate Member	
The Penrod Company/St-Raymond Veneers Inc., Rotary, Slicer, Splicer (See our ad, inside front cover)	44, 53, 59
Pittsburg Forest Products Co., <i>Distributor</i>	64
Premiere Finishing & Coating, Supplier (See our ad on page 25)	72
Raute Corp., Machinery Manufacturer	72
Rocket Industrial, Supplier	72
Rockshield Engineered Wood Products ULC, Stock Panel	
Roddis Lumber & Veneer Co. LP., <i>Distributor</i>	64
Roseburg Forest Products Co., Prefinished, Stock Panel (See our ad on page 1)	26, 37
Russell Plywood Inc., Distributor	64
S.J. Morse Company, <i>Cut-To-Size</i>	14
Shaw Hard Surfaces, <i>Flooring</i>	20
Sherwin-Williams, <i>Supplier</i>	
Siemer Milling Company, Additives & Extenders Manufacturer (See our ad on page 74)	74
SparTek Industries, Supplier	75
Specialty Organics, Inc., Adhesives Manufacturer (See our ad on page 76)	
States Industries LLC, <i>Cut-To-Size, Prefinished, Stock Panel</i> (See our ad on page 2)	15, 26, 37
St-Raymond Veneers Inc./The Penrod Company, <i>Rotary, Slicer, Splicer</i> (See our ad, inside front cover) –	44, 53, 59
Stiles Machinery, Machinery Manufacturer	77
Taihei Machinery Works, Ltd., <i>Machinery Distributor/Manufacturer</i>	
Timber Products Company, <i>Prefinished, Stock Panel, Rotary, Splicer</i> (See our ad on page 27)	26, 27, 38, 44, 60
Townsend Flooring Inc., Flooring	
Venango Machine Co., Supplier	77
Veneer Technologies, Inc. (Moehring Group), <i>Splicer</i>	60
Vermont Wildwoods, <i>Slicer</i>	
Vinavil Americas, Adhesives Manufacturer	
West Fraser, Manufacturer	
Westmill Industries USA Corp., Dryer Parts Supplier & Dryer Rebuilder	
Wisconsin Veneer & Plywood, Inc., <i>Cut-To-Size, Rotary</i> (See our ad on page 46)	
The Wood Gallery, Inc., <i>Cut-To-Size, Stock Panel</i>	15, 38

DHA Members By Major Product Category

Cahaba Veneer & Plywood, Inc. _____12, 30 Chesterfield Wood Products Inc. ______30 Columbia Forest Products _____12,22,23,24,30,31,32,33 Commonwealth Plywood Inc _____34 Darlington Veneer Co., Inc. _____34 Eastern Panel Manufacturing Inc. _____12 GL Veneer Co., Inc. _____13, 34 Great Lakes Veneer _____13 Howell Plywood Corporation ______13 Husky Plywood ------35 Laminate Technologies ______13, 35 Lignin Holdings, LLC ______35 Manthei Wood Products ------35 Rockshield Engineered Wood Products ULC _____37 Roseburg Forest Products Co. 26, 37 States Industries LLC ______15, 26, 37 Timber Products Company _____ 26, 27, 38 Wisconsin Veneer & Plywood, Inc. ______15 The Wood Gallery, Inc. 15, 38 **ENGINEERED HARDWOOD FLOORING** AHF Products ______18 From The Forest ______ 18 Howell Hardwood Flooring ______ 18 Mercier Wood Flooring ______ 18 Mohawk Industries ______19 Mullican Flooring ______ 19 Nydree Flooring LLC _______19 Shaw Hard Surfaces 20 Townsend Flooring Inc. 20

HARDWOOD PLYWOOD MANUFACTURERS

VENEER MANUFACTURERS AND SALES COMPANIES/SALES AGENTS

Atlantic Veneer Corp.	40, 48
Besse Forest Products Group	40, 42, 44, 53, 59
Birchland Plywood-Veneer Ltd.	48, 56
Birchwood Manufacturing Co.	40
Cahaba Veneer & Plywood, Inc.	40, 48
Clarke Veneers and Plywood	40, 56
Columbia Forest Products	41, 49
Commonwealth Plywood Co., Ltd	42
Danzer Specialty Veneer (DSV)	49
Danzer Veneer Americas	50
Danzer Canada Inc.	56
Eldcan Forest Products Ltd.	51, 57
Forcey Lumber & Veneer Co	51
The Freeman Corp.	42, 51
Goodman Veneer and Lumber Co.	42
Great Lakes Veneer	43, 52, 57
Industrie Ergie Inc.	57
Les Boises La Fleur Inc.	52, 58
Lignum Veneer	59
Manthei Wood Products	43, 59
McCathay Timber, Inc.	43, 52
Moehring-Group	40, 48, 60
Northern Michigan Veneers, Inc.	44, 53, 59
The Penrod Co./St-Raymond Veneers	
St-Raymond Veneers/The Penrod Co	44, 53, 59
Timber Products Company	44, 60
Veneer Technologies Inc.	60
Vermont Wildwoods	53
Wisconsin Veneer & Plywood, Inc.	44

DHA Members By Major Product Category

WHOLESALE STOCKING DISTRIBUTORS

Fessenden Hall, Inc.	62
Hardwood Industries	63
Pittsburgh Forest Products Co.	64
Roddis Lumber & Veneer Co. LP	64
Russell Plywood Inc	64

SUPPLIER DIVISION MANUFACTURERS AND SALES COMPANIES/SALES AGENTS

Altec		66
Arclin		66
Cargill Bioindustrial		66
Fisher + Rückle Service, Inc.		67
Franklin Adhesives & Polymers	67,	82
Grenzebach Corp.		68
Heinrich Kuper GmbH		69
Hexion Inc.	70,	81
J.M. Longyear LLC		70
Meinan Machinery Works, Inc.		71
Merritt Machinery, LLC	······································	71
Numatic Finishing Corp.		71
Premiere Finishing & Coating		72
Raute Corp		72
Rocket Industrial		72
Sherwin-Williams		73
Siemer Milling Company		74
SparTek Industries		75
Specialty Organics Inc.	76,	82
Stiles Machinery		77
Taihei Machinery Works, Ltd.		77
Venango Machine Co.		77
Vinavil Americas	77,	82
West Fraser		78
Westmill Industries USA Corp.		78
ASSOCIATE MEMBERS		
Altamont Company		79
Armstrong World Industries – Ceiling Division		79
Bamboo Ecologic Corp		79
Kimball International, Inc.		79
North Carolina State University		79
Patrick Industries		79



ENVIRONMENTAL CERTIFICATION CODES & WOOD SPECIES LIST

ENVIRONMENTAL CERTIFICATION CODES

F - FSC

Forest Stewardship Council Certified

S – SFI

Sustainable Forestry Initiative Certified

0

Other Environmental Certifications

WOOD SPECIES

NORTH AMERICAN

Alder

Ash, Black/White

Aspen Baldcypress Basswood Beech

Birch Butternut

Cedar, Red/Western

Cherry

Coffeetree, Kentucky

Cordia Cypress Douglas Fir Elm Gum Hackberry Hemlock Hickory

Holly Koa Madrona Maple, Hard/Soft

Myrtle

Oak, Red/White Pecan

Persimmon

Poplar Redwood Sassafras Satine Spruce Sweetgum Sycamore

Tulipwood Tupelo

Walnut, American/Claro Willow, Black

Yew

AFRICAN

Afrormosia Anegre Avodire

Bubinga (Rosewood)

Cameron Doussie Ebony Etimoe Fuma

Iroko Khaya (African Mahogany)

Korina

Koto (African Chestnut)

Limba Makore Mahogany Movingui Mozambique (Amazaque, Ovangkol)

Okoume Padauk Samba (Obeche)

Sapele Wenge

Wenge Zebrawood

EUROPEAN

Beech Cypress Elm, Carpathian Larch Oak, Bog

Oak, English Brown

Oak, European White/Spessart

Sycamore Walnut Yew

ASIAN (FIJI, INDIA, PHILIPPINES, SE ASIA, ETC.)

Apitong Dakua (Fiji Birch) Damanu (Fiji Cedar)

Jelutong

Kaudamu (Fiji Oak) Kauvula (Fiji Ramin)

Keruing Luan, Philippine Laurel, East Indian

Mengkulang Meranti Mersawa Paldao

Rosewood, East Indian

Rubberwood Satinwood

Sen (Japanese Ash)

Sonora Tamo Teak

Ramin

SOUTH AMERICAN/ CENTRAL AMERICAN

Canelo Cativo Ceiba

Coigue

Eucalyptus (Chilean Oak)
Goncalo Alves

Goncalo Alves Grenadillo (Cocobolo)

Imbuia

Jacaranda (Rosewood)

Kelobra Lapuna Laurel, Black (Louro Preto) Mahogany, Honduras

Olivillo Pau Ferro

Pau Marfim (Guatambu)

Pau Marfim (Pine Prima Vera Sande Santo Wood

Tawa (Brazilian Oak) Teak (Plantation)

Tepa Ulmo

AUSTRALIAN

Eucalyptus Lacewood Pine, New Zealand "Queensland Walnut"



CUT/MADE-TO-SIZE HARDWOOD PLYWOOD

Hardwood plywood cut-to-size and made-to-size by the manufacturer is used for furniture, cabinet components, and specialty products.

- Versatile a variety of shapes and sizes available.
- Can be machined to meet customer needs.
- Eliminates the need to purchase and maintain expensive machinery.
- · Reduces waste, inventory, and labor costs.
- Simplifies just-in-time sourcing.
- Customized product increases efficiency and yield.



Photo courtesy of Showplace Cabinetry

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde; ULEF – Ultra-Low-Emitting Formaldehyde; NAUF – No Added Urea Formaldehyde; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

	SIZES AVAILABLE	THICKNESS AVAILABLE	GLUE TYPES/ CAPITAL TESTING CERTIFICATION	CORE TYPES
CAHABA VENEER & PLYWOOD, INC (M)	48"X 48",	1/4'" -	CARB	Veneer
Sales: Pete Browder, President	48" X 60"	1-1/8"	NAF	
P.O. Box 98, 324 Mill St.	48" X 72"		PVA Type I	
Centreville, AL 35042	48" X 84"		PVA Type II	
(205) 926-9797; Fax: (205) 926-5496	60" X 60"		TSCA Title VI	
E-mail: Pete@cahabaveneer.com	60" X 72"			
Web: www.cahabaveneer.com	60" X 84"			

SPECIES AVAILABLE: Southern – Ash-R, Gum-R, Hickory-R, Red and White Oak-R, Poplar-R, Sycamore-R, Tupelo Gum-R SPECIALTY ITEMS: Cut-To-Size Panels for Furniture, Flooring and CNC Chop Shops

COLUMBIA FOREST PRODUCTS	48" X 96"	1/2" -	CARB	Calibrated Platforms
Old Fort, NC Plant		1-1/8"	Type I	Combination
Sales: John Hampton, Director of Sales			Type II	Veneer
369 Columbia Carolina Road, Old Fort, NC 2	8762		NAF	
(800) 438-6069; (828) 724-4191			TSCA Title VI	

E-mail: <u>jhampton@cfpwood.com</u>
Web: www.cfpwood.com

Environmentally Certified Products Available: FSC® Mix (FSC-C017500)

SPECIES MANUFACTURED: Alder-P, Anigre-P, Ash-P, Aspen-R, Bamboo-P, Basswood-R, American Beech-R, P, European Beech-P, Birch-R,P, Butternut-P, Red, Clear, Aromatic Eastern, Western Red Cedar-P, Knotty Cedar-P, Cherry-P, Cypress-P, Grey Elm-P, American Red Elm-P, Engineered Veneer Obeche-P, Douglas Fir-P, Red Gum-P, Grandis-P, Red-P, Hemlock-P, Hickory-P, Holly-P, Ipe-P, Jatoba-P, Larch-P, Khaya-P, Maple-R,P, Red Maple-R, Red Oak-R, P, White Oak-P, Eastern/Western Clear, Knotty & Yellow Pine-P, Poplar-R,P, Sapele-P, American Sycamore-P, Tineo-P, Walnut-P, Wenge-P, Other Species-Inquire-R,P,Q,I

FINISH TYPES: UV Wood™ Clear in flat, satin gloss levels, SEFA-compliant LabCoat™, UV "fill and seal" only [trans shipped from Chatham, VA]

SPECIALTY ITEMS: PureBond® NAF MPX® featuring Meinan® peel x-bands; CAN/AM® Value Panel; Classic Core®, Classic Lam® combi core; Europly® multiply core; industrial blanks

EASTERN PANEL MANUFACTURING INC.

Keith Van Asch 100 My Twinn Lane Chatham, VA 24531 (434) 432-3055

E-mail: easternpanel@comcast.net
Web: www.easternpanel.com

TSCA Title VI

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde; ULEF – Ultra-Low-Emitting Formaldehyde; NAUF – No Added Urea Formaldehyde; Phenolic – Phenol Formaldehyde; PVA - Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

SIZES THICKNESS GLUE TYPES/ CORE TYPES AVAILABLE AVAILABLE CAPITAL TESTING CERTIFICATION

GL VENEER CO., INC. All sizes All thicknesses TSCA Title VI All cores available available available

Sales: Jeffrey Levin 2224 E. Slauson Ave. Huntington Park, CA 90255

(323) 582-5203; Fax: (323) 582-9681 E-mail: sales@glveneer.com

Web: www.glveneer.com

Environmentally Certified Products Available: F

SPECIES MANUFACTURED: Over 200 species of domestics and exotics

SPECIALTY ITEMS: Live Edge Slabs, Logs, Veneer Faces, Sketch Faces, Exotic Veneer, Blueprint Matched Panels, Architectural Panels, Fire

Rated Products, Oversize Plywood, Cut-To-Size Plywood, Custom Plywood, High Pressure Laminates

GREAT LAKES VENEER (M) All sizes .007" & thicker **CARB** Sales: Michael Burkart, Bus. & Prod. Dev. Dir. including custom Type II

Nick Rogers, Business & Product Dev. Mgr. TSCA Title VI P.O. Box 476, Marion, WI 54950-0476 **ULEF** (715) 754-2501; Fax: (715) 754-2582 PVA Phenolic

 $\textbf{E-mail:}\ \underline{mike.burkart@greatlakesveneer.com}; \underline{nrogers@greatlakesveneer.com}$

Web: www.greatlakesveneer.com

Environmentally Certified Products Available: FSC

SPECIES AVAILABLE: All domestic species

SPECIALTY ITEMS: Ultra-Thin Veneer, Thick Veneer, Cut-to-Size Veneer/Plywood

HOWELL PLYWOOD CORPORATION Cut-To-5/32" -Type II Veneer Core

Sales: Nick Elmore, Andy McDuffie TSCA Title VI Size

P.O. Box 250 Dothan, AL 36303

(334) 792-1197; Fax: (334) 792-8967 E-mail: bthagard@howellplywood.com

Web: www.howellflooring.com

SPECIES MANUFACTURED: Ash, Birch, Hickory, Red Oak (Southern), Walnut, White Oak (Southern or Northern)

SPECIALTY ITEMS: Flooring Panels, Furniture Components

LAMINATE TECHNOLOGIES, INC Widths 5' or less 1/4" -PVA MDF

161 Maule Road, Tiffin, OH 44883 Lengths 10' or less 1-1/2" Particleboard (419) 448-0812; Fax: (419) 448-0811 Veneer

Web: www.Lamtech.net Veneer Core MDF Skin

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde; ULEF - Ultra-Low-Emitting Formaldehyde; NAUF - No Added Urea Formaldehyde; Phenolic - Phenol Formaldehyde; PVA - Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

	SIZES AVAILABLE	THICKNESS AVAILABLE	GLUE TYPES/ CAPITAL TESTING CERTIFICATION	CORE TYPES
MURPHY COMPANY	48" X 96"	1/4" -	Type I	Baltic Birch
Hardwood Plywood Division	48" X 84"	1-1/4"	Type II	Calibrated Platforms
Sales: John Murphy Jr., Executive VP	48" X 72"		NAF	Combination
2350 Prairie Rd., Eugene, OR 97402			NAUF	MDF
(541) 461-4545; Fax: (541) 461-4547			Phenolic	Particleboard
E-mail: sales@murphyplywood.com			PVA	Veneer
Web: www.murphyplywood.com			TSCA Title VI	
Environmentally Certified Products Availa	ble: FSC, CARB Exem	pt, ULEF	ANSI/HPVA HP-1	

SPECIES MANUFACTURED: Alder-P, Ash-R,P,Q, Beech-R,P,Q, Birch-R,P, Cedar-P, American Cherry-R,P,Q, Hickory-P, Knotty Pine-P, Maple-R,P,Q, Red & White Oak-R,P,Q,I, Pecan-P, Poplar-R,P, Walnut-P, Q, Other Domestic Species-R,P,Q, Imported Species-R,P,Q SPECIALTY ITEMS: Aromatic Cedar Paneling, Edge-Banded, Cut-To-Size, Cabinet Door Inserts, Drawer Sides/Backs/Bottoms Bull-Nosed/Grooved, Finished Stock Panels, Furniture Panels, Kitchen Cabinet Components, Sequence Matched and Numbered, Custom Order **Panels**

Two-Ply

Type I

Combination

S.J. MORSE COMPANY

Made-To-Sales: Dale Shaffer, Joel Stopha Through Type II MDF Size up to Particleboard

2736 Northwestern Pike, P.O. Box 600 60" X 144" PVA

Capon Bridge, WV 26711

(304) 856-3423; Fax: (304) 856-3073

E-mail: info@simorse.com Web: www.sjmorse.com

Environmentally Certified Products Available: FSC

SPECIES MANUFACTURED: Exotics-R,H,P,Q,I, Any Species on Request-R,H,P,Q,I

SPECIALTY ITEMS: Rainforest Alliance-Audited Chain-of-Custody on FSC Certified Veneer Species, Core Materials and Panels Architectural and Blueprint Sequenced Panels and Doors; Cut-To-Size, Edge-Banded, Internal Lumber, CNC Machining. Burls, Cabinet Doors, Curved/Molded Panels, Doors, Furniture Panels, Table & Desk Tops - Flame Spread Rating A, B, C, 150 Canada

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde; ULEF - Ultra-Low-Emitting Formaldehyde; NAUF - No Added Urea Formaldehyde; Phenolic - Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

	SIZES AVAILABLE	THICKNESS AVAILABLE	GLUE TYPES/ CAPITAL TESTING CERTIFICATION	CORE TYPES
STATES INDUSTRIES LLC Sales: Dan Hitchcock	48" X 120" 48" X 96"	5/32" - 1-1/2"	Type II NAF	Combination MDF
P.O. Box 41150, Eugene, OR 97404 (541) 688-7871; Fax: (541) 689-8051 (800) 626-1981	48" X 84" 48" X 72" Cut-To-Size	1 1/2	PVA TSCA Title VI ANSI/HPVA HP-1	Particleboard Veneer
E-mail: dhitchcock@statesind.com	Cut-10-312E		ANSIJIII VA III-1	

Web: www.statesind.com

Environmentally Certified Products Available: FSC, SFI

SPECIES MANUFACTURED: Anigre-P,Q, Ash-R,P,Q,I, Beech-R,P,Q, Birch-R,P,Q, Imported Birch-R, Butternut-P, Cedar-P, American Cherry-R,P,Q, Hickory-R,P, Maple-R,P,Q, Red & White Oak-R,P,Q,I, Pecan-R,P, Pine-P, Poplar-R,P, Sapele-P,Q, Sycamore-Q, Walnut-P,Q SPECIALTY ITEMS: Aromatic Cedar Paneling, Banded, Drawer Sides/Backs Nosed/Grooved, Furniture Panels, Kitchen Cabinet Components, Machined Parts (Shaped), School/Church Components, Stock Panels, TV & Stereo, Table & Desk Tops, Veneer, Veneer - Reconstituted, Veneer/Plywood-Musical Instruments - Flame Spread Rating A, B, C, 150 Canada

WISCONSIN VENEER & PLYWOOD, INC.	24" X 36"	1/8" -	Type I	Combination
A Besse Forest Products Group Company	to 48" X 96"	4"	Type II	MDF
Greg Besse, Pres; Wayne Brock, V.P. Op	Cut-To-Size		Phenolic	Particleboard
P.O. Box 352, Gladstone, MI 49837			PVA	Veneer
(906) 428-3113: Fax: (906) 428-1525			TSCA Title VI	

E-mail: bessesales@bessegroup.com

Web: www.bessegroup.com

Environmentally Certified Products Available: FSC, Other

SPECIES MANUFACTURED: Ash-R,P, Basswood-R, Beech-R,P, Birch-R,P, American Cherry-R,P, Hickory-R,P, Maple-R,P, Red Oak-R,P, White Oak-R,P,Q, Pecan-R,P, Pine-R,P, Poplar-R,P, Walnut-R,P, Any Species on Request-R,P SPECIALTY ITEMS: Die Boards, Furniture Panels, Kitchen Cabinet Components, School/Church Components, TV & Stereo, Table & Desk Tops, Veneer, Veneer/Plywood-Musical Instruments, Platforms

THE WOOD GALLERY, INC.	60" X 144"	3/32" -	Type I	Lumber
Sales: Barrett Lee	Cut-To-Size	1-1/2"	Type II	MDF
10724 Goodnight Lane, Dallas, TX 75220-2409			NAUF	Particleboard
(972) 869-9161; Fax: (972) 869-0449			CARB	Veneer
E-mail: barrett@woodgallery.biz			TSCA Title VI	

Web: www.woodgallery.biz

Environmentally Certified Products Available: FSC, NAUF

SPECIES MANUFACTURED: Exotics-R,H,Q, Anigre-P,Q, Ash-P,Q, Beech-P,Q, Birch-R,P,Q, Cedar-P,Q, American Cherry-P,Q, Hickory-P, Honduras Mahogany-P,Q, Maple-H,P,Q, Red & White Oak-P,Q,I, Pecan-P, Pine-P,Q, Poplar-P, Sapele-P,Q, Sycamore-P,Q, Walnut-P,Q, Any Species on Request-P,Q

SPECIALTY ITEMS: Aircraft Applications, Aromatic Cedar Paneling, Furniture Panels, Kitchen Cabinet Components, TV & Stereo, Table & Desk Tops, Veneered Raised Panels - Flame Spread Rating A



FACTS ABOUT DECORATIVE HARDWOOD VENEERS

TYPES OF VENEER CUTS

Depending on the manner in which a log is cut, strikingly different visual effects can be achieved with the wood's grain and characteristics. This is the beauty of working with hardwood veneer - that two logs of the same species, cut in different ways, produce distinctive, individual veneers! Six principal methods of cutting veneer are used: rotary, quarter slicing, plain slicing, rift-cut, half-round slicing and lengthwise slicing.



Rotary

Rotary veneer is produced by centering the log in a lathe and turning it against a broad cutting knife which is set into the log at a slight angle. Rotary cut veneer can be sufficiently wide to provide full sheet (one piece) faces.



Quarter Slicing

Quarter sliced veneer achieves a straight grain appearance by slicing approximately perpendicular to the annual growth rings.



Plain Slicing

Plain sliced veneer is veneer sliced parallel to the center of the log to achieve flat-cut veneer. The cathedrals are formed by the inner most growth rings as the veneer is cut through the flitch.



Rift-Cut

Rift-cut veneer is produced from the various species of oak. Oak has medullary ray cells which radiate from the center of the log like the curved spokes of a wheel. This straight grain cut is at a slight angle to the medullary rays to minimize ray fleck (flake).



Half-Round Slicing

Half-round slicing is cutting on an arch roughly parallel to the center of the log to achieve flat-cut veneer. The cathedrals can have more rounded tops since the grain is formed by the inner most growth rings as the veneer is cut through the flitch.



Lengthwise Slicing

A board of flat sawn lumber is passed flat over a stationary knife. As it passes, a sheet of veneer is sliced from the bottom of the board. This produces a variegated figure.

Figure Characteristics of Veneers

The figure of the face veneer is of the utmost importance to the designer and architect, because the whole character of the completed installation may be determined by the choice of veneer to be used. When discussing figure in wood, those who deal with veneer usually describe the characteristics of the "movement" in the wood - whether it has wide or narrow heart, cathedral, crossfire, or is highly figured. Some of the more commonly used veneers are illustrated below.



Cherry, American Black



Elm, Carpathian Burl



Maple, Hard



Oak, Rift-Cut



Walnut, Quartered

Our thanks to Sieling and Jones, Inc. for the photographs of veneer.



ENGINEERED HARDWOOD FLOORING

- Easy to install and maintain.
- Economical solution for renovating areas or replacing existing flooring.
- Adds warmth and beauty to any room.
- Dimensionally stable.
- Tight tolerances for consistent fit.
- Engineered for strength and stability.



Photo courtesy of AHF Products

MANUFACTURERS OF ENGINEERED HARDWOOD FLOORING

GLUE TYPES: Exterior – Technical; Exterior – Type I;

Interior – Type II; NAF – No Added Formaldehyde; ULEF – Ultra-Low-Emitting Formaldehyde; NAUF - No Added Urea Formaldehyde; Phenolic - Phenol Formaldehyde; PVA - Polyvinyl Acetate **CAPITAL TESTING CERTIFICATIONS:** EPA TSCA Title VI; CARB

> **SIZES UNFINISHED GLUE TYPES/ CRITICAL FACTORY AVAILABLE FINISHED CAPITAL TESTING RADIANT FLUX CERTIFICATION ASTM E648**

> > Type II

TSCA Title VI

TSCA Title VI

AHF PRODUCTS

3840 Hempland Road, Mountville, PA 17554

(717) 251-1139

E-mail: infor@ahfproducts.com

Web: www.ahfproducts.com

Thickness: 3/8", 1/2", Χ

Standard 3/4", 7/16", 9/16" High

Performance

Bevel, Square, Random Length

Width: 3"-9"

Textures: Scraped, Smooth, Wire-brushed

SPECIES MANUFACTURED: Ash, Birch, Cherry, Hickory, Maple, Red & White Oak, Pecan, Walnut and Acrylic Infused

FROM THE FOREST Class 1 Thickness: Χ Χ PVA

Sales: Jon Schafer 3/4", 1/2" 9004 Progress Way, Weston, WI 54476 Width: 4-1/4", 5", 6" (715) 502-3509; Fax: (715) 359-8624 E-mail: jonathan.schafer@fromtheforest.com 7-1/2", 8"

Web: www.fromtheforest.com

SPECIES MANUFACTURED: American Cherry, Hickory, Northern Hard & Red Maple, Northern Red & White Oak, Walnut

HOWELL HARDWOOD FLOORING Thickness: Χ Χ Type II 3/8", 1/2" TSCA Title VI

Sales: Nick Elmore, Andy McDuffie P.O. Box 250, Dothan, AL 36302 Width: 2-1/4", 3", 4", 5" (334) 792-1197; Fax: (334)792-8967 E-mail: salesinfo@howellflooring.com 6", 7"

Web: www.howellflooring.com **Bevel or Square**

SPECIES MANUFACTURED: Hickory, Red Oak (Southern), Walnut, White Oak (Southern or Northern)

MERCIER WOOD FLOORING

330 rue des entrepreneurs, Montmagny, QC Canada G5V 4T1

(418) 248-1785

Web: www.mercierwoodflooring.com

MANUFACTURERS OF ENGINEERED HARDWOOD FLOORING

GLUE TYPES: Exterior – Technical; Exterior – Type I;

Interior – Type II; NAF – No Added Formaldehyde; ULEF – Ultra-Low-Emitting Formaldehyde; NAUF – No Added Urea Formaldehyde; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB

SIZES FACTORY UNFINISHED GLUE TYPES/ CRITICAL

AVAILABLE FINISHED CAPITAL TESTING RADIANT FLUX

CERTIFICATION ASTM E648

MOHAWK INDUSTRIES Thickness: X -- Type II Class 1

Technical Contact: Karen Q. Haynes 3/8" or 1/2" TSCA Title VI 508 East Morris Street, Dalton, GA 30721 Width:

(706) 272-1833 5" up to 9"
E-mail: Karen Haynes@mohawkind.com Random Length

Web: www.mohawkflooring.com

Dealer Locator: (800) 266-4295

Environmentally Certified Products Available: Ultrawood

FloorScore Certified Indoor Advantage Gold

SPECIES MANUFACTURED: Hickory, Maple, Oak, Walnut

MULLICAN FLOORING Thickness: X X TSCA Title VI --

655 Woodlyn Road, Johnson City, TN 37601 3/8", 7/16", 1/2"

(423) 283-4695; Fax: (423) 915-1213 Width:

Web: <u>www.mullicanflooring.com</u> 3", 5", 6", 6.5", 7"

Dealer locator: mullicanflooring.com

Environmentally Certified Products Available: FSC, NWFA RPP

SPECIES MANUFACTURED: Hickory, Maple, Red & White Oak

NYDREE FLOORING LLC
Width: X X Type II All species are
Sales: Jason Brubaker
2-2/3", 4"
NAF ASTM-E648

1115 Vista Park Drive, Suite C 5-1/4", 7-1/2", 8-1/4" NAUF Class I with the Forest, VA 24551 Exception of

(800) 682-5698; Fax: (434) 525-7879 Reclaimed Oak and

E-mail: sales@nydreeflooring.com Walnut Web: www.nydreeflooring.com

SPECIES MANUFACTURED: Acrylic Infused and Non-Acrylic Infused Sawn: American Walnut, Ash, Hickory, Maple, Red & White Oak, R&Q White Oak

nad winte oak

MANUFACTURERS OF ENGINEERED HARDWOOD FLOORING

GLUE TYPES: Exterior – Technical; Exterior – Type I;

Interior – Type II; NAF – No Added Formaldehyde; ULEF – Ultra-Low-Emitting Formaldehyde; NAUF – No Added Urea Formaldehyde; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB

Χ

SIZES FACTORY UNFINISHED GLUE TYPES/ CRITICAL

AVAILABLE FINISHED CAPITAL TESTING RADIANT FLUX

CERTIFICATION ASTM E648

Type II

TSCA Title VI*

(*Other TPC)

SHAW HARD SURFACES

Sales: Kevin Thompson P.O. Drawer 2128, Mail Drop 071 Dalton, GA 30722

(706) 275-1871; Fax: (706) 275-2039

E-mail: <u>kevin.thompson@shawinc.com</u> Web: <u>www.shawfloors.com</u>

Environmentally Certified Products Available: FSC

SPECIES MANUFACTURED: Rotary - American Cherry, Hickory, Maple, Red Oak, American Walnut

TOWNSEND FLOORING INC. Thickness: X X EPI ASTM E648

Thickness:

3-1/4", 5"

3/8"

Width:

Pennington Road 5/8"
Warren, AR 71671 Width:
(870) 226-7103; Fax: (870) 226-3084 2.25", 3", 4",
5", 6", 7",
8"

SPECIES MANUFACTURED: Hickory, Maple, Red & White Oak, Black Walnut



PREFINISHED HARDWOOD PLYWOOD

Hardwood plywood that is factory finished by the manufacturer.

Available in various veneer species, colors, overlays, finishes, and patterns.

For retail and industrial applications.

- Consistent quality.
- Strong and dimensionally stable.
- Available in thicknesses from 1/10" to over 2".
- Lowers finish cost.
- Extremely durable.



Photo courtesy of Timber Products

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde;

ULEF – Ultra-Low-Emitting Formaldehyde; NAUF – No Added Urea Formaldehyde;

Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

TSCA Title VI Veneer

	SIZES AVAILABLE	THICKNESS AVAILABLE Industrial Wall Panels Panels		GLUE CORE TYPES TYPES/ CAPITAL TESTING CERTIFICATION	
COLUMBIA FOREST PRODUCTS	48" X 120"	5/32" -		CARB	Calibrated Platforms
Chatham, VA Plant	48" X 96"	1-1/4"		Type I	Combination
Sales: John Hampton, Director of Sales	48" X 84"			Type II	MDF
100 Paul Rd., SW. Chatham, VA 24531	48" X 72"			NAF	Particleboard

(800) 237-2428; (434) 432-2591 E-mail: <u>jhampton@cfpwood.com</u>

Web: www.cfpwood.com

Environmentally Certified Products Available: FSC® MIX

SPECIES MANUFACTURED: Alder-P, Anigre-P, Ash-P, Aspen-R, Bamboo-P, Basswood-R, American Beech-R, P, European Beech-P, Birch-R,P, Butternut-P, Cedar-P, Red, Clear, Aromatic Eastern, Western Red Cedar-P, Knotty Cedar-P, Cherry-P, Cypress-P, Grey Elm-P, American Red Elm-P, Engineered Veneer Obeche-P, Douglas Fir-P, Red Gum-P, Grandis-P, Red-P, Hemlock-P, Hickory-P, Holly-P, Ipe-P, Jatoba-P, Larch-P, Khaya-P, Maple-R,P, Red Maple-R, Red Oak-R, P, White Oak-P, Eastern/Western Clear, Knotty & Yellow Pine-P, Poplar-R,P, Sapele-P, American Sycamore-P, Tineo-P, Walnut-P, Wenge-P, Other Species-Inquire-R,P,Q,I
FINISH TYPES: UV Wood™ (clear, color); Labcoat™ UV SEFA rated (clear, color) finish or UV "fill and seal" only

COLUMBIA FOREST PRODUCTS	60" X 108"	1/8" -	 CARB	Calibrated Platforms
Hearst, ON, Canada Plant	60" X 120"	1-5/8"	Type I	Combination
Sales: John Hampton, Director of Sales	48" X 120"		Type II	MDF
225 Prince Street, P.O. Box 10/Case Postale 10	48" X 108"		NAF	Particleboard
Hearst, ON, Canada POL 1NO	48" X 96"		TSCA Title VI	Veneer
(888) 664-1964; (450) 437-1964	48" X 84"			
E-mail: jhampton@cfpwood.com	48" X 72"			
Web: www.cfpwood.com	31" X 96"			
Environmentally Certified Products Available:	31" X 108"			
FSC® MIX	31" X 120"			
	29" X 96"			
	29" X 108"			
	29" X 120"			

SPECIES MANUFACTURED: Alder-P, Anigre-P, Ash-P, Aspen-R, Bamboo-P, Basswood-R, American Beech-R, P, European Beech-P, Birch-R,P, Butternut-P, Cedar-P, Red, Clear, Aromatic Eastern, Western Red Cedar-P, Knotty Cedar-P, Cherry-P, Cypress-P, Grey Elm-P, American Red Elm-P, Engineered Veneer Obeche-P, Douglas Fir-P, Red Gum-P, Grandis-P, Red-P, Hemlock-P, Hickory-P Holly-P, Ipe-P, Jatoba-P, Larch-P, Khaya-P, Maple-R,P, Red Maple-R,Red Oak-R, P, White Oak-P, Eastern/Western Clear, Knotty & Yellow Pine-P, Poplar-R,P, Sapele-P, American Sycamore-P, Tineo-P, Walnut-P, Wenge-P, Other Species-Inquire-R,P,Q,I FINISH TYPES: UV Wood™ (clear, color); Labcoat™ UV SEFA rated (clear, color) finish or UV "fill and seal" only

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde;

ULEF – Ultra-Low-Emitting Formaldehyde; NAUF – No Added Urea Formaldehyde;

Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

	SIZES AVAILABLE	THICKNES AVAILAB Industrial Panels	LE	GLUE TYPES/ CAPITAL TESTING CERTIFICATION	CORE TYPES
COLUMBIA FOREST PRODUCTS Kitchener, ON, Canada Plant Sales: John Hampton, Director of Sales 21 Balzer Road Kitchener, ON, Canada N2C 1X5 (888) 664-1964; (450) 437-1964 E-mail: jhampton@cfpwood.com Web: www.cfpwood.com Environmentally Certified Products Available: FSC* MIX	60" X 108" 60" X 120" 48" X 120" 48" X 108" 48" X 96" 48" X 84" 31" X 96" 31" X 108" 31" X 120" 29" X 96" 29" X 108" 29" X 108"	1/8" - 1-5/8"		CARB Type I Type II NAF TSCA Title VI	Calibrated Platforms Combination MDF Particleboard Veneer

SPECIES MANUFACTURED: Alder-P, Anigre-P, Ash-P, Aspen-R, Bamboo-P, Basswood-R, American Beech-R, P, European Beech-P, Birch-R,P, Butternut-P, Cedar-P, Red, Clear, Aromatic Eastern, Western Red Cedar-P, Knotty Cedar-P, Cherry-P, Cypress-P, Grey Elm-P, American Red Elm-P, Engineered Veneer Obeche-P, Douglas Fir-P, Red Gum-P, Grandis-P, Red-P, Hemlock-P, Hickory-P, Holly-P, Ipe-P, Jatoba-P, Larch-P, Khaya-P, Maple-R,P, Red Maple-R, Red Oak-R, P, White Oak-P, Eastern/Western Clear, Knotty & Yellow Pine-P, Poplar-R,P, Sapele-P, American Sycamore-P, Tineo-P, Walnut-P, Wenge-P, Other Species-Inquire-R,P,Q,I FINISH TYPES: UV Wood™ (clear, color); Labcoat™ UV SEFA rated (clear, color) finish or UV "fill and seal" only

COLUMBIA FOREST PRODUCTS	48" X 120"	5/32" -	 CARB	Calibrated Platforms
Klamath Falls, OR Plant	48" X 96"	1-1/2"	Type II	Combination
Sales: John Hampton, Director of Sales	48" X 84"		NAF	MDF
4949 S Hwy 97, Klamath Falls, OR 97601	48" X 72"		TSCA Title VI	Particleboard
(800) 547-1791; (541) 882-7281				Veneer

E-mail: jhampton@cfpwood.com
Web: www.cfpwood.com

Environmentally Certified Products Available: FSC® Mix

SPECIES MANUFACTURED: Alder-P, Anigre-P, Ash-P, Aspen-R, Bamboo-P, Basswood-R, American Beech-R, P, European Beech-P, Birch-R,P, Butternut-P, Cedar-P, Red, Clear, Aromatic Eastern, Western Red Cedar-P, Knotty Cedar-P, Cherry-P, Cypress-P, Grey Elm-P, American Red Elm-P, Engineered Veneer Obeche-P, Douglas Fir-P, Red Gum-P, Grandis-P, Red-P, Hemlock-P, Hickory-P, Holly-P, Ipe-P, Jatoba-P, Larch-P, Khaya-P, Maple-R,P, Red Maple-R, Red Oak-R, P, White Oak-P, Eastern/Western Clear, Knotty & Yellow Pine-P, Poplar-R,P, Sapele-P, American Sycamore-P, Tineo-P, Walnut-P, Wenge-P, Other Species-Inquire-R,P,Q,I FINISH TYPES: UV Wood™ (clear); Labcoat™ UV SEFA rated (clear) finish or UV "fill and seal" only

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde; ULEF – Ultra-Low-Emitting Formaldehyde; NAUF – No Added Urea Formaldehyde;

Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

	SIZES AVAILABLE	THICKNE: AVAILAB		GLUE TYPES/	CORE TYPES
		Industrial	Wall	CAPITAL TESTIN	IG
		Panels	Panels	CERTIFICATION	
COLUMBIA FOREST PRODUCTS	60" X 108"	1/8" -		CARB	Calibrated Platforms
St. Casimir, QC, Canada Plant	60" X 120"	1-5/8"		Type I	Combination
Sales: John Hampton, Director of Sales	48" X 120"			Type II	MDF
420 Route Guibault	48" X 108"			NAF	Particleboard
St. Casimir, QC, Canada GOA 3L0	48" X 96"			TSCA Title VI	Veneer
(888) 664-1964; (450) 437-1964	48" X 84"				
E-mail: jhampton@cfpwood.com	48" X 72"				
Web: www.cfpwood.com	31" X 96"				
Environmentally Certified Products Available:	31" X 108"				
FSC® MIX	31" X 120"				
	29" X 96"				
	29" X 108"				
	29" X 120"				

SPECIES MANUFACTURED: Alder-P, Anigre-P, Ash-P, Aspen-R, Bamboo-P, Basswood-R, American Beech-R, P, European Beech-P, Birch-R,P, Butternut-P, Cedar-P, Red, Clear, Aromatic Eastern, Western Red Cedar-P, Knotty Cedar-P, Cherry-P, Cypress-P, Grey Elm-P, American Red Elm-P, Engineered Veneer Obeche-P, Douglas Fir-P, Red Gum-P, Grandis-P, Red-P, Hemlock-P, Hickory-P, Holly-P, Ipe-P, Jatoba-P, Larch-P, Khaya-P, Maple-R,P, Red Maple-R, Red Oak-R, P, White Oak-P, Eastern/Western Clear, Knotty & Yellow Pine-P, Poplar-R,P, Sapele-P, American Sycamore-P, Tineo-P, Walnut-P, Wenge-P, Other Species-Inquire-R,P,Q,I
FINISH TYPES: UV Wood™ (clear, color); Labcoat™ UV SEFA rated (clear, color) finish or UV "fill and seal" only

MURPHY COMPANY	48" X 96"	5/32" -	1/8"	Type I	Baltic Birch
Hardwood Plywood Division	48" X 84"	1-1/4"	5/32"	Type II	Calibrated Platforms
Sales: John Murphy Jr., Executive VP	48" X 72"		5.0mm	NAUF	Combination
2350 Prairie Road, Eugene, OR 97402			1/4"	NAF	MDF
(541) 461-4545; Fax: (541) 461-4547			7/16"	Phenolic	Particleboard
E-mail: sales@murphyplywood.com				PVA	Veneer
Web: www.murphyplywood.com				TSCA Title VI	
Environmentally Certified Products Available: FSC, CARB Exempt, ULEF				ANSI/HPVA HP	-1

SPECIES MANUFACTURED: Alder-P, Ash-R,P,Q, Beech-R,P,Q, Birch-R,P, Cedar-P, American Cherry-R,P,Q, Hickory-P, Knotty Pine-P, Maple-R,P,Q, Red & White Oak-R,P,Q,I, Pecan-P, Poplar-R,P, Walnut-P, Q, Other Domestic Species-R,P,Q, Imported Species-R,P,Q FINISH TYPES: Print, Stain, Prime, Color, Ultra Violet Topcoat

INDUSTRIAL PANELS: Banded/Edge Banded, Cut-To-Size, Furniture Panels, Cabinet Fronts, Drawer Sides/Backs: Edge

Banded/Nosed/Grooved

WALL PANELS: Paper/Vinyl Overlay/Melamine/Printed - Flame Spread Rating C



Premiere

FINISHING & COATING



Flex capacity available for SPRAY and FLATLINE finishing.

Now more than ever, if you can dream it, we can finish it! We've installed two new production lines with enhanced finishing capacity for cabinetry, doors, frames, moldings, panels, and other millwork. Our state-of-the-art finishing plant can assist you with any color and finish on any substrate.

Let us take care of the finishing for you!

Call us at (336) 349-1994 or email inquiry@ premierefinishingandcoating.com

Premiere Finishing & Coating | 642 Grooms Road inquiry@premierefinishingandcoating.com

Reidsville

NC 27320

(336) 349-1994

www.premierefinishingandcoating.com

2024 SPRING CONFERENCE & 103RD ANNUAL MEETING



REGISTER ONLINE AT

https://www.decorativehardwoods.org/events/2024-dha-spring-conference

TUESDAY, MAY 14 - THURSDAY, MAY 16, 2024

Scottsdale, AZ

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde;

ULEF – Ultra-Low-Emitting Formaldehyde; NAUF – No Added Urea Formaldehyde;

Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

SIZES AVAILABLE	THICKNE AVAILAB Industrial Panels	LE	GLUE TYPES/ CAPITAL TESTIN CERTIFICATION	
48" X 120" 48" X 96" Inquire	5/32" - 1-1/4"	5/32" - 3/4"	Type I Type II PVA Phenolic TSCA Title VI* (*other TPC)	Calibrated Platforms Combination MDF Particleboard Veneer

E-mail: ryanp@rfpco.com
Web: www.Roseburg.com

ROSEBURG FOREST PRODUCTS CO.

Sales: Ryan Phillips 3660 Gateway Street Springfield, OR 97477 (800) 859-6998

Environmentally Certified Products Available: FSC, Greenguard, CARB ULEF Exempt

SPECIES MANUFACTURED: Red Alder-P, Ash-R,P,Q, Bamboo-P,Q, Basswood-R, Beech-P,Q, Birch-R,P,Q, Butternut-P, Cedar-P, Aromatic Cedar-P, Cherry-P,Q, Fir-P,Q, Hickory-P, Knotty Pine-P, Maple-R,P,Q, Poplar-R,P, Red and White Oak-R,P,Q,I, Sapele-P,Q, Sycamore-P,Q, Walnut-P,Q, Other Species - Inquire

FINISH TYPES: UV Topcoat

WALL PANELS: Architectural - Flame Spread Rating "C"

SPECIALTY ITEMS: RediBead Bead Board, Sequence Matched and Numbered

STATES INDUSTRIES LLC	48" X 120"	5/32" -	5/32" -	Type II	Combination
Sales: Dan Hitchcock	48" X 96"	1-1/2"	3/8"	TSCA Title VI	MDF
P.O. Box 41150, Eugene, OR 97404	48" X 90"			ANSI/HPVA	Particleboard
(541) 688-7871; Fax: (541) 689-8051	48" X 84"			HP-1	Veneer
(800) 626-1981	48" X 72"				

E-mail: dhitchcock@statesind.com
Web: www.statesind.com

Environmentally Certified Products Available: FSC, SFI

SPECIES MANUFACTURED: Ash-R,P,Q,I, Beech-R,P,Q, Birch-R,Q, Cedar-P, American Cherry-R,P,Q, Hickory-R,P, Knotty Pine-P, Maple-R,P,Q, Red & White Oak-R,P,Q,I, Pecan-R,P, Poplar-R,P, Walnut-P,Q, Other Domestic Species-R,P, Imported Species-P

FINISH TYPES: Print, Stain, Ultra Violet Topcoat

INDUSTRIAL PANELS: Banded/Edge Banded, Cut-To-Size/Furniture Panels, Drawer Sides/Backs Nosed/Grooved, Machine Parts

(Shaped) – Flame Spread Rating A, B, C, 150 Canada WALL PANELS: Architectural – Flame Spread Rating C

TIMBER PRODUCTS COMPANY	48" X 96"	5.2mm -	 Type II	MDF
Sales: Davis Edwards, Sales Manager - East	48" X 84"	1-1/2"	CARB	Particleboard
2701 S. Harper Rd., Corinth, MS 38834	48" X 72"		ULEF	Veneer
Office/Mobile: (901) 652-8201	48" X 120"		TSCA Title VI	Calibrated Platforms
E-mail: dedwards@timberproducts.com				Combination
Web: www.timberproducts.com				OSB (Oriented
Environmentally Certified Products Available:	Strand Board)			

SPECIES MANUFACTURED: Ash-R,P,I, Beech-R,P, Birch-R, Cedar-P, American Cherry-R,P,Q, Hickory-R,P, Knotty Pine-P, Maple-R,P,Q, Red & White Oak-R,P,I, Pecan-P, Poplar-R, Walnut-P, Imported Species-R,P, Veneer Reconstituted

FINISH TYPES: Ultra Violet Topcoat

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde;

NAUF – No Added Urea Formaldehyde; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

THICKNESS

GLUE

CORE TYPES

	AVAILABLE		AVAILABLE TYPES/ Industrial Wall CAPITAL TESTII		IG
		Panels	Panels	CERTIFICATION	
TIMBER PRODUCTS COMPANY	48" X 120"	5/32" -		Туре І	Combination
Sales: Alicia Powell, Sales Manager - West	48" X 96"	1-1/2"		Type II	MDF
25 E McAndrews Rd., Medford, OR 97501	48" X 84"			CARB	Particleboard
Cell: (706) 513-4016; Office: (541) 618-3725	48" X 72"			Phenolic	Veneer
E-mail: apowell@timberproducts.com	48" X 48"			ULEF	Calibrated Platforms
Web: www.timberproducts.com				TSCA Title VI	

SPECIES MANUFACTURED: Ash-R,P,I, Beech-P, Birch-R,P, Cedar-R, American Cherry-R,P,I, Hickory-R,P, Knotty Pine-P, Maple-R,P,I, Red &


SIZES

White Oak-R,P,I, Pecan-P, Poplar-R, Walnut-P, Imported Species-R,P, Veneer Reconstituted

FINISH TYPES: Ultra Violet Topcoat

Environmentally Certified Products Available: FSC

INDUSTRIAL PANELS: Banded/Edge Banded, Cut-To-Size/Furniture Panels, Drawer Sides/Backs Nosed/Grooved





EXPERTS IN TESTING & CERTIFICATION SINCE 1954



Since 1954, Decorative Hardwoods Association members have consistently chosen Capital Testing as their preferred provider of testing and certification. Capital Testing is proud to certify these DHA members in 2024:

CARB 93120 ATCM / EPA TSCA Title VI Formaldehyde Emissions

- AHF Products
- Birchland Plywood
- · Cahaba Veneer and Plywood
- Chesterfield Wood Products
- Columbia Forest Products
- Commonwealth Plywood
- Darlington Veneer Co.
- Eastern Panel Manufacturing
- From The Forest
- Gl. Veneer Co.
- Goodman Veneer & Lumber Co.
- Great Lakes Veneer

ANSI/HPVA HP-1 Decorative & **Hardwood Plywood**

- Murphy Plywood
- States Industries
- **ASTM E84 Flame Spread**
- Murphy Plywood
- States Industries

- Howell Hardwood Flooring
- Lignin Holdings, LLC
- Manthei Wood Products
- Mohawk Industries
- Mullican Flooring
- Murphy Plywood
- Rockshield Engineered Wood Products
- Roseburg Forest Products (Riddle, OR)
- States Industries
- The Wood Gallery
- Timber Products
- Wisconsin Veneer & Plywood

Due Diligence

- Veneer Technologies Inc.
- Atlantic Veneer Company, LLC

ANS LTDD: Legal Timber

Danzer North America

To verify current certification status, visit our Product Certification Directory at www.capitaltesting.org.

To find out more about our expert testing and certification services, contact us: Capital Testing [™]







(571) 300-7050 🔀 experts@capitaltesting.org 🌐 www.capitaltesting.org

Sample Certification Marks







and more!



HARDWOOD PLYWOOD STOCK PANELS

Hardwood plywood stock panels are manufactured in standard sizes such as 4' x 8' or 4' x 10' and are commonly 1/4" to 3/4" in thickness. Stock panels are available through distribution centers for industrial users or through mass merchandisers for commercial and do-it-yourself customers.

Frequently cut to component size by the end user.

- · Consistent quality.
- Diverse selection of species.
- Strong and dimensionally stable.
- A variety of cores: veneer, MDF, particleboard, lumber, and combination core.
- Can be obtained finished.



Columbia Forest Products' hardwood plywood is featured in The Bay Area Discovery Museum. The plywood structures in this interactive play area are designed to imitate the wooded and rocky areas surrounding the Bay Area. Photo courtesy of Columbia Forest Products

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde; ULEF – Ultra-Low-Emitting Formaldehyde; NAUF – No Added Urea Formaldehyde; Phenolic – Phenol

Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

SIZES	THICKNESS	GLUE CORE TYPES
AVAILABLE	AVAILABLE	TYPES/
	Industrial Wall	CAPITAL TESTING
	Panels Panels	CERTIFICATION

NAF

PVA Type I

PVA Type II

TSCA Title VI

CAHABA VENEER & PLYWOOD, INC (M) 60" X 60" 1/4" - CARB

Sales: Pete Browder, President 48" X 96" 1-1/8"
P.O. Box 98, 324 Mill St.
Centreville, AL 35042

(205) 926-9797; Fax: (205) 926-5496 E-mail: Pete@cahabaveneer.com Web: www.cahabaveneer.com

E-mail: bvi1981@att.net

Poplar-R,H,P, Walnut-H,P,Q

SPECIES AVAILABLE: Southern – Ash-R, Gum-R, Hickory-R, Red and White Oak-R, Poplar-R, Sycamore-R, Tupelo Gum-R

SPECIALTY ITEMS: High Strength, Extra Thick Hardwood Panels

CHESTERFIELD WOOD PRODUCTS INC. All Sizes 1/16" - Type II Calibrated Platforms

 Sales: M. Todd Powell, V.P.
 up to
 1-1/2"
 NAF
 Combination

 P.O. Box 1792, Morganton, NC 28680 (828) 433-0042; Fax: (828) 437-6525
 60" X 110"
 TSCA Title VI
 Lumber

 MDF

Particleboard Veneer

Veneer

SPECIES MANUFACTURED: Exotics-P, Ash-H,P,Q, Beech-P, Birch-R,H,P, Burls-P, Aromatic Cedar-P, American Cherry-H,P,Q, Hickory-H,P, Idaho White Pine-P, Knotty Pine-P, Honduras Mahogany-P, Maple-R,H,P,Q, Red Oak-R,H,P, White Oak-R,H,P,Q, Pecan-H,P,

SPECIALTY ITEMS: Aromatic Cedar Paneling, Blueprint Matched Panels, Cut-To-Size, Doors, Finished Stock Panels, Flitch Selection Available, Kitchen Cabinet Components, Matched Sets, Seat Backs, Sketch Face Panels, Veneer - Reconstituted

COLUMBIA FOREST PRODUCTS48" X 72"5/32" -CARBCalibrated PlatformsChatham, VA Plant84", 96", 120"1-1/4"Type ICombination

Sales: John Hampton, Director of SalesType IIMDF100 Paul Rd., SW, Chatham, VA 24531NAFParticleboard(800) 237-2428; (434) 432-2591TSCA Title VIVeneer

E-mail: <u>jhampton@cfpwood.com</u>
Web: www.cfpwood.com

Environmentally Certified Products Available: FSC® MIX (FSC-C017500)

SPECIES MANUFACTURED: Alder-P, Anigre-P, Ash-P, Aspen-R, Bamboo-P, Basswood-R, American Beech-R, P, European Beech-P, Birch-R,P, Butternut-P, Red, Clear, Aromatic Eastern, Western Red Cedar-P, Knotty Cedar-P, Cherry-P, Cypress-P, Grey Elm-P, American Red Elm-P, Engineered Veneer Obeche-P, Douglas Fir-P, Red Gum-P, Grandis-P, Red-P, Hemlock-P, Hickory-P, Holly-P, Ipe-P, Jatoba-P, Larch-P, Khaya-P, Maple-R,P, Red Maple-R, Red Oak-R, P, White Oak-P, Eastern/Western Clear, Knotty & Yellow Pine-P, Poplar-R,P, Sapele-P, American Sycamore-P, Tineo-P, Walnut-P, Wenge-P, Other Species-Inquire-R,P,Q,I

FINISH TYPES: UV Wood™ Clear in flat, satin, medium gloss levels, SEFA-compliant Labcoat®, OEM custom color programs with custom gloss: custom stain, foil application

SPECIALTY ITEMS: PureBond® NAF MPX® featuring Meinan® peel x-bands; Beaded Panels; Classic Core®, Classic Lam® combi core; 8' x 4' counterfront; Europly® Baltic birch core; Radius® bending; SMN Sets

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde; ULEF – Ultra-Low-Emitting Formaldehyde; NAUF – No Added Urea Formaldehyde; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

SIZES THICKNESS GLUE CORE TYPES

AVAILABLE TYPES/
Industrial Wall CAPITAL TESTING
Panels Panels CERTIFICATION

COLUMBIA FOREST PRODUCTS 48" X 72" 3/8" - Type II Calibrated Platforms

Craigsville, WV Plant 84", 96" 1-7/16" NAF Combination Sales: John Hampton, Director of Sales TSCA Title VI Veneer

242 Columbia Forest Products Road, Craigsville, WV 26205

(304) 742-5317; Fax: (304) 742-5167 E-mail: jhampton@cfpwood.com Web: www.cfpwood.com

Environmentally Certified Products Available: FSC® MIX (FSC-C017500)

SPECIES MANUFACTURED: Birch-R, Maple-R, Poplar-R, Red Oak-R

FINISH TYPES: None

SPECIALTY ITEMS: Engineered Wood Flooring Blanks, Furniture Framestock, Industrial Panels, Plywood Blanks

COLUMBIA FOREST PRODUCTS	60" X 108"	1/8" -	CARB	Calibrated Platforms
Hearst, ON, Canada Plant	60" X 120"	1-5/8"	Type I	Combination
Sales: John Hampton, Director of Sales	48" X 120"		Type II	MDF
225 Prince Street, P.O. Box 10/Case Postale 10) 48" X 108"		NAF	Particleboard
Hearst, ON, Canada POL 1NO	48" X 96"		TSCA Title VI	Veneer
(888) 664-1964; (450) 437-1964	48" X 84"			
E-mail: jhampton@cfpwood.com	48" X 72"			
Web: www.cfpwood.com	31" X 96"			
Environmentally Certified Products Available:	31" X 108"			
FSC® MIX (FSC-C017500)	31" X 120"			
	29" X 96"			
	29" X 108"			
	29" X 120"			

SPECIES MANUFACTURED: Alder-P, Anigre-P, Ash-P, Aspen-R, Bamboo-P, Basswood-R, American Beech-R, P, European Beech-P, Birch-R,P, Butternut-P, Red, Clear, Aromatic Eastern, Western Red Cedar-P, Knotty Cedar-P, Cherry-P, Cypress-P, Grey Elm-P, American Red Elm-P, Engineered Veneer Obeche-P, Douglas Fir-P, Red Gum-P, Grandis-P, Red-P, Hemlock-P, Hickory-P, Holly-P, Ipe-P, Jatoba-P, Larch-P, Khaya-P, Maple-R,P, Red Maple-R, Red Oak-R, P, White Oak-P, Eastern/Western Clear, Knotty & Yellow Pine-P, Poplar-R,P, Sapele-P, American Sycamore-P, Tineo-P, Walnut-P, Wenge-P, Other Species-Inquire-R,P,Q,I

FINISH TYPES: Polypropylene Overlay [Premeer®], UV Topcoat, SEFA Certified, Fumed Oak

SPECIALTY ITEMS: PureBond® NAF MPX® featuring Meinan® peel x-bands; calibrated aspen industrial panels; CAN/AM® Value Panel; basswood faced industrial panels; Classic Core® combi panels; Classic Lam® combi platforms; DesignEdge® birch multiply domestic all-birch core

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde; ULEF – Ultra-Low-Emitting Formaldehyde; NAUF – No Added Urea Formaldehyde; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

	SIZES AVAILABLE	THICKNE AVAILAB		GLUE TYPES/	CORE TYPES
		Industrial	Wall	CAPITAL TESTIN	G
		Panels	Panels	CERTIFICATION	
COLUMBIA FOREST PRODUCTS	60" X 108"	1/8" -		CARB	Calibrated Platforms
Kitchener, ON, Canada Plant	60" X 120"	1-5/8"		Type I	Combination
Sales: John Hampton, Director of Sales	48" X 120"			Type II	MDF
21 Balzer Road	48" X 108"			NAF	Particleboard
Kitchener, ON, Canada N2C 1X5	48" X 96"			TSCA Title VI	Veneer
(888) 664-1964; (450) 437-1964	48" X 84"				
E-mail: jhampton@cfpwood.com	31" X 96"				
Web: www.cfpwood.com	31" X 108"				
Environmentally Certified Products Available:	31" X 120"				
FSC® MIX (FSC-C017500)	29" X 96"				
	29" X 108"				
	29" X 120"				

SPECIES MANUFACTURED: Alder-P, Anigre-P, Ash-P, Aspen-R, Bamboo-P, Basswood-R, American Beech-R, P, European Beech-P, Birch-R,P, Butternut-P, Red, Clear, Aromatic Eastern, Western Red Cedar-P, Knotty Cedar-P, Cherry-P, Cypress-P, Grey Elm-P, American Red Elm-P, Engineered Veneer Obeche-P, Douglas Fir-P, Red Gum-P, Grandis-P, Red-P, Hemlock-P, Hickory-P, Holly-P, Ipe-P, Jatoba-P, Larch-P, Khaya-P, Maple-R,P, Red Maple-R, Red Oak-R, P, White Oak-P, Eastern/Western Clear, Knotty & Yellow Pine-P, Poplar-R,P, Sapele-P, American Sycamore-P, Tineo-P, Walnut-P, Wenge-P, Other Species-Inquire-R,P,Q,I FINISH TYPES: Polypropylene Overlay [Premeer], UV Topcoat, SEFA Certified, Fumed Oak SPECIALTY ITEMS: PVA NAF composite assemblies in NAF and ULEF, Classic Core®, Thin panels, CFP 60"s™ five-foot wide composites, 8'

SPECIALTY ITEMS: PVA NAF composite assemblies in NAF and ULEF, Classic Core®, Thin panels, CFP 60"s™ five-foot wide composites, 8' x 4' counterfront

COLUMBIA FOREST PRODUCTS	48" X 72'	5/32" -	CARB	Calibrated Platforms
Klamath Falls, OR Plant	84", 96", 120"	1-1/2"	Type II	Combination
Sales: John Hampton, Director of Sales			NAF	MDF
4949 S. Hwy 97, Klamath Falls, OR 97601			TSCA Title VI	Particleboard
(800) 547-1791; (541) 882-7281				Veneer

E-mail: jhampton@cfpwood.com
Web: www.cfpwood.com

Environmentally Certified Products Available: FSC® Mix (FSC-C017500)

SPECIES MANUFACTURED: Alder-P, Anigre-P, Ash-P, Aspen-R, Bamboo-P, Basswood-R, American Beech-R, P, European Beech-P, Birch-R,P, Butternut-P, Red, Clear, Aromatic Eastern, Western Red Cedar-P, Knotty Cedar-P, Cherry-P, Cypress-P, Grey Elm-P, American Red Elm-P, Engineered Veneer Obeche-P, Douglas Fir-P, Red Gum-P, Grandis-P, Red-P, Hemlock-P, Hickory-P, Holly-P, Ipe-P, Jatoba-P, Larch-P, Khaya-P, Maple-R,P, Red Maple-R, Red Oak-R, P, White Oak-P, Eastern/Western Clear, Knotty & Yellow Pine-P, Poplar-R,P, Sapele-P, American Sycamore-P, Tineo-P, Walnut-P, Wenge-P, Other Species-Inquire-R,P,Q,I

FINISH TYPES: UV Wood™ Clear in flat, satin gloss levels, SEFA-compliant LabCoat™, UV "fill and seal"

SPECIALTY ITEMS: PureBond® NAF MPX® featuring Meinan® peel x-bands; Classic Core®, Classic Lam® combi core; CAN/AM® Value Panel, 8' x 4' counterfront; Europly® Baltic birch core; industrial blanks; Radius® bending; SM&N sets

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde; ULEF – Ultra-Low-Emitting Formaldehyde; NAUF – No Added Urea Formaldehyde; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

SIZES	THICKNESS	GLUE CORE TYPES
AVAILABLE	AVAILABLE	TYPES/
	Industrial Wall	CAPITAL TESTING
	Panels Panels	CERTIFICATION

COLUMBIA FOREST PRODUCTS

48" X 96"

1/2" -1-1/8" CARB Type I Type II

NAF

TSCA Title VI

Calibrated Platforms

Combination

Veneer

Old Fort, NC Plant

Sales: John Hampton, Director of Sales

369 Columbia Carolina Road, Old Fort, NC 28762

(800) 438-6069; (828) 724-4191

E-mail: jhampton@cfpwood.com
Web: www.cfpwood.com

Environmentally Certified Products Available: FSC® Mix (FSC-C017500)

SPECIES MANUFACTURED: Alder-P, Anigre-P, Ash-P, Aspen-R, Bamboo-P, Basswood-R, American Beech-R, P, European Beech-P, Birch-R,P, Butternut-P, Red, Clear, Aromatic Eastern, Western Red Cedar-P, Knotty Cedar-P, Cherry-P, Cypress-P, Grey Elm-P, American Red Elm-P, Engineered Veneer Obeche-P, Douglas Fir-P, Red Gum-P, Grandis-P, Red-P, Hemlock-P, Hickory-P, Holly-P, Ipe-P, Jatoba-P, Larch-P, Khaya-P, Maple-R,P, Red Maple-R, Red Oak-R, P, White Oak-P, Eastern/Western Clear, Knotty & Yellow Pine-P, Poplar-R,P, Sapele-P, American Sycamore-P, Tineo-P, Walnut-P, Wenge-P, Other Species-Inquire-R,P,Q,I

FINISH TYPES: UV Wood™ Clear in flat, satin gloss levels, SEFA-compliant LabCoat™ , UV "fill and seal" only [trans shipped from Chatham VA]

SPECIALTY ITEMS: PureBond® NAF MPX® featuring Meinan® peel x-bands; CAN/AM® Value Panel; Classic Core®, Classic Lam® combi core; 8' x 4' counterfront; Europly® multiply core; industrial blanks; Radius® bending; SM&N sets

COLUMBIA FOREST PRODUCTS	60" X 108"	1/8" -	CARB	Calibrated Platforms
St, Casimir, QC, Canada Plant	60" X 120"	1-5/8"	Type I	Combination
Sales: John Hampton, Director of Sales	48" X 120"		Type II	MDF
420 Route Guibault	48" X 108"		NAF	Particleboard
St. Casimir, QC Canada G0A 3L0	48" X 96"		TSCA Title VI	Veneer
(888) 664-1964; (450) 437-1964	48" X 84"			
E-mail: jhampton@cfpwood.com	31" X 96""			
Web: www.cfpwood.com	31" X 108"			
Environmentally Certified Products Available:	31" X 120""			
FSC® MIX (FSC-C017500)	29" X 96"			
	29" X 108"			
	29" X 120"			

SPECIES MANUFACTURED: Alder-P, Anigre-P, Ash-P, Aspen-R, Bamboo-P, Basswood-R, American Beech-R, P, European Beech-P, Birch-R,P, Butternut-P, Red, Clear, Aromatic Eastern, Western Red Cedar-P, Knotty Cedar-P, Cherry-P, Cypress-P, Grey Elm-P, American Red Elm-P, Engineered Veneer Obeche-P, Douglas Fir-P, Red Gum-P, Grandis-P, Red-P, Hemlock-P, Hickory-P, Holly-P, Ipe-P, Jatoba-P, Larch-P, Khaya-P, Maple-R,P, Red Maple-R, Red Oak-R, P, White Oak-P, Eastern/Western Clear, Knotty & Yellow Pine-P, Poplar-R,P, Sapele-P, American Sycamore-P, Tineo-P, Walnut-P, Wenge-P, Other Species-Inquire-R,P,Q,I
FINISH TYPES: Polypropylene Overlay [Premeer], UV Topcoat, SEFA Certified, Fumed Oak

SPECIALTY ITEMS: PureBond® NAF MPX® featuring Meinan® peel x-bands; Melawood®, Classic Core®, 8' x 4' counterfront; Radius® bending plywood; DesignEdge® all-birch, multiply core construction

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde; ULEF - Ultra-Low-Emitting Formaldehyde; NAUF - No Added Urea Formaldehyde; Phenolic - Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

	SIZES AVAILABLE	THICKNESS AVAILABLE Industrial Wall		GLUE TYPES/ CAPITAL TESTIN	CORE TYPES
		Panels	Panels	CERTIFICATION	
COMMONWEALTH PLYWOOD INC.	48 1/2" X	1/4"		CARB II	Veneer
Sales: Jane Jones, Office Manager	96 1/2"	1/2"		Type II	
Tom Lawler, Atlantic		5/8"		NAF	
Delia Sherwood – Inside Sales		3/4"		TSCA Title VI	
Sheldon Golub – Northeast		1"			
P.O. Box 30, Whitehall, NY 12887					
(518) 499-0099; Fax: (518) 499-0187					
(800) 643-9475					
Figure 11, the many Open to de teacher II against					

E-mail: jjones@cpiwhitehall.com

Environmentally Certified Products Available: FSC

SPECIES MANUFACTURED: Exotics-R,P,Q, White Ash-P, Basswood-R, Beech-P, Birch-R, Cedar-P, Aromatic Cedar-P, American Cherry-P, Fir (vertical grain)-P, Hickory-P, Idaho White Pine-P, Khaya-P, Maple-R,P,Q, Red Oak-R,P,Q,I, Sycamore-P, White Oak-P,Q,I, Clear & Knotty Pine-P, Sapele-P, Walnut-P, Any Species on Request-R,P,Q

SPECIALTY ITEMS: Finished Stock Panels

DARLINGTON VENEER CO., INC.	60" X 96"	5/32" -	ULEF	Permawood
Sales: Rich Smothers	48" X 144"	1-1/4"	Type I	Permacore I & II
P.O. Box 1087, Darlington, SC 29540	48" X 120"		Type II	Calibrated Platforms
(843) 393-3861; Fax: (843) 393-4441	48" X 96"		NAF	Combination
E-mail: rsmothers@darlingtonveneer.com	48" X 84"		TSCA Title VI	MDF
Web: www.darlingtonveneer.com	48" X 72"			Particleboard
Environmentally Certified Products Available:	Veneer			

SPECIES MANUFACTURED: Exotics-R,H,P,Q,I, Red Alder-P, Anigre-P,Q, Ash-R,H,P,Q, Basswood-P, Beech-P,Q, Birch-R,P,Q, Butternut-P, Cedar-P, Aromatic Cedar-P, American Cherry-R,H,P,Q, Elm-P, Fir-Vertical Grain-P,Q, Hickory-R,H,P, Idaho White Pine-P, Khaya-R,H,P,Q, Honduras Mahogany-H,P,Q, Maple-R,H,P,Q,I, Red & White Oak-R,H,P,Q,I, Pecan-R,H,P, Knotty Pine-P, Poplar-R,H,P, Sapele-H,P,Q, Sycamore-P,Q, Walnut-H,P,Q, Any Species on Request-R,H,P,Q,I

SPECIALTY ITEMS: Bending Panels, Fire Retardant Class A, Counter Fronts, Center Matched Panels, Sequenced Sets, Engineered Veneer

GL VENEER CO., INC.	All sizes	All thicknesses	Exterior	All cores available
Sales: Jeffrey Levin	available	available	Technical	
2224 E. Slauson Ave.			Type I	
Huntington Park, CA 90255			Interior	
(323) 582-5203; Fax: (323) 582-9681			Type II	
E-mail: sales@glveneer.com			TSCA Title VI	
Web: www.glveneer.com				

SPECIES MANUFACTURED: Over 200 species of domestics and exotics

SPECIALTY ITEMS: Live Edge Slabs, Logs, Veneer Faces, Sketch Faces, Exotic Veneer, Blueprint Matched Panels, Architectural Panels, Fire Rated Products, Oversize Plywood, Cut-To-Size Plywood, Custom Plywood, High Pressure Laminates

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde; ULEF – Ultra-Low-Emitting Formaldehyde; NAUF – No Added Urea Formaldehyde; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

SIZES AVAILABLE	THICKNESS AVAILABLE Industrial Wall Panels Panels	GLUE TYPES/ CAPITAL TES CERTIFICATI	_
48" X 120" 48" X 108" 48" X 96"	1/8" - 2"	Type I Type II NAF	Calibrated Platforms Combination Lumber

TSCA Title VI

MDF

Veneer

All Maple

Particleboard

 Sales: Christian Noël, V.P., Plywood
 48" X 96"

 15 Boulevard Labelle
 48" X 84"

 Ste-Therese, QC, Canada J7E 4H9
 48" X 72"

 (450) 435-6511; Fax: (450) 435-6295
 36" X 96"

 (866) 414-8759

E-mail: cnoel@commonwealthplywood.com

(Division of Commonwealth Plywood Inc.)

Web: www.huskyplywood.com

HUSKY PLYWOOD

Environmentally Certified Products Available: FSC, Other

SPECIES MANUFACTURED: Exotics-R,H,P,Q,I, Red Alder-P, Anigre-P,Q, Ash-R,P,Q,I, Beech-P, Birch-R,P, Butternut-P, Cedar-P, Aromatic Cedar-P, American Cherry-P,Q,I, Fir-Vertical Grain-P, Hickory-P, Idaho White Pine-P,

Khaya-P, Knotty Pine-P, Honduras Mahogany-P, Maple-R,P,Q,I, Red & White Oak-R,P,Q,I, Pecan-P, Poplar-P, Sapele-P,Q, Sycamore-P,Q, Walnut-P,Q, Any Species on Request-R,P,Q,I

SPECIALTY ITEMS: Banded, Finished Stock Panels, Marine Panels, Veneer - Reconstituted – Flame Spread Rating C, Flex Core

LAMINATE TECHNOLOGIES, INC	48" X 96"	1/4" -	PVA	MDF
161 Maule Road, Tiffin, OH 44883	60" X 72"	1-1/2"		Particleboard
(419) 448-0812; Fax: (419) 448-0811	60" X 96"			Veneer
Web: www.Lamtech.net	60" X 120"			Veneer Core MDF Skins

LIGNIN HOLDINGS, LLC

18071 Mt. Washington, Unit B, Fountain Valley, CA 92708 TSCA Title VI (949) 929-4986

MANTHEI WOOD PRODUCTS Sales: Jon DeMotte	48" X 120" 48" X 96"	1/8"- 1-1/2"	Type I Type II	Calibrated Platforms Combination
3996 US 31 South, Petoskey, MI 49770	48" X 84"	1-1/2	NAF	MDF
(231) 347-7040; Fax: (231) 347-3750	48" X 72"		Exterior	Particleboard
	60" X 96"		TSCA Title VI	Veneer
	60" X 120"			Multi-Ply

E-mail: plywoodsales@mantheiwoodproducts.com

Web: www.mantheiwoodproducts.com

Environmentally Certified Products Available: FSC, CARB Certified, TSCA Title VI

SPECIES MANUFACTURED: Red Alder-P, Anigre-P,Q, Ash-R,P,Q, Bamboo-P,Q, Basswood-R, Beech-R,P,Q, Birch-R,P,Q, Butternut-P, Cedar-P, Aromatic Cedar-P, Cherry-P,Q, Fir-P,Q, Hickory-R,P, Idaho White Pine-P, Jatoba-P,Q, Khaya-P,Q, Knotty Pine-P, Maple-R,P,Q, Pecan-R,P, Red and White Oak-R,P,Q,I, Okuome-R, Sapele-P,Q, Sycamore-P,Q, Walnut-P,Q, Teak-P,Q, Zebrawood-Q, Other imported and domestic species available upon request

SPECIALTY ITEMS: Cut-To-Size, Finished Stock Panels, Flat & Rotary Die Boards, Kitchen Cabinet Components, Lazer Panels, Veneer-Reconstituted - Flame Spread Rating A, B C, Door Skins

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde; ULEF – Ultra-Low-Emitting Formaldehyde; NAUF – No Added Urea Formaldehyde; Phenolic – Phenol

Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

SIZES	THICKNESS	GLUE CORE TYPES
AVAILABLE	AVAILABLE	TYPES/
	Industrial Wall	CAPITAL TESTING
	Panels Panels	CERTIFICATION

MURPHY COMPANY

Hardwood Plywood Division Sales: John Murphy Jr., Executive VP 2350 Prairie Road, Eugene, OR 97402 (541) 461-4545; Fax: (541) 461-4547

E-mail: sales@murphyplywood.com
Web: www.murphyplywood.com

Environmentally Certified Products Available: FSC, CARB Exempt, ULEF

48" X 96" 5/32" - Type I Baltic Birch 48" X 84" 1-1/4" Type II Calibrated F

Type II Calibrated Platforms
NAF Combination

NAUF MDF

Phenolic Particleboard
PVA Veneer

TSCA Title VI

ANSI/HPVA HP-1

SPECIES MANUFACTURED: Alder-P, Ash-R,P,Q, Beech-R,P,Q, Birch-R,P, Cedar-P, American Cherry-R,P,Q, Hickory-P, Knotty Pine-P, Maple-R,P,Q, Red & White Oak-R,P,Q,I, Pecan-P, Poplar-R,P, Walnut-P, Q, Other Domestic Species-R,P,Q, Imported Species-R,P,Q SPECIALTY ITEMS: Aromatic Cedar Paneling, Edge-Banded, Cut-To-Size, Cabinet Door Inserts, Drawer Sides/Backs/Bottoms Bull-Nosed/Grooved, Finished Stock Panels, Furniture Panels, Kitchen Cabinet Components, Sequence Matched and Numbered, Custom Order Panels

48" X 72"

+ 1/2" oversized



AMERICAN MADE HARDWOOD PLYWOOD
FAMILY OWNED AND OPERATED SINCE 1909

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde; ULEF – Ultra-Low-Emitting Formaldehyde; NAUF – No Added Urea Formaldehyde; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

SIZES THICKNESS GLUE CORE TYPES AVAILABLE AVAILABLE TYPES/

Industrial Wall CAPITAL TESTING
Panels Panels CERTIFICATION

ROCKSHIELD ENGINEERED WOOD PRODUCTS 48" X 96" 1/4" – Phenolic

Sales: Terry Evans, V.P. 48-1/2" X 96-1/2" 1-1/2" PVA MDF

4 Bolsvert Crescent, Cochrane, ON POL 1C0 TSCA Title VI Particleboard

Veneer NorCore

(*other TPC)

Combination

(705) 272-7610; Fax: (705) 272-3509

Email: terry.evans@rockshieldewp.com
Web: www.RockshieldEWP.com

Environmentally Certified Products Available: FSC

FINISH TYPES: UV Topcoat

Canada

ROSEBURG FOREST PRODUCTS CO. 48" X 120" 5.2mm - 5/32" - Type I Calibrated Platforms

Sales: Ryan Phillips48" X 96"1-1/4"3/4"Type IICombination3660 Gateway StreetInquirePVAMDFSpringfield, OR 97477PhenolicParticleboard

Springfield, OR 9/4// Phenolic Particlebo (800) 859-6998 TSCA Title VI* Veneer

E-mail: ryanp@rfpco.com
Web: www.Roseburg.com

Environmentally Certified Products Available: FSC, Greenguard, CARB ULEF Exempt

SPECIES MANUFACTURED: Red Alder-P, Ash-R,P,Q, Bamboo-P,Q, Basswood-R, Beech-P,Q, Birch-R,P,Q, Butternut-P, Cedar-P, Aromatic Cedar-P, Cherry-P,Q, Fir-P,Q, Hickory-P, Knotty Pine-P, Maple-R,P,Q, Poplar—R,P, Red and White Oak-R,P,Q,I, Sapele-P,Q, Sycamore-P,Q,

Walnut-P,Q, Other Species - Inquire FINISH TYPES: UV Topcoat

WALL PANELS: Architectural – Flame Spread Rating "C"

SPECIALTY ITEMS: RediBead Bead Board, Sequence Matched and Numbered

STATES INDUSTRIES LLC 48" X 120" 1/8" - Type II Calibrated Platforms

Sales: Dan Hitchcock 48" X 96" 1-1/2" NAF Combination P.O. Box 41150, Eugene, OR 97404 48" X 90" TSCA Title VI MDF

P.O. Box 41150, Eugene, OR 97404 48" X 90" TSCA Title VI MDF (541) 688-7871; Fax: (541) 689-8051 48" X 84" ANSI/HPVA Particleboard (800) 626-1981 48" X 72" HP-1 Veneer

E-mail: dhitchcock@statesind.com

Web: www.statesind.com

Environmentally Certified Products Available: FSC, SFI

SPECIES MANUFACTURED: Red Alder-R,P, Anigre-P,Q, Ash-R,P,Q, Beech-R,P,Q, Birch-R,P,Q, Butternut-P, Cedar-P, Aromatic Cedar-P, American Cherry-R,P,Q, Fir-Vertical Grain-P, Hickory-R,P, Idaho White Pine-P, Khaya-P,Q, Knotty Pine-P, Maple-R,P,Q,

Red & White Oak-R,P,Q,I, Pecan-R,P, Poplar-R,P, Sapele-P,Q, Sycamore-Q, Walnut-P,Q

SPECIALTY ITEMS: Aromatic Cedar Paneling, Banded, Cut-To-Size, Drawer Sides/Backs Nosed/Grooved, Finished Stock Panels, Kitchen Cabinet Components, Machined Parts (Shaped), Veneer - Reconstituted - Flame Spread Rating A, B, C, 150 Canada

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde; ULEF – Ultra-Low-Emitting Formaldehyde; NAUF – No Added Urea Formaldehyde; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB, ANSI/HPVA HP-1

SIZES	THICKNESS	GLUE CORE TYPES
AVAILABLE	AVAILABLE	TYPES/
	Industrial Wall	CAPITAL TESTING
	Panels Panels	CERTIFICATION

TIMBER PRODUCTS COMPANY 48" X 96" Type II MDF 5.2mm -Sales: Davis Edwards, Sales Manager - East 48" X 84" 1-1/2" **ULEF** Particleboard

2701 S. Harper Rd., Corinth, MS 38834 48" X 72" CARB Veneer Office/Mobile: (901) 652-8201 TSCA Title VI

Calibrated Platforms 48" X 120" E-mail: dedwards@timberproducts.com Combination

OSB

Web: www.timberproducts.com

Environmentally Certified Products Available: FSC

SPECIES MANUFACTURED: Exotics-P,Q, Red Alder-P, Anigre-P,Q, Ash-R,P,Q, Beech-P,Q, Birch-R,P, Cedar-P, Aromatic Cedar-P, American Cherry-R,P,Q, Fir-Vertical Grain-P, Hickory-R,P, Idaho White Pine-P, Khaya-P,Q, Knotty Pine-P, Maple-R,P,Q, Red & White Oak-R,P,Q,I, Poplar-P, Sapele-P,Q, Walnut-P

SPECIALTY ITEMS: Aromatic Cedar Paneling, Finished Stock Panels, Veneer – Reconstituted, Beaded, Cross Grain

TIMBER PRODUCTS COMPANY 48" X 96" 5.2mm -Type I MDF Sales: Alicia Powell, Sales Manager - West 48" X 84" 1-1/2" Type II Particleboard 25 E McAndrews Rd., Medford, OR 97501 48" X 72" CARB Veneer

Cell: (706) 513-4016; Office: (541) 618-3725 48" X 120" Phenolic Calibrated Platforms

E-mail: apowell@timberproducts.com ULEF Web: www.timberproducts.com TSCA Title VI

Environmentally Certified Products Available: FSC

SPECIES MANUFACTURED: Exotics-P,Q, Red Alder-P, Anigre-P,Q, Ash-R,P,Q, Beech-P,Q, Birch-R,P, Cedar-P, Aromatic Cedar-P, American Cherry-R,P,Q, Fir-Vertical Grain-P, Hickory-R,P, Idaho White Pine-P, Khaya-P,Q, Knotty Pine-P, Maple-R,P,Q, Red & White Oak-R,P,Q,I, Poplar-P, Sapele-P,Q, Walnut-P

SPECIALTY ITEMS: Aromatic Cedar Paneling, Finished Stock Panels, Veneer – Reconstituted, Beaded, Cross Grain

THE WOOD GALLERY, INC. 1/16"-6" Lumber Up to Type I Sales: Barrett Lee 77" X 160" Type II MDF 10724 Goodnight Lane, Dallas, TX 75220-2409 CARB Particleboard (972) 869-9161; Fax: (972) 869-0449 TSCA Title VI Veneer

E-mail: barrett@woodgallery.biz Web: www.woodgallery.biz

Environmentally Certified Products Available: FSC, NAUF

SPECIES MANUFACTURED: Exotics R,H,Q, Anigre-P,Q, Ash-P,Q, Beech-P,Q, Birch-R,P,Q, Burls-R, American Cherry-P,Q, Fir-Vertical Grain-Q, Hickory-P, Khaya-P,Q, Knotty Pine-P, Honduras Mahogany-P,Q, Maple-H,P,Q, Red & White Oak-P,Q,I, Pecan-P, Sapele-P,Q, Sycamore-P,Q, Walnut-P,Q, Any Species on Request-P,Q

SPECIALTY ITEMS: Aircraft Applications, Cut-To-Size — Flame Spread Rating A



ROTARY HARDWOOD VENEERS

- The grain pattern varies from log to log, making each piece its own natural unique piece of art.
- Wide variety of species available.
- Maximizes the usable veneer taken from each tree.
- Ability to select a specific flitch or "look."
- By using hardwood veneer, you honor centuries of craftsman heritage and contribute to an environmentally responsible use of a natural resource.

For more information, read: Facts About Decorative Veneers listed in the Table of Contents.



Photo courtesy of Darlington Veneer Company

MINIMUM MAXIMUM MINIMUM MAXIMUM TYPE THICKNESS THICKNESS LENGTH LENGTH

ATLANTIC VENEER CORPORATION (M)

1/64" 0.5mm 1/16" 1.6mm - 216" 18'

Rotary Half Round

Division of Moehring-Group Sales: Flint Harding

611 Verdun St., Newport, NC 28570 (252) 728-3169; Fax: (252) 728-4203 E-mail: fharding@moehring-group.com Web: www.moehring-group.com

Environmentally Certified Products Available: FSC, SFI, Other

SPECIES AVAILABLE: Ash, Aspen, Beech, Birch

SPECIALTY ITEMS: Veneer - Edge Band, Veneer for Export, Veneer - Stock Panel/Door Faces

BIRCHWOOD MANUFACTURING CO. (M)

1/50" 0.5mm 3/16" 4.8mm 10" 254mm 104" 2640mm

5486mm

Rotary

A Besse Forest Products Group Company Greg Besse, President; Wayne Brock, V.P. Operations

P.O. Box 352, Gladstone, MI 49837

(906) 428-3113; Fax: (906) 428-1525

Mill: Rice Lake, WI

E-mail: bessesales@bessegroup.com

Web: www.bessegroup.com

Environmentally Certified Products Available: FSC, Other

SPECIES AVAILABLE: Red Alder, Ash, Aspen, Basswood, Birch, Cherry, Fir/Hemlock, Hickory/Pecan, Bird's-Eye, Curly/Fiddleback, Hard &

Soft Maple, Red & White Oak, White & Yellow Pine, Poplar, Walnut, Other North American Species

SPECIALTY ITEMS: Veneer-Cut-To-Size, Veneer for Export, Veneer-Stock Panel/Door Faces

CAHABA VENEER & PLYWOOD, INC (M)

1/24" 1mm 3/16" 4.8mm 100′

Rotary

P.O. Box 98, 324 Mill St., Centreville, AL 35042

(205) 926-9797; Fax: (205) 926-5496 E-mail: Pete@cahabaveneer.com Web: www.cahabaveneer.com

Sales: Pete Browder, President

SPECIES AVAILABLE: Southern – Ash, Cypress, Gum, Hickory, Red and White Oak, Poplar, Sycamore, Tupelo Gum; Northern – Hard

Maple

SPECIALTY ITEMS: Cut-To-Size Veneer and Plywood, Skateboard Veneers

CLARKE VENEERS & PLYWOOD (S)

1/85" 0.3mm 1/6" 4.1mm --

123" 3125mm Rotary

Sales: Stuart Clarke Bronson Newburger

P.O. Box 4876, Jackson, MS 39296-4876 (601) 366-0331; Fax: (601) 366-0334

E-mail: <u>info@clarkeveneers.com</u> Web: <u>www.clarkeveneers.com</u>

Environmentally Certified Products Available: FSC, Other

SPECIES AVAILABLE: Aspen, Birch, Eucalyptus, Fir, Fuma, Hemlock, Maple, Okoume, Pine, Poplar, Red Oak **SPECIALTY ITEMS:** Face and Back Veneers, Core Veneers, Veneer Core Platforms, Combi Ply Platforms

MINIMUM MAXIMUM MINIMUM MAXIMUM TYPE THICKNESS THICKNESS LENGTH LENGTH

COLUMBIA FOREST PRODUCTS (M)

Hardwood Veneer Division 1/64" 1/17" 16" 123" Rotary Sales: Rocky Boucher, Director of Sales 0.4mm 1.5mm 406mm 3124mm

Tanya Lamoureux, No. American Veneer Sales

Jeremy Roberge, Inside Sales
Adam Thurston, Sales Coordinator


324 Bluff Rd., Newport, VT 05855 (802) 334-3600; Fax: (802) 334-5149

(800) 231-4148

E-mail: rboucher@cfpwood.com
Web: www.columbiaforestproducts.com

Environmentally Certified Products Available: FSC

SPECIES AVAILABLE: Ash, Basswood, Birch, Hard & Soft Maple, Red Oak, Tulip Poplar SPECIALTY ITEMS: Custom Splicing, Custom Lumber Slicing, Log Run, Tulip Poplar, Aspen, Fir Platforms from multiple locations in 7/16", 11/16" with calibrated availability in 8', 9' and 10' lengths, Veneer-Cut-To-Size, Veneer for Export, Veneer-Stock Panel/Door Faces



Together, we manufacture success.

- North American rotary, sliced and cut-to-size decorative veneers in alder, ash, birch, maple, poplar and red oak, available with chain-of-custody assurance.
- Book matched, slip matched, planked appearance veneer panels as well as flitch stock and furniture grade sorts.
- TSCA Title VI compliant Menian® peel platforms, including Classic Lam® combination core panels, aspen industrial panels and framestock featuring PureBond® soy-based assembly technology.

Contact our veneer and platform sales team today: 1-800-231-4148 | veneerinfo@cfpwood.com



MINIMUM MAXIMUM MINIMUM MAXIMUM TYPE THICKNESS THICKNESS LENGTH LENGTH

COMMONWEALTH PLYWOOD CO., LTD. (M)

1/50" 0.5mm 1/16" 0.59mm 14" 356mm 123" 3124mm Rotary

Veneer Division

Sales: Daniel Pacheco - International

Jason Miller - USA

Norman Wulf – Canada, International Aris Huerta – Mexico, South America, EU

15 Labelle Boulevard, P.O. Box 90 Ste-Therese, QC, Canada J7E 4H9 (450) 435-6541; Fax: (450) 435-2895 E-mail: sales@commonwealthplywood.com Web: www.commonwealthplywood.info

Environmentally Certified Products Available: FSC Certified

SPECIES AVAILABLE: Basswood, Birch, Hard Maple, Poplar, Red Oak

SPECIALTY ITEMS: Veneer-Stock Panel/Door Faces, Veneer Oversize, Veneer-Cut-To-Size

THE FREEMAN CORPORATION (M)

1/21" 1.2mm 1/6" 4.2mm

--

63" 1600mm Rotary

Sales: Andrew Falk

P.O. Box 96, Winchester, KY 40392-0096 (859) 744-4311; Fax: (859) 744-4363 E-mail: sales@freemancorp.com

Web: <u>www.freemancorp.com</u>

Environmentally Certified Products Available: FSC

SPECIES AVAILABLE: Red Alder, Beech, Birch, Cherry, Hickory/Pecan, Hard & Soft Maple, Red & White Oak, Poplar, Sycamore, Walnut,

Other North American Species

SPECIALTY ITEMS: Veneer-Cut-To-Size, Veneer-Edge Band, Veneer for Export

GOODMAN VENEER AND LUMBER CO. (M/S)

1/42" 0.6mm 3/16" 4.8mm 50" 1270mm 104" 2640mm Rotary

Sales: Don Tomaszewski; Wayne Brock, V.P. Operations

A Besse Forest Products Group Company

P.O. Box 352, Gladstone, MI 49837 (906) 428-3113; Fax: (906) 428-1525 E-mail: bessesales@bessegroup.com

Web: www.bessegroup.com

Environmentally Certified Products Available: FSC, Other

SPECIES AVAILABLE: Red Alder, Ash, Aspen, Basswood, Birch, Cherry, Hickory/Pecan, Bird's-Eye, Curly/Fiddleback, Hard & Soft Maple,

Red & White Oak, Walnut, Other North American Species

SPECIALTY ITEMS: Veneer-Cut-To-Size, Veneer for Export, Veneer-Stock Panel/Door Faces, Platforms, Plywood

MINIMUM

	THICKNESS	THICKNESS	LENGTH	LENGTH	
GREAT LAKES VENEER (M)	1/50"	1/5"	10"	104"	Rotary

5.1mm

MAXIMUM

MINIMUM

254mm

MAXIMUM TYPE

Sliced

2550mm

Nick Rogers, Business & Product Dev. Mgr.

Sales: Michael Burkart, Business & Product Dev. Dir. 0.15mm

P.O. Box 476, Marion, WI 54950-0476 (715) 754-2501; Fax: (715) 754-2582

E-mail: mike.burkart@greatlakesveneer.com; nrogers@greatlakesveneer.com

Web: www.greatlakesveneer.com

Environmentally Certified Products Available: FSC

SPECIES AVAILABLE: Ash, Aspen, Basswood, Beech, Birch, Cherry, Cottonwood, Elm, Black & Sweet Gum, Hickory/Pecan, Bird's-Eye, Curly/Fiddleback, Hard & Soft Maple, Red & White Oak, White & Yellow Pine, Poplar, Sycamore, Walnut, Other North American Species SPECIALTY ITEMS: Custom Splicing, Veneer-Cut-To-Size, Veneer for Export, Veneer-Stock Panel/Door Faces

MANTHEI WOOD PRODUCTS (M) 1/82" 1/12" 12" 104" Rotary Sales: Matt Smith 0.3mm 2.1mm 305mm 2642mm

3996 US 31 South

Petoskey, MI 49770 (231) 347-7040; Fax: (231) 347-1369 E-mail: sales@mantheiwoodproducts.com Web: www.mantheiwoodproducts.com

SPECIES AVAILABLE: Aspen, Basswood, Beech, Birch, Cherry, Hickory/Pecan, Bird's-Eye, Curly/Fiddleback, Hard & Soft Maple, Red & White Oak, Poplar

SPECIALTY ITEMS: Veneer-Cut-To-Size, Veneer for Export, Veneer-Stock Panel/Door Faces

McCATHAY TIMBER, INC. (S)1/85"1/6"2"126"RotarySales: Dan Roach, President10.5'Half RoundKen Roach, Vice-President0.3mm4.2mm50mm3200mm

1529 West Armitage Avenue, #200

Chicago, IL 60642-1258

(773) 227-1171; Fax: (773) 227-6767

(800) 6 VENEER

E-mail: info@mccathaytimber.com
Web: www.mccathaytimber.com

Environmentally Certified Products Available: FSC, SFI

SPECIES AVAILABLE: Exotics, Red Alder, Ash, Aspen, Basswood, Beech, Birch, Cherry, Cottonwood, Elm, Fir/Hemlock, Black & Sweet Gum, Hickory/Pecan, Western, Quilted, Hard & Soft Maple, Red & White Oak, White & Yellow Pine, Poplar, Sycamore, Tupelo, Walnut, Other North American Species

SPECIALTY ITEMS: Clipped & Bundled, Custom Splicing to Door Faces and Panel Dimensions, Plywood, Platforms, Butcher Block, Edge-Glued Lumber, Veneer-Cut-To-Size, Veneer-Edge Band, Veneer for Export

MINIMUM MAXIMUM MINIMUM MAXIMUM TYPE THICKNESS THICKNESS LENGTH LENGTH

NORTHERN MICHIGAN VENEERS, INC. (M/S)

1/50" 0.5mm 3/16" 4.8mm 10" 254mm

123" 3124mm Rotary

A Besse Forest Products Group Company

Sales: Don Tomaszewski; Greg Besse, Pres. P.O. Box 352, Gladstone, MI 49837 (906) 428-3113; Fax: (906) 428-1525 Mill: Gladstone, MI

E-mail: bessesales@bessegroup.com

Web: www.bessegroup.com

Environmentally Certified Products Available: FSC, Other

SPECIES AVAILABLE: Exotics, Red Alder, Ash, Aspen, Basswood, Birch, Cherry, Fir/Hemlock, Hickory/Pecan, Bird's-Eye, Curly/Fiddleback,

Hard & Soft Maple, Red & White Oak, White & Yellow Pine, Poplar, Walnut, Other North American Species

SPECIALTY ITEMS: Custom Splicing, Platforms, Veneer-Cut-To-Size, Veneer for Export, Veneer-Stock Panel/Door Faces

THE PENROD COMPANY (M/S)

1/85"

1/4"

10"

145"

Rotary

Sales: Forest Products Sales

0.3mm

6.3mm

254mm

3685mm

272 Bendix Rd., Suite 550 Virginia Beach, VA 23452

(757) 498-0186; Fax: (757) 498-1075

E-mail: ForestProductsSales@ThePenrodCompany.com

Web: www.thepenrodcompany.com

SPECIES AVAILABLE: A variety of domestic and international fine hardwood and decorative softwood species. SPECIALTY ITEMS: A variety of specialty veneer and panel products for various manufacturing applications

TIMBER PRODUCTS COMPANY (M)

1/64" 0.4mm 1/28" 0.91mm 34" 864mm 99" 2515mm Rotary

Sales: Terry Ostrander, Veneer Sales Mgr. P.O. Box 378, Munising, MI 49862-0378 (906) 452-6221; Fax: (906) 452-6348

E-mail: tostrander@timberproducts.com

Web: www.timberproducts.com

Environmentally Certified Products Available: FSC

SPECIES AVAILABLE: Birch, Hard Maple, Soft Maple

SPECIALTY ITEMS: Veneer-Cut-To-Size, Veneer for Export, Veneer-Stock Panel/Door Faces

WISCONSIN VENEER & PLYWOOD, INC. (M/S)

1/50" 0.5mm 3/16" 4.8mm 10"

254mm

110" 2794mm Rotary

A Besse Forest Products Group Company Greg Besse, Pres; Wayne Brock, V.P. Op.

P.O. Box 352, Gladstone, MI 49837 (906) 428-3113; Fax: (906) 428-1525

Mill: Mattoon, WI

E-mail: bessesales@bessegroup.com Web: www.bessegroup.com

Environmentally Certified Products Available: FSC, Other

SPECIES AVAILABLE: Red Alder, Ash, Aspen, Basswood, Birch, Cherry, Hickory/Pecan, Bird's-Eye, Curly/Fiddleback, Hard & Soft Maple,

Red & White Oak, White & Yellow Pine, Poplar, Walnut, Other North American Species

SPECIALTY ITEMS: Custom Splicing, Platforms, Veneer-Cut-To-Size, Veneer for Export, Veneer-Stock Panel/Door Faces, Plywood



RESOURCES

Looking for a copy of the national consensus standards for hardwood and decorative plywood or engineered wood flooring, or want comprehensive training for your team? DHA is committed to making it easier to do business with easy-to-download resources, many of which are free.



American National Standard for Hardwood and Decorative Plywood, ANSI/HPVA HP-1-2020

Requirements for face, back, and inner ply grades plus formaldehyde emissions, moisture content, tolerances. and more.



American National Standard for Engineered Wood Flooring, ANSI/HPVA EF 2020

Grade descriptions, test procedures, and requirements for veneer thickness, machining, moisture content, and finishing.



American National Standard for Due Diligence in Procuring/ Sourcing Legal Timber ANS LTDD 2.0 2023

Guidelines for creating and managing a quality assurance program to exclude illegal timber from the supply chain.



Hardwood Plywood, Engineered Wood Flooring & Hardwood Veneer: The Basics

An AIA-accredited introduction to hardwood plywood, engineered wood flooring, and hardwood veneer.

Qualifies for one AIA LU/HSW hour.



Hardwood Plywood, Engineered Wood Flooring & Hardwood Veneer: The Specifics

An AIA-accredited course on the types of hardwood plywood and veneer and how they are manufactured. Qualifies for one AIA LU elective hour.



Grading Workshop Sessions

This comprehensive course on decorative hardwood plywood includes product construction, standards, species, grades, and much more.

DOWNLOAD NOW:

www.decorative hardwoods.org/products





Operations include:

4 Sawmills
3 Veneer Mills
1 Industrial
Plywood Plant
Lumber
Concentration
Yard

Employs over 350 personnel



Rotary Veneers | Sliced Veneers | Lumber | Plywood

Whole Piece & Sliced for Stock Panel, Door Faces, Cut-to-Size Veneers. Whole Piece & Spliced for Flooring, Musical Instruments, Sporting Goods, Windows, Doors, and Furniture. Spliced Stock Panel Door Faces & Cut-to-Size Veneers.

Flitch Stock

Kiln-Dried Lumber
Green Lumber
Custom Drying
Custom Ripping
Industrial Lumber
Planing
Railroad Ties

Engineered Flooring
Die Boards
Specialty Plywoods
Industrial
Crating
Platforms
Drawer Box
Frame Stock









SLICED HARDWOOD VENEERS

- Beautiful heart structure.
- Uniformity of appearance.
- Smooth surface.
- Ability to select a specific flitch or "look."
- Wide variety of species available.
- Sliced veneer gives a unique and sophisticated touch to your product.
- By using hardwood veneer, you honor centuries of craftsman heritage and contribute to an environmentally responsible use of a natural resource.

For more information, read: Facts About Decorative Veneers listed in the Table of Contents.



Photo courtesy of Danzer

	MINIMUM THICKNESS	MAXIMUM THICKNESS	MINIMUM LENGTH	MAXIMUM LENGTH	TYPE
ATLANTIC VENEER CORPORATION (M) Division Moehring-Group	1/64"	1/16"	36" 3'	180" 15'	Half Round Plain Sliced
Sales: Flint Harding 611 Verdun St., Newport, NC 28570 (752) 728 2160: Fav: (752) 728 4202	0.5mm	1.6mm	914mm	4572mm	Rift/ Quarter Slcd.

(252) 728-3169; Fax: (252) 728-4203 E-mail: fharding@moehring-group.com Web: www.moehring-group.com

Environmentally Certified Products Available: FSC, SFI, Other

SPECIES AVAILABLE: Exotics, Red Alder, Ash, Beech, Birch, Butternut, Aromatic Cedar, Cherry, Elm, Gum, Hackberry, Hickory/Pecan, Curly/Fiddleback, Western, Quilted, Hard & Soft Maple, Red & White Oak, White/Ponderosa/Sugar & Yellow Pine, Poplar, Sycamore, Tupelo, Walnut, Other North American Woods

SPECIALTY ITEMS: Clipped & Bundled – Export, Custom Slicing, Logs for Sale, Veneer-Architectural, Veneer, Cut-To-Size, Veneer-Edge Band

BIRCHLAND PLYWOOD-VENEER LTD.	1/40"	1/16"	28"	150"	Rotary
P.O. Box 430, Thessalon, ON, Canada POR 1LO	0.6mm	1.6mm	711mm	3810mm	Half Round
(705) 842-2430; Fax: (705) 842-2496					Plain Sliced
E-mail: sales@birchlandplywood.com					Rift/
Web: www.birchlandplywood.com					Quarter Slcd.

Environmentally Certified Products Available: FSC

SPECIES AVAILABLE: Exotics, Red Alder, Anigre, Ash, Basswood, Beech, Birch, Burls, Butternut, Cedar, Aromatic Cedar, American Cherry, Elm, Fir-Vertical Grain, Gum, Hickory, Idaho White Pine, Khaya, Knotty Pine, Honduras Mahogany, Maple, Red & White Oak, Pecan, Poplar, Sapele, Sycamore, Tupelo, Walnut, Any Species on Request

SPECIALTY ITEMS: Aromatic Cedar Paneling, Blueprint Matched Panels, Calibrated Platforms, Combination, Cut-To-Size, Door Skins, Finished Stock Panels, Lumber, MDF, Particleboard, Stock Panels, Unidirectional, Veneer - Reconstituted – Flame Spread Rating A, B, C

CAHABA VENEER & PLYWOOD, INC (M) 1/40" 1/8" 36" 110" Plain Sliced Sales: Pete Browder, President .6mm 3.2mm 914mm 3000mm

P.O. Box 98, 324 Mill St., Centreville, AL 35042

(205) 926-9797; Fax: (205) 926-5496 E-mail: Pete@cahabaveneer.com Web: www.cahabaveneer.com

SPECIES AVAILABLE: Southern – Ash, Gum, Hickory, Red and White Oak

SPECIALTY ITEMS: Rustic Sliced for Flooring & Hospitality

MINIMUM MAXIMUM MINIMUM MAXIMUM TYPE THICKNESS THICKNESS LENGTH LENGTH

COLUMBIA FOREST PRODUCTS (M)

1/50" 16" 123" Hardwood Veneer Division Sales Offices 1/10" Plain Sliced Sales: Rocky Boucher, Director of Sales 0.5mm 2.5mm 406 mm 3124mm

Tanya Lamoureux, No. American Veneer Sales

Jeremy Roberge, Inside Sales Adam Thurston, Sales Coordinator 324 Bluff Road, Newport, VT 05855 (802) 334-3600; Fax: (802) 334-5149

(800) 231-4148

E-mail: rboucher@cfpwood.com Web: www.columbiaforestproducts.com

Environmentally Certified Products Available: FSC

SPECIES AVAILABLE: Red Alder, Beech, Aromatic Cedar, Hickory, Hard Maple, Red & White Oak SPECIALTY ITEMS: Custom Lumber (Marunaka) Slicing, Logs for Sale, Platforms, Veneer-Cut-To-Size

DANZER SPECIALTY VENEER (DSV) (M/S) 1/64" 5/32" 155" Half Round Danzer Veneer Americas Plain Sliced 4.0mm 4000mm 0.35mm Rift/ Sales: Matt Miller, Edinburgh, IN True Quarter

(812) 526-2601

Web: www.danzer.com Please see our ad on inside back cover for more information. Certified (FSC-Mixed Credit & FSC-CW) veneer is available.

Certified to the American National Standard for Due Diligence in Procuring/Sourcing Legal Timber (ANS LTDD) by Capital Testing

SPECIES AVAILABLE: Red Alder, Ash, Basswood, Beech, Birch, Butternut, Aromatic & Western Red Cedar, Cherry, Elm, Fir/Hemlock, Guanacaste, Gum, Hackberry, Hickory/Pecan, Madrona, Bird's-Eye, Curly/Fiddleback, Western, Quilted, Hard & Soft Maple, Red & White Oak, White/Ponderosa/Sugar & Yellow Pine, Poplar, Sapelli, Sycamore, Tupelo, Walnut, Yew, Other North American Woods,

SPECIALTY ITEMS: Architectural Veneer, Burls/Crotches, Clipped & Bundled Veneer, Custom Slicing, Cut-To-Size Veneer, Door Jams, Freeform, Linea, Logs for Sale, Reconstituted Veneer, Rustic, Sliced Flooring Lamellas, Spliced Faces, Unclipped Veneer, Vintage, Vinterio, Veneer for Export, 3D Veneer

	MINIMUM THICKNESS	MAXIMUM THICKNESS	MINIMUM LENGTH	MAXIMUM LENGTH	ТҮРЕ
DANZER VENEER AMERICAS - EAST (M/S) Sales: Fernando Zertuche, Darlington, PA (724) 827-8366 Jason Norton, Darlington, PA – Flooring La (724) 827-8366 John Byerly, High Point, NC (336) 255-5401 Mike Schierz, Durham, ON, Canada (519) 369-3310 Jason Shade, Montreal, QC, Canada (570) 772-7869	1/64" 0.35mm amellas	5/32" 4.0mm		155" 4000mm	Half Round Plain Sliced Rift/ True Quarter

Web: www.danzer.com

Please see our ad on inside back cover for more information.

Certified (FSC-Mixed Credit & FSC-CW) veneer is available.

Certified to the American National Standard for Due Diligence in Procuring/Sourcing Legal Timber (ANS LTDD) by Capital Testing

SPECIES AVAILABLE: Red Alder, Ash, Basswood, Beech, Birch, Butternut, Aromatic & Western Red Cedar, Cherry, Cypress, Elm, Fir/Hemlock, Guanacaste, Gum, Hackberry, Hickory/Pecan, Madrona, Bird's-Eye, Curly/Fiddleback, Western, Quilted, Hard & Soft Maple, Red & White Oak, White/Ponderosa/Sugar & Yellow Pine, Poplar, Sapelli, Sycamore, Tupelo, Walnut, Yew, Other North American Woods, Exotics

SPECIALTY ITEMS: Architectural Veneer, Burls/Crotches, Clipped & Bundled Veneer, Custom Slicing, Cut-To-Size Veneer, Door Jams, Freeform, Linea, Logs for Sale, Reconstituted Veneer, Rustic, Sliced Flooring Lamellas, Spliced Faces, Unclipped Veneer, Vintage, Vinterio, Veneer for Export, 3D Veneer

DANZER VENEER AMERICAS - WEST (M/S)	1/64"	5/32"	 155"	Half Round
Sales: Matt Miller, Edinburgh, IN (812) 526-2601	0.35mm	4.0mm	4000mm	Plain Sliced Rift/
Mike Barajas, Cerritos, CA				True Quarter

(562) 926-3639 Jason Shade, Sumner, WA

(570) 772-7869 Jason Norton, Darlington, PA – Flooring Lamellas

(724) 827-8366

Web: www.danzer.com
Please see our ad on inside back cover for more information.

Certified (FSC-Mixed Credit & FSC-CW) veneer is available.

Certified to the American National Standard for Due Diligence in Procuring/Sourcing Legal Timber (ANS LTDD) by Capital Testing

SPECIES AVAILABLE: Red Alder, Ash, Basswood, Beech, Birch, Butternut, Aromatic & Western Red Cedar, Cherry, Cypress, Elm, Fir/Hemlock, Guanacaste, Gum, Hackberry, Hickory/Pecan, Madrona, Bird's-Eye, Curly/Fiddleback, Western, Quilted, Hard & Soft Maple, Red & White Oak, Ponderosa/Sugar, White & Yellow Pine, Poplar, Sapelli, Sycamore, Tupelo, Walnut, Yew, Other North American Woods, Exotics

SPECIALTY ITEMS: Architectural Veneer, Burls/Crotches, Clipped & Bundled Veneer, Custom Slicing, Cut-To-Size Veneer, Door Jams, Freeform, Linea, Logs for Sale, Reconstituted Veneer, Rustic, Sliced Flooring Lamellas, Spliced Faces, Unclipped Veneer, Vintage, Vinterio, Veneer for Export, 3D Veneer

	MINIMUM THICKNESS	MAXIMUM THICKNESS	MINIMUM LENGTH	MAXIMUM LENGTH	ТҮРЕ
ELDCAN FOREST PRODUCTS LTD. (M/S) Owner: George Doonan	1/127"	1/8"	36" 3'	156"	Plain Sliced VG
Sales/Plant Manager: Candace Goss 2949 Shuswap Road Kamloops, BC, Canada V2H 1S9	0.2mm	7.2mm	914mm	3962mm	
(250) 573-1900; Fax: (250) 573-1816 E-mail: <u>cgoss@eldcan.com</u> Web: <u>www.eldcan.com</u>					
SPECIES AVAILABLE: Red Alder, Douglas Fir SPECIALTY ITEMS: Custom Slicing, Custom Splicing	ng				
FORCEY LUMBER AND VENEER CO. (M/S) Sales: Ross Forcey 2020 Shiloh Rd., Woodland, PA 16881	1/50" 0.50mm	1/10" 2.5mm	48" 4' 1220mm	144" 12' 3657mm	Plain Sliced/Rift

(814) 857-5002; Fax: (814) 857-5000 Mobile: (814) 592-1726

E-mail: ross@forceylumber.com
Web: www.forceylumber.com

Environmentally Certified Products Available: FSC, Chain of Custody, Controlled Wood, BV-COC-012533EW, BV-CW-012533EW

SPECIES AVAILABLE: Ash, Cherry, Hard & Soft Maple, Red & White Oak, Poplar **SPECIALTY ITEMS:** Custom Slicing, Cut-To-Size, Clipped & Bundled Veneer, Lumber

THE FREEMAN CORPORATION (M)	1/85"	1/7"	 204"	Half Round
Sales: George Freeman	0.3mm	3.5mm	5180mm	Plain Sliced
P.O. Box 96, Winchester, KY 40392-0096				Rift/
(859) 744-4311; Fax: (859) 744-4363				Quarter Slcd.

E-mail: sales@freemancorp.com
Web: www.freemancorp.com

Environmentally Certified Products Available: FSC

SPECIES AVAILABLE: Red Alder, Ash, Basswood, Beech, Birch, Butternut, Cherry, Elm, Gum, Hackberry, Hickory/Pecan, Bird's-Eye, Curly/Fiddleback, Hard & Soft Maple, Red & White Oak, White/Ponderosa/Sugar & Yellow Pine, Poplar, Sycamore, Walnut, Other North American Woods

SPECIALTY ITEMS: Clipped & Bundled – Export, Logs for Sale, Veneer-Architectural, Veneer-Cut-To-Size

NATIONAL INA

	THICKNESS	THICKNESS	LENGTH	LENGTH	TTPE
GREAT LAKES VENEER (M) Sales: Michael Burkart, Business & Product Dev. D	1/50" ir. 0.5mm	1/5" 5.1mm	10" 254mm	104" 2550mm	Sliced

NAAVINALINA

NATIONAL INA

NALINALINA

TVDE

Nick Rogers, Business & Product Dev. Mgr.

P.O. Box 476, Marion, WI 54950-0476 (715) 754-2501; Fax: (715) 754-2582

E-mail: mike.burkart@greatlakesveneer.com; nrogers@greatlakesveneer.com

Web: www.greatlakesveneer.com

Environmentally Certified Products Available: FSC

SPECIES AVAILABLE: Ash, Basswood, Beech, Birch, Cherry, Elm, Gum, Hackberry, Hickory/Pecan, Curly/Fiddleback, Hard & Soft Maple,

Red & White Oak, White/Ponderosa/Sugar Pine, Poplar, Sycamore, Walnut

SPECIALTY ITEMS: Logs for Sale, Veneer-Cut-To-Size

LES BOISES LA FLEUR INC 1/50" 1/26" 24" 124" Rift False Rift Canadian Sales: Louis Lafleur, President 0.50mm 0.85mm 610mm 3150mm Quartered 219 Francois Bourgeois Victoriaville, Que, Canada G6T 2G9 Plain Sliced

(819) 758-9441 #2240; Cell: (819) 352-7531

E-mail: <u>llafleur@blf-inc.com</u> Web: www.blf-inc.com

USA Sales: Mike Knapp - Knapp Woods

Cell: (541) 670-3935

SPECIES AVAILABLE: Red Alder, Cherry, Maple, Walnut, Euro Steamed Beech, White Oak, Poplar, Radiata Pine, Khaya, Sapele, Aromatic

Cedar, Hickory, White Ash

SPECIALTY ITEMS: Stock Panel, Door Faces, Counter Fronts, Architectural Matching, Cut-To-Size

2" **McCATHAY TIMBER, INC. (S)** 1/85" 1/6" 180" Half Round Sales: Dan Roach, President 15' Plain Sliced Ken Roach, Vice-President 0.3mm 4.2mm 50mm 4572mm Rift/ Quarter Slcd.

1529 West Armitage Avenue, #200

Chicago, IL 60642-1258

(773) 227-1171; Fax: (773) 227-6767

(800) 6 VENEER

E-mail: info@mccathaytimber.com Web: www.mccathaytimber.com

Environmentally Certified Products Available: FSC, SFI

SPECIES AVAILABLE: Exotics, Red Alder, Ash, Aspen, Basswood, Birch, Beech, Cherry, Cottonwood, Elm, Fir/Hemlock, Black & Sweet Gum, Hickory/Pecan, Western, Quilted, Hard & Soft Maple, Red & White Oak, White & Yellow Pine, Poplar, Sycamore, Tupelo, Walnut, and other North American Woods

SPECIALTY ITEMS: Clipped & Bundled, Custom Splicing to Door Faces and Panel Dimensions, Veneer-Cut-To-Size, Veneer-Edge Band, Veneer for Export, Plywood, Platforms, Butcher Block, Edge-Glued Lumber

	MINIMUM THICKNESS	MAXIMUM THICKNESS	MINIMUM LENGTH	MAXIMUM LENGTH	TYPE
NORTHERN MICHIGAN VENEERS, INC. (M/S) A Besse Forest Products Group Company Sales: Don Tomaszewski, Greg Besse, President	1/50" 0.5mm	3/16" 4.8mm	30" 762mm	123" 3124mm	Plain Sliced Rift/ Quarter Slcd.

P.O. Box 352, Gladstone, MI 49837 (906) 428-3113; Fax: (906) 428-1525

Mill: Gladstone, MI

E-mail: bessesales@bessegroup.com

Web: www.bessegroup.com

Environmentally Certified Products Available: FSC, Other

SPECIES AVAILABLE: Exotics, Red Alder, Ash, Basswood, Beech, Birch, Aromatic & Western Red Cedar, Cherry, Fir/Hemlock, Hickory/Pecan, Bird's-Eye, Curly/Fiddleback, Hard & Soft Maple, Red & White Oak, White/Ponderosa/Sugar Pine, Poplar, Walnut, Other

North American Woods

SPECIALTY ITEMS: Clipped & Bundled - Export, Custom Slicing, Logs for Sale, Veneer-Architectural, Veneer-Cut-To-Size

48" **ST-RAYMOND VENEERS, THE PENROD COMPANY** 1/64" 1/16" 130" Plain Sliced Sales: St-Raymond Veneers Sales (M/S) 0.4mm 1.5mm 1219mm 3302mm Rift/ 595 Guyon Street Quarter Slcd.

St-Raymond, QC, Canada G3L 1Z1 (418) 337-4607; Fax: (418) 337-8342 E-mail: Sales.SRV@SRVINC.com

Web: www.SRVINC.com

SPECIES AVAILABLE: Exotics, Birch, Aromatic Cedar, Cherry, Fir/Hemlock, Hickory/Pecan, Bird's-Eye, Curly/Fiddleback, Hard & Soft Maple, Red & White Oak, Yellow Pine, Poplar, Spruce, Walnut, Other North American Woods

SPECIALTY ITEMS: Burls/Crotches, Clipped & Bundled - Export, Custom Slicing, Veneer-Architectural, Veneer-Cut-To-Size,

Veneer, Edge Band

VERMONT WILDWOODS (M)

182 Lafiria Place Marshfield, VT 05658 (802) 793-1265

Web: www.vermontwildwoods.com



DHA MISSION

The mission of the Decorative Hardwoods Association, formerly known as the Hardwood Plywood & Veneer Association®, is to promote and support high quality, sustainably and legally produced decorative engineered wood products and hardwood veneer manufactured in North America.

OUR CORE VALUES

- Our unique strength is our depth and breadth of technical expertise in engineered hardwoods
- Our marketing of North American-produced engineered hardwoods drives consumer preference
- The Decorative Hardwoods Association is the single voice of our industry, advocating for a fair market and level playing field
- We actively collaborate to promote the sustainable management of forest resources and access to legally sourced timber
- Our national consensus standards for hardwood plywood, engineered wood flooring, and due diligence for sourcing legal timber are recognized and specified by producers and consumers

To become a member, advertise with us, or buy publications, contact:

703.435.2900

www.DecorativeHardwoods.org



SPLICED HARDWOOD VENEERS

- Environmentally friendly.
- Made to standards agreed upon between buyer and seller grade, craftsmanship, etc.
- Continuity from order to order.
- Cost control.

For more information, read Facts About Decorative Veneers listed in the Table of Contents.




Photo courtesy of Danzer

MINIMUM

	THICKNESS	THICKNESS	LENGTH	LENGTH	
BIRCHLAND PLYWOOD-VENEER LTD.	1/40"	1/16"	28"	150"	Rotary
P.O. Box 430, Thessalon, ON, Canada POR 1L0	0.6mm	1.6mm	711mm	3810mm	Half Round
(705) 842-2430; Fax: (705) 842-2496					Plain Sliced
E-mail: sales@birchlandplywood.com					Rift/
Web: www.birchlandplywood.com					Quarter Slcd.

MAXIMUM

MINIMUM

MAXIMUM TYPE

Environmentally Certified Products Available: FSC

SPECIES AVAILABLE: Exotics, Red Alder, Anigre, Ash, Basswood, Beech, Birch, Burls, Butternut, Cedar, Aromatic Cedar, American Cherry, Elm, Fir-Vertical Grain, Gum, Hickory, Idaho White Pine, Khaya, Knotty Pine, Honduras Mahogany, Maple, Red & White Oak, Pecan, Poplar, Sapele, Sycamore, Tupelo, Walnut, Any Species on Request

SPECIALTY ITEMS: Aromatic Cedar Paneling, Blueprint Matched Panels, Calibrated Platforms, Combination, Cut-To-Size, Door Skins, Finished Stock Panels, Lumber, MDF, Particleboard, Stock Panels, Unidirectional, Veneer - Reconstituted - Flame Spread Rating A, B, C

CLARKE VENEERS & PLYWOOD (S)	1/85"	1/6"	 123"	Rotary
Sales: Stuart Clarke	0.3mm	4.1mm	3125mm	Plain Sliced
Bronson Newburger				Rift/
P.O. Box 4876, Jackson, MS 39296-4876				Quarter Slcd.

(601) 366-0331; Fax: (601) 366-0334 E-mail: info@clarkeveneers.com Web: www.clarkeveneers.com

Environmentally Certified Products Available: FSC, Other

SPECIES AVAILABLE: Exotics, Ash, Aspen, Basswood, Beech, Birch, Aromatic Cedar, Cherry, Eucalyptus, Gum, Hickory/Pecan, Khaya, Hard & Soft Maple, Red & White Oak, Ponderosa/Sugar & Yellow Pine, Poplar, Sycamore, Tupelo, Walnut, Other North American **Species**

SPECIALTY ITEMS: Counter Fronts, Custom Splicing, Cut-To-Size Veneer, Stock Panel/Door Faces, Veneer for Export

DANZER CANADA INC. (M/S)	1/50"	1/16"	 122"	Half Round
Danzer Veneer Americas	0.5mm	1.5mm	3098mm	Plain Sliced
Sales: Mike Schierz, Durham, ON, Canada				Rift/
(519) 369-3310				Quarter Slcd.

Scott Kaufman, Durham, ON, Canada (519) 369-3310

Jason Shade, Montreal, QC, Canada

(570) 772-7869

Barry Carroll, Darlington, PA

(724) 827-8366 Web: www.danzer.com

Please see our ad on inside back cover for more information.

Certified (FSC-PURE & FSC-CW) faces are available.

Certified to the American National Standard for Due Diligence in Procuring/Sourcing Legal Timber (ANS LTDD) by Capital Testing

SPECIES AVAILABLE: Red Alder, Ash, Aspen, Basswood, Beech, Birch, Butternut, Aromatic Cedar, Cherry, Elm, Eucalyptus, Fir, Hemlock, Hickory/Pecan, Khaya, Madrona, Honduras Mahogany, Bird's-Eye, Curly/Fiddleback, Western, Quilted, Hard & Soft Maple, Myrtlewood, Red & White Oak, Ponderosa/Sugar, White & Yellow Pine, Poplar, Spruce, Sycamore, Walnut, Other North American Species, Exotics SPECIALTY ITEMS: Architectural Matching, Counter Fronts, Custom Splicing, Cut-To-Size Veneer, Door Jams, Spliced Faces (Panel/Door), Veneer for Export

MINIMUM MAXIMUM MINIMUM MAXIMUM TYPE THICKNESS LENGTH THICKNESS LENGTH

ELDCAN FOREST PRODUCTS LTD. (M/S)

1/50" 0.5mm 1/16" 1.5mm 50" 1270mm

106" 2692mm Plain Sliced VG

Owner: George Doonan

Sales/Plant Manager: Candace Goss

2949 Shuswap Road

Kamloops, BC, Canada V2H 1S9 (250) 573-1900; Fax: (250) 573-1816

E-mail: cgoss@eldcan.com Web: www.eldcan.com

SPECIES AVAILABLE: Red Alder, Douglas Fir **SPECIALTY ITEMS:** Custom Splicing, Custom Slicing

GREAT LAKES VENEER (M)

1/50"

1/4"

10"

104"

Rotary Half Round

Sales: Michael Burkart, Business & Product Dev. Dir. 0.5mm Nick Rogers, Business & Product Dev. Mgr.

6.4mm

254mm 2550mm

Plain Sliced Rift/ Quarter Slcd.

P.O. Box 476, Marion, WI 54950-0476

(715) 754-2501; Fax: (715) 754-2582 E-mail: mike.burkart@greatlakesveneer.com; nrogers@greatlakesveneer.com

Web: www.greatlakesveneer.com

Environmentally Certified Products Available: FSC

225, Boul Bonaventure, Victoriaville, QC Canada G6T 1V5

SPECIES AVAILABLE: Ash, Aspen, Basswood, Beech, Birch, Cherry, Cottonwood, Elm, Gum, Hickory/Pecan, Hard & Soft Maple, Red & White Oak, Poplar, Sycamore, Walnut, Other North American Species SPECIALTY ITEMS: Custom Splicing, Cut-To-Size Veneer, Veneer for Export

INDUSTRIE ERGIE INC. (M) Sales/Co-Owner: Carlos Zarate 1/50"

1/24"

38"

123"

Plain Sliced Quarters Rift

(819) 758-9576 Web: www.ergie.ca Rotary **Spliced Faces**

SPECIES AVAILABLE: Aromatic Cedar, Cherry, Domestic Birch, European Steamed Beech, Hickory, Knotty Pine, Maple, Poplar, Red Alder, Teak, Walnut

1/26"

0.85mm

MINIMUM MAXIMUM MINIMUM MAXIMUM TYPE THICKNESS LENGTH LENGTH

24"

610mm

124"

3150mm

Rift

False Rift

Quartered Plain Sliced

LES BOISES LA FLEUR INC

Canadian Sales: Louis Lafleur, President

219 Francois Bourgeois

Victoriaville, Que, Canada G6T 2G9 (819) 758-9441 #2240; Cell: (819) 352-7531

E-mail: <u>llafleur@blf-inc.com</u>
Web: <u>www.blf-inc.com</u>

USA Sales: Mike Knapp - Knapp Woods

Cell: (541) 670-3935

SPECIES AVAILABLE: Red Alder, Cherry, Maple, Walnut, Euro Steamed Beech, White Oak, Poplar, Radiata Pine, Khaya, Sapele, Aromatic

Cedar, Hickory, White Ash

SPECIALTY ITEMS: Stock Panel, Door Faces, Counter Fronts, Architectural Matching, Cut-To-Size

1/50"

0.50mm





Dedicated to finding the right veneer for your project





MINIMUM MAXIMUM MINIMUM MAXIMUM TYPE THICKNESS LENGTH THICKNESS LENGTH

1/50" **LIGNUM VENEER** Sales: Nancy Dupuis 0.5mm 285 François Bourgeois

Plain Sliced Rift/ Quarter Slcd

Rotary

(819) 751-2282; Fax: (819) 751-0160 E-mail: quote@lignumveneer.com Web: www.lignumveneer.com

Victoriaville, Quebec, Canada G6T 2G9

SPECIES AVAILABLE: Alder, Ash, Birch, Aromatic & Western Red Cedar VG, Cherry, Exotics, Fir, Hemlock, Hickory/Pecan, Hard and Soft

Maple, Red & White Oak, White Pine, Western Knotty Pine, Poplar, Walnut, Other North American Species

SPECIALTY ITEMS: Architectural Matching, Counter Fronts, Stock Panel/Door Faces, Veneer-Cut-To-Size, Veneer for Export

MANTHEI WOOD PRODUCTS (M) Sales: Matt Smith

2" 1/100" 1/6" 168" Rotary 14' Half Round 0.25mm 4.2mm 50mm 4267mm Plain Sliced

3996 US 31 South Petoskey, MI 49770

Rift/

(231) 347-7040; Fax: (231) 347-1369 E-mail: sales@mantheiwoodproducts.com Quarter Slcd.

Web: www.mantheiwoodproducts.com

SPECIES AVAILABLE: Ash, Aspen, Basswood, Beech, Birch, Cherry, Hickory/Pecan, Madrone, Bird's-Eye, Curly/Fiddleback, Hard & Soft

Maple, Red & White Oak, Poplar, Walnut

SPECIALTY ITEMS: Architectural Matching, Counter Fronts, Stock Panel/Door Faces, Veneer-Cut-To-Size, Veneer for Export

NORTHERN MICHIGAN VENEERS, INC. (M/S)

1/50" 30" 123" 3/16" Rotary 0.5mm 4.8mm 762mm 3124mm Plain Sliced

A Besse Forest Products Group Company Rift/ Sales: Don Tomaszewski, Greg Besse, President P.O. Box 352, Gladstone, MI 49837 Quarter Slcd.

(906) 428-3113; Fax: (906) 428-1525

Mill: Gladstone, MI

E-mail: bessesales@bessegroup.com

Web: www.bessegroup.com

Environmentally Certified Products Available: FSC, Other

SPECIES AVAILABLE: Exotics, Red Alder, Ash, Birch, Aromatic & Western Red Cedar, Cherry, Fir, Hickory/Pecan, Bird's-Eye,

Curly/Fiddleback, Hard & Soft Maple, Red & White Oak, Walnut, Other North American Species

SPECIALTY ITEMS: Counter Fronts, Custom Splicing, Cut-To-Size Veneer, Stock Panels/Door Faces, Veneer for Export

ST-RAYMOND VENEERS, THE PENROD COMPANY

1/64" 48" 130" 1/16" Rotary

Sales: St-Raymond Veneers Sales (M/S) 0.4mm 1.5mm 1219mm 3302mm Half Round 595 Guyon Street Plain Sliced

St-Raymond, QC, Canada G3L 1Z1 Rift/ (418) 337-4607; Fax: (418) 337-8342 Quarter Slcd.

E-mail: Sales.SRV@SRVINC.com Web: www.SRVINC.com

SPECIES AVAILABLE: Exotics, Red Alder, Ash, Beech, Birch, Aromatic & Western Red Cedar, Cherry, Fir, Hickory/Pecan, Bird's-Eye, Curly/Fiddleback, Hard & Soft Maple, Red & White Oak, White Pine, Poplar, Walnut, Other North American Species SPECIALTY ITEMS: Counter Fronts, Custom Splicing, Cut-To-Size Veneer, Stock Panel/Door Faces, Veneer for Export

1/28"

1/24"

1.0mm

0.91mm

MINIMUM MAXIMUM MINIMUM MAXIMUM TYPE THICKNESS LENGTH LENGTH

34"

38"

965mm

864mm

99"

135"

3429mm

2515mm

Rotary

Rotary

Rift/ Quarter Slcd.

Half Round

Plain Sliced

TIMBER PRODUCTS COMPANY (M)

Sales: Terry Ostrander, Veneer Sales Mgr. P.O. Box 378, Munising, MI 49862-0378 (906) 452-6221; Fax: (906) 452-6348 E-mail: tostrander@timberproducts.com

Web: <u>www.timberproducts.com</u> Environmentally Certified Products Available: FSC

SPECIES AVAILABLE: Birch, Hard Maple, Soft Maple

SPECIALTY ITEMS: Architectural Matching, Counter Fronts, Cut-To-Size Veneer, Stock Panel/Door Faces, Veneer for Export

1/50"

0.5mm

1/64"

0.4mm

VENEER TECHNOLOGIES INC. (M)

Division of Moehring-Group Sales: Greg Simon

P.O. Box 1145, Newport, NC 28570

(252) 223-5600; Fax: (252) 223-3511

(800) 593-5601

E-mail: gsimon@veneertech.com
Web: www.veneertech.com

Environmentally Certified Products Available: FSC

Certified to the American National Standard for Due Diligence in Procuring/Sourcing Legal Timber (ANS LTDD) by Capital Testing

SPECIES AVAILABLE: Exotics, Red Alder, Ash, Aspen, Basswood, Beech, Birch, Butternut, Western Red Cedar, Cherry, Elm, Eucalyptus, Fir, Gum, Hemlock, Hickory/Pecan, Khaya, Madrone, Honduras Mahogany, Bird's-Eye, Curly/Fiddleback, Western, Quilted, Hard & Soft Maple, Myrtlewood, Red & White Oak, Ponderosa/Sugar, White & Yellow Pine, Poplar, Sapele, Sycamore, Tupelo, Walnut, Other North American Species

SPECIALTY ITEMS: Burls/Crotches, Counter Fronts, Custom Splicing, Cut-To-Size Veneer, Edge Band Veneer, Stock Panel/Door Faces, Paperbacked/Flexed Veneer, 2-Ply Faces, Reconstituted Veneer



DHA DISTRIBUTORS











DISTRIBUTORS OF HARDWOOD PLYWOOD

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut **GLUE TYPES:** EPA TSCA; CARB; Exterior – Technical; Exterior – Type I;

Interior – Type II; NAF – No Added Formaldehyde; ULEF – Ultra-Low-Emitting Formaldehyde; NAUF – No Added Urea Formaldehyde; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

48" X 96"

to 48" X 144"

SIZES	THICKNESSES	GLUE	CORE	ENVIRONMENTALLY
AVAILABLE	AVAILABLE	TYPES	TYPES	CERTIFIED PRODUCTS
				AVAILABLE
				FSC, SFI, Other

FESSENDEN HALL DELAWARE

Contact: John Bergin 1037 Fowler Court, Dover, DE 19901 (302) 674-4505; Fax: (302) 674-4507

(800) 220-6681

E-mail: johnbergin@fessendenhall.com

96" X 48" 1/8" - Type I Combination 48" X 72" 1" Type II Lumber

MDF Particleboard Unidirectional Veneer F, S, O

FESSENDEN HALL OF PENNSYLVANIA

Contact: Edgar Lobley

3021 Industry Drive, Lancaster, PA 17603

(717) 394-1047; Fax: (717) 295-1725; (800) 220-3157

E-mail: edgarlobley@fessendenhall.com

FESSENDEN HALL, INC.

Contact: John Bergin

1050 Sherman Ave., Pennsauken, NJ 08110 (856) 665-2210; Fax: (856) 665-6518; (800) 220-2233

E-mail: johnbergin@fessendenhall.com

FESSENDEN HALL, INC.

Contact: John Bergin

1 Fairfield Place, West Caldwell, NJ 07006 (800) 220-2233; Fax: (800) 210-4248 E-mail: johnbergin@fessendenhall.com

SPECIES DISTRIBUTED: Exotics-R,H,P,Q,I, Anigre-Q, Ash-R,P, Beech-P,Q, Birch-R, Butternut-P, Cedar-Q, American Cherry-P,Q, Hickory-P, Idaho White Pine-P, Khaya-P, Knotty Pine-P, Koa-P,Q, Honduras Mahogany-P, Maple-R,P, Bird's-Eye Maple-P, Red & White Oak-R,P,Q,I, Pecan-P, Poplar-R, Sycamore-Q, Walnut-P, Any Species on Request-R,H,P,Q,I

HARDWOOD PLYWOOD SPECIALTY ITEMS: Banded, Bending Boards, Cabinet Doors, Curved/Molded Items, Die Boards, Drawer Sides/Backs Nosed/Grooved, Edge Banding, Furniture Panels, Kitchen Cabinet Components, Stock Panels, Table & Desk Tops, Veneer, Bendable, Veneer/Plywood – Musical Instruments – Flame Spread Rating A, B, C, 150 Canada

PREFINISHED SPECIALTY PANELS: Architectural, Industrial, Paper Overlay, Printed, Vinyl Laminated – Flame Spread A, B, C, 150 Canada

DISTRIBUTORS OF HARDWOOD PLYWOOD

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut **GLUE TYPES:** EPA TSCA; CARB; Exterior – Technical; Exterior – Type I;

Interior – Type II; NAF – No Added Formaldehyde; ULEF – Ultra-Low-Emitting Formaldehyde; NAUF – No Added Urea Formaldehyde; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

SIZES	THICKNESSES	GLUE	CORE	ENVIRONMENTALLY
AVAILABLE	AVAILABLE	TYPES	TYPES	CERTIFIED PRODUCTS
				AVAILABLE
				FSC, SFI, Other

HARWOOD INDUSTRIES, INC - Headquarters

Contact: Doug Wirkkala

20548 SW Wildrose Pl., Sherwood, OR 97140 (800) 745-6620; (503) 692-6620

HARDWOOD INDUSTRIES, INC. – Bend, OR

Contact: Dan Shaver

61520 American Lane, Bend, OR 97702

(541) 389-2236

HARDWOOD INDUSTRIES, INC. - Medford, OR

Contact: Jared White

357 Ehrman Way, Medford, OR 97501

(541) 779-0404

HARDWOOD INDUSTIRES, INC. – Seattle, WA

Contact: David Wirkkala

20124 Broadway Ave., Bldg. D, Woodinville, WA 98296

(888) 750-5881; (425) 420-1050

HARDWOOD INDUSTIRES, INC. – Kent, WA

Contact: David Wikkala

8621 South 212th St., Kent, WA 98031 (888) 750-5881; (425) 420-1050

E-mail: sales@hardwoodind.com
Web: www.hardwoodind.com

 12" X 96" to
 .107" Type I
 Veneer

 48" X 120"
 1"
 Type II
 Combination

 NAF
 MDF

NAUF Particleboard ULEF Baltic Birch

F, S, O

Phenolic PVA

TSCA Title VI

SPECIES DISTRIBUTED: Alder-P, Knotty Alder-P, Ash-P, Bamboo-Q, Beech-P, Birch-P,R, Cedar-P, Cherry-P,Q, Fir-P,Q, Hickory-P, Mahogany African-P,Q, Maple-P,R,Q, Meranti-R, Pine-P, Red Grandis-P, Red Oak-P,R,Q,I, Sande-R, Sapele-P,Q, Teak-P, Walnut-P,Q, White Oak-P,Q,I, Any Species on Request-R,H,P,Q,I

HARDWOOD PLYWOOD SPECIALTY ITEMS: Banded, Cabinet Doors, Cabinet Components, Molded Items, Drawer Sides, Grooved, Perforated, Edge Banding, Furniture Panels, Machined Parts (Shaped), CNC designs, School / Church components, Table & Desktops, Butcher Blocks, Upholstery Frame Panels, Veneer, Bendable, Pegboard, Veneer/Plywood, Fire Rated, Moisture Resistant PREFINISHED SPECIALTY PANELS: Birch and Maple Sheets and Components

DISTRIBUTORS OF HARDWOOD PLYWOOD

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut **GLUE TYPES:** EPA TSCA; CARB; Exterior – Technical; Exterior – Type I;

Interior – Type II; NAF – No Added Formaldehyde; ULEF – Ultra-Low-Emitting Formaldehyde; NAUF – No Added Urea Formaldehyde; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

SIZES	THICKNESSES	GLUE	CORE	ENVIRONMENTALLY
AVAILABLE	AVAILABLE	TYPES	TYPES	CERTIFIED PRODUCTS
				AVAILABLE
				FSC, SFI, Other

<u>PITTSBURGH FOREST PRODUCTS CO.</u> 48" X 96" 1/8' - CARB Type I Combination FSC

CARB Type II Contact: Troy Halo Cut-To-Size 1-3/16" Lumber 375 Valley Brook Rd., McMurray, PA 15317 Oversize NAUF MDF (724) 969-5000; Fax: (724) 969-1100 Particleboard Phenolic E-mail: inquiry@pittsburghforest.com **PVA** Unidirectional Web: www.pittsburghforest.com Veneer

SPECIES DISTRIBUTED: Exotics-R,P, Bamboo-R,P, Beech-R,P, Birch-R,P, American Cherry-R,P, Hickory-P, Knotty Pine-P, Maple-R,P, Honduras Mahogany-R,P, Red Oak-R,P,Q, White Oak-P,Q, Pecan-P, Poplar-R, Walnut-P, Any Species on Request-R,H,P,Q HARDWOOD PLYWOOD SPECIALTY ITEMS: Aircraft Applications, Banded, Bending Boards, Cabinet Doors, Curved/Molded Items, Die Boards, Door Skins, Drawer Sides/Backs Nosed/Grooved, Edge Banding, Furniture Panels, IIB Door Core, Kitchen Cabinet Components, Machine Parts (Shaped), School/Church Components, Stock Panels, Table & Desk Tops, Upholstery Frame Panels, Veneer, Bendable PREFINISHED SPECIALTY PANELS: Architectural, Industrial, Paper Overlay, Printed, Vinyl Laminated, UV Topcoats

RODDIS LUMBER & VENEER CO. LP. 1/8" -Combination 60" X 60" Type I F Contact: Scott Friedrichsen 48" X 120" 1-1/8" Type II Lumber 48" X 96" MDF 727 N. Cherry St., San Antonio, TX 78202 48" X 72" Particleboard (210) 226-1426; Fax: (210) 226-1591 E-mail: sfriedrichsen@roddislumber.com Veneer

Web: www.roddislumber.com

SPECIES DISTRIBUTED: Exotics-R,P,Q,I, Anigre-P,Q, Ash-R,P, Bamboo-R, Beech-P,Q, Birch-R,P, Butternut-P, Cedar-P, American Cherry-P, Hickory-P, Idaho White Pine-P, Khaya-P,Q, Knotty Pine-P, Koa-P, Honduras Mahogany-P,Q, Maple-R,P, Bird's-Eye Maple-P, Red & White Oak-R,P,Q,I, Pecan-P, Poplar-R, Sycamore-P, Walnut-P, Any Species on Request-R,P,Q,I HARDWOOD PLYWOOD SPECIALTY ITEMS: Bending Boards, Curved/Molded Items, Drawer Sides/Backs Nosed/Grooved, Edge Banding, Marine Panels, Stock Panels, Table & Desk Tops, Veneer, Bendable - Flame Spread Rating A, C PREFINISHED SPECIALTY PANELS: Architectural, Industrial, Paper Overlay, Printed, Vinyl Laminated - Flame Spread Rating A, C

RUSSELL PLYWOOD INC. 96" X 48", 1/8" -Type I Combination F Contact: Russell DiGiallorenzo 120" Type II Lumber 401 Old Wyomissing Rd., Reading, PA 19611 60" X 97", MDF (610) 374-4017; Fax: (610) 374-9138 Particleboard 120" E-mail: rdg@russellplywood.com 48" X 72", Unidirectional Web: www.russellplywood.com 84", 96", 109", Veneer 120", 144"

SPECIES DISTRIBUTED: Exotics-R,H,P,Q, Anigre-P,Q, Ash-R,P,Q, Basswood-R, Beech-R,P,Q, Birch-R,H,P, Butternut-P, Cedar-R,P, American Cherry-R,P,Q, Hickory-P, Idaho White Pine-R,P, Khaya-P,Q, Knotty Pine-P, Koa-P, Honduras Mahogany-P, Maple-R,H,P,Q, Bird's-Eye Maple-R,P, Red & White Oak-R,H,P,Q, Pecan-P, Poplar-R,P, Sycamore-R,P, Walnut-P, Wormy Chestnut-P, Any Species on Request-R,H,P,Q

HARDWOOD PLYWOOD SPECIALTY ITEMS: Banded, Bending Boards, Cabinet Doors, Curved/Molded Items, Die Boards, Drawer Sides/Backs Nosed/Grooved, Edge Banding, Furniture Panels, Kitchen Cabinet Components, Machined Parts (Shaped), Marine Panels, School/Church Components, Stock Panels, Table & Desk Tops, Veneer, Bendable, Veneer/Plywood-Musical Instruments - Flame Spread Rating A, B, C, 150 Canada

PREFINISHED SPECIALTY PANELS: Architectural, Hardwood Tambour, Industrial, Paper Overlay, Printed, Vinyl Laminated - Flame Spread Rating A, B, C, 150 Canada



DHA SUPPLIERS



















































SUPPLIER MANUFACTURERS (M) AND DISTRIBUTORS (D) P-Plywood V-Veneer O-Other

ALTEC (M)

Altec manufactures, supplies, and supports solutions that help veneer and plywood plants increase production, uptime, recovery and quality across the <u>entire green end</u>. Precision machinery and controls help plants achieve these goals. Since 1999, Altec has continued to expand products and services to help customers achieve higher results. Altec has engineering and manufacturing facilities located in Diboll, TX and Coquitlam, BC.

120-185 Golden Drive PVO – Control Systems; V – Lathe Systems; V – XY Scanners; V – Chargers

Coquitlam, BC V3K 6T1, Canada V – Clipper Scanners; V – Clippers; PV – Handling and Stacking;

(604) 529-1991; Fax: (604) 529-1992 PVO – Engineering and Design

E-mail: sales@alteconline.com
Web: www.alteconline.com

ARCLIN (M)

Arclync is the new suite of high performance surfacing solutions provided by Arclin. One of the products under this brand is Crystal, a high performance dry finish application for hardwood plywood. It provides a clear finish solution that can be smooth or textured while providing high levels of scratch and wear resistance. This surface also performs as a moisture protection layer and protects the wood against surface stains while making it very easy to clean. Crystal also provides UV protection as part of the integrated solution. Arclin is the North American leader in treating technologies, surfacing solutions, resins and adhesives systems for plywood and other wood substrates. With 12 locations across North America we focus on providing great service to our domestic and international markets. Our strategically located technology application laboratories in both the West and East Coast bring us closer to the different markets. Arclin designs and engineers tailor-made solutions for each individual application. Arclin fosters partnerships focused on market growth by providing new market opportunities for our customers.

1000 Holcomb Woods Pkwy., Suite 342 Roswell, GA 30076 (678) 999-2100

Web: www.arclin.com; www.arclyncsurfaces.com

CARGILL BIOINDUSTRIAL (D)

Cargill provides food, agriculture, financial and industrial products and services to the world. Together with farmers, customers, governments and communities, we help people thrive by applying our insights and more than 150 years of experience. We have 150,000 employees in 70 countries who are committed to nourishing the world in a responsible way, reducing environmental impact and improving the communities where we live and work. Cargill BioIndustrial focuses on providing bio-based solutions to industrial markets, including binders and adhesives for construction materials, dielectric fluids, paints, inks and coatings, lubricants, oilfield chemicals, consumer products, flexible foam and other diverse applications. With our global technical expertise in Engineered Wood & Composites, we collaboratively work with our customers to solve their toughest challenges with unique, innovative technologies that create bottom-line value. Furthermore, our customers count on Cargill's global supply chain expertise to provide consistent and reliable supply.

Sales: Dave Garlie, NA BDM – Cargill BioIndustrial Binders & Adhesives

15401 McGinty Road, Wayzata, MN 55391

(715) 271-4225

E-mail: <u>Dave Garlie@cargill.com</u>
Web: <u>www.cargill.com/adhesives</u>

SUPPLIER MANUFACTURERS (M) AND DISTRIBUTORS (D)

P-Plywood V-Veneer O-Other

FISHER + RÜCKLE AG (Headquarter) (M)

Fisher + Rückle AG, Manufactures of high quality, long lasting wood veneer machines including; crossfeed splicers, longitudinal splicers, single knife and double knife guillotines, jointers, glue applicators, cross clippers and veneer grading lines.

Sales: Alexander Baptista Hardhofstrasse 15, 8424 Embrach

Switzerland 011 41 56 460 67 00

E-Mail : sales@fisher-ruckle.ch
Web: http://www.fisher-ruckle.ch

V – Consulting-Design/Application; V – Conveyors; V – Crossfeed Splicers;

V – Flooring Equipment; V – Glue Applicators; V – Veneer Clippers;

V – Veneer Guillotines; V – Veneer Jointers; V – Veneer Splicers; V – Grading Lines

FISHER + RÜCKLE SALES AND SERVICE, INC. (M)

Fisher + Rückle Sales and Service Inc. is the North American representative for Fisher + Rückle AG (Headquarter in Switzerland) and they offer sales support, quality service, and original OEM parts for Fisher + Rückle AG, Embrach, Switzerland. Supporting FISHER + RÜCKLE AG supplying the veneer industry with new and used veneer machines including crossfeed and longitudinal splicers, single-knife and double-knife guillotines, jointers, glue applicators, cross clippers and veneer grading lines

Contact: Jeff Suehring V – Consulting-Design/Application; V – Conveyors; V – Crossfeed Splicers; V – Grading Lines;

513 S. Howard Street, P.O. Box 373 V – Flooring Equipment; V – Glue Applicators; V – Veneer Clippers;

Wittenberg, WI 54499 V – Veneer Guillotines; V – Veneer Splicers

(715) 253-3366, Fax (715) 253-3365

E-Mail: fishruck@frontiernet.net; Web: http://www.fisher-ruckle-sales.com

FRANKLIN ADHESIVES & POLYMERS (M)

For 75 years, Franklin Adhesives & Polymers has been the industry leader in bonding wood and wood products. Manufacturers in more than 60 countries trust Franklin's products to provide them the productivity and quality they demand. Their customers know they can rely on their longstanding experience and deep commitment to the development of practical, hardworking solutions that meet real needs on the plant floor. Many of Franklin's brands- Titebond, Multibond, and Advantage - have become renowned in the manufacture of wood products, in assembly, edging and facing, lamination, veneering, and finger jointing. The unmatched breadth of their adhesive product line offers Franklin's customers the performance characteristics they seek. Whatever you might be running in your plant, call Franklin Adhesives & Polymers and see for yourself what makes them the most trusted adhesion company in the world.

Sales: Jaye Schroeder, V.P. of Industrial Business PVO – Adhesives Manufacturer

2020 Bruck St., Columbus, OH 43207 Edge Gluing: Multibond – X PVA, Liquid (800) 487-4583; Fax: (614) 445-1366 Reactite – E P I, Emulsion

(800) 487-4583; Fax: (614) 445-1366

E-mail: <u>JayeSchroeder@FranklinInternational.com</u>

Web: <u>www.FranklinAdhesivesandPolymerscom</u>

Interior Plywood: Multibond – X PVA, Liquid

Reactite – E P I, Emulsion

Reactite – E P I, Emulsion

SUPPLIER MANUFACTURERS (M) AND DISTRIBUTORS (D)

P-Plywood V-Veneer O-Other

GRENZEBACH CORP. (M)

Grenzebach has been an OEM equipment supplier to the building materials industry for over 100 years, supplying high end handling, processing, and drying solutions to the Glass, Solar, Gypsum, Veneer, Fiber Cement, and Insulation industries. With over 60 years of experience providing new dryers and processing equipment into the veneer industry, and over 30 years of experience in rebuilding all brands of veneer dryers, Grenzebach has engineered multiple enhanced veneer drying solutions and rebuild solutions that can be custom fit to the needs of any wood type or customer preference. Grenzebach supplies complete processing lines to the veneer industry with: standard roller dryers, press dryers, belts dryers, sinus belt dryers, feeding systems, unloading systems, stackers, slicers, scanners, and custom AGV transport systems.

USA Sales: Terry Weeks +1 (770) 330-0358

Email: Terry.Weeks@Grenzebach.com

USA Technical: Karl Aicher +1 (941) 320-1372

Email: Karl.Aicher@Grenzebach.com 10 Herring Road, Newnan, GA 30265

+1 (770) 253-4980

E-mail: lnfo.GN@Grenzebach.com
Web: www.grenzebach.com

V – Dryer Systems; V – Electronic Measuring Machines; V – Feeders;

V – Handling Systems; V – Loaders/Unloaders; V – Stacking Systems;

V – Veneer Lathe-Staylog/Full Round; V – Veneer Scanning Systems;

V – Veneer Slicers







COMPREHENSIVE SOLUTIONS FOR YOUR VENEER DRYING NEEDS

Dryer rebuild services:

- » Engineering evaluations and efficiency studies
- » Controls upgrades
- » Complete installation solutions
- » Startup and commissioning support

Grenzebach offers both new dryers and complete dryer rebuild services for applications where this is the most economical option.

SERVING THE NORTH AMERICAN WOOD INDUSTRY SINCE 1988.



SUPPLIER MANUFACTURERS (M) AND DISTRIBUTORS (D) P-Plywood V-Veneer O-Other

HEINRICH KUPER GMBH

As a quality leader in veneer and gluing technology, planing and molding machines as well as foil wrapping machines, KUPER offers its customers exactly what they need. Whether it's standard machines or projects. In addition to the machines, KUPER offers a wide range of services and thus always provides a total package of consulting, machines, and services. Due to the comprehensive spare parts management at KUPER, almost all spare parts are permanently in stock. Therefore, avoiding downtime or loss of production.

Webshop: www.kuper.de/shop/en/new-machines/

Heinrich-Kuper-Str. 10-15 Rietberg, Germany 33397 Phone: +49 5244/984-0 Fax: +49 5244/984-201 E-mail: info@KUPER.de Web: www.kuper.de

Sales:

Wilhelm Potthoff Heinrich-Kuper-Str.10-15 Phone:+49 5244/984-726

E-mail: Wilhelm.Potthoff@KUPER.de

Spare Parts: Heiko Seyfert

Heinrich-Kuper-Str.10-15 Phone: +49 5244/984-344 E-Mail:Heiko.Seyfert

SUPPLIER MANUFACTURERS (M) AND DISTRIBUTORS (D)

P-Plywood V-Veneer O-Other

HEXION INC. (M)

As the world's largest producer of thermoset resins and the leader in adhesive and structural resins and coatings, Hexion Inc. meets customers' specific application needs with a total solutions approach of products and services. Hexion Inc. offers the broadest range of thermoset resin technologies and unmatched technical support and provides them around the globe. With their extensive research and development capabilities and applications know-how, they are uniquely able to work in partnership with customers to co-develop better products and systems.

Order Desk: (866) 443-9466 PV – Additives; P – Extenders; P – Fillers; V – Glue Release Coatings

Web: www.hexion.com **PVO** – Manufacturer

Precatalyzed Cross Link PVA

Sales: Performance Adhesives EPI, Emulsion – non-structural and structural

Alex Brown, Regional Account Manager, West **Assembly Gluing** 610 S. 2nd Street, Springfield, OR 97477 **Edge Gluing**

(541) 941-8596; Fax: (541) 747-3868 HRA rated (Method A) Finger Jointing - vertical studs

E-mail: alex.brown@hexion.com Hardwood Plywood

Sales: Performance Adhesives Flush Doors Scott Steller, Regional Account Manager, East

1717 Ward Ave., High Point, NC 27261 **Plastic Laminating**

(336) 884-8918 ext. 5117; Cell: (336) 407-0028 I-Beams

Fax: (336) 884-1023

E-mail: scott.steller@hexion.com

Sales: Plywood and LVL Furniture David Dark, Business Dir., N.A.

3901 Sugarhouse Rd., Alexandria, LA 71301 (318) 445-6115 ext. 17; Cell: (318) 471-7791

E-mail: david.dark@hexion.com

Structural Finger Jointing

CARB Phase II Technologies

Laminated Beams Casein Systems **Scarf Jointing**

Window and Door Component Gluing

Plywood

J.M. LONGYEAR, LLC (D)

J.M. Longyear produces and sells hardwood veneer logs and saw logs.

Kate Miller – Raw Material Manager

210 N. Front Street, 1st Floor, Marquette, MI 49855

(906) 458-2973; Fax: (906) 487-6417 E-mail: katemiller@jmlongyear.com

Web: www.jmlongyear.com; www.northernhardwoods.com; www.jml-forestry.com

SUPPLIER MANUFACTURERS (M) AND DISTRIBUTORS (D) P-Plywood V-Veneer O-Other

MEINAN MACHINERY WORKS, INC. (M)

Meinan develops and manufactures innovative machinery for veneer and plywood production, holding hundreds of worldwide patents. The basic concept of peeling veneer was improved by the revolutionary Meinan lathe, using spiked disks to drive logs on their circumference, providing better veneer quality, higher yield, and extremely close thickness tolerance. The Meinan lathe is part of an automatic veneer peeling line with significant labor cost savings, featuring the world's first in-line green veneer composers to reduce labor costs and improve dryer utilization. Meinan's newest development is the 8' green veneer composer, installed in-line to automate the green chain. Meinan also manufactures scarf composers, grading systems, automatic layup lines, and sanders.

Sales Japan: Jimmy Nakaya, Koji Naito

3-130 Kajita-Cho

Obu City, Aichi 434-8543, Japan

011 81 562 472 211; Fax: 011 81 562 48 7300

E-mail: sales@meinan.co.jp

Sales North America: Merritt Machinery, LLC 10 Simonds St., Lockport, NY 14094

(716) 434-5558; Fax: (716) 434-5575 E-mail: amccann@merrittmachinery.com Web: www.merrittmachinery.com PV – Core Composing Systems; V – Crossfeed Splicers; PV – Lathe Systems; P – Lay-up Lines; V – Reeling Systems; PV – Veneer Lathe-Staylog/Full Round; PV – X-Y Chargers

MERRITT MACHINERY, LLC (M)

Merritt has been manufacturing machinery for the production of decorative veneer and plywood for more than 150 years. Merritt rotary and guillotine-style veneer clippers, conveyors, slicers, vacuum flitch tables, and knife carriage control upgrades are in operation worldwide. Our newest innovation is the patented FlitchPrep™ machine for automatically cleaning veneer flitches prior to slicing. Merritt is the U.S. representative of Meinan Machinery Works, a global supplier of veneer and plywood equipment. We are committed to providing innovative high-tech production machinery backed by first-rate customer service.

Sales: Anna McCann
10 Simonds St., Lockport, NY 14094
(716) 434-5558; Fax: (716) 434-5575
E-mail: amccann@merrittmachinery.com
Web: www.merrittmachinery.com

V – Controls; V – Conveyors; V – Double Sided Flitch Planers; V – Electronic Measuring Machines; V – Flitch Machines;

V – Handling Systems; V – Lathe Systems; V – Reeling Systems; V – Stacking Systems; V – Vacuum Systems; V – Veneer Clippers;

Wood Pre-finishing

 ${\sf V}$ – Veneer Guillotines; ${\sf V}$ – Veneer Jointers;

V – Veneer Lathe-Staylog/Full Round; V – Veneer Slicers

NUMATIC FINISHING CORP. (M)

Numatic Finishing is a full architectural wood pre-finishing plant, finishing doors, millwork, paneling, and casework. They do all types of wood finishes including wood treat, preservative treat, fire treat, custom stains and finishes also priming and painting. They work with architects, designers, and owners to help develop and design custom colors and finishes. They are fully automated with two millwork flat-lines, automated door line curing under infrared heat and two areas for those hot samples and rush orders. In 1999 they purchased their first UV flat line, since then they have added a new UV finishing line with a stain module, wiping systems, and three sanders. they can run LEED qualified finishes in all areas

Sales: Mario Vicente (VP) Dan Sportsman (estimating, and management)

3132 C Street N.E., Auburn, WA 98002-1790

(253) 939-2391; Fax: (253) 939-2597

(800) 847-5489

Email: Mario@numaticfinishing.com; dansportsman@numaticfinishing.com; jason@numaticfinishing.com

Web: www.numaticfinishing.com

P-Plywood V-Veneer O-Other

PREMIERE FINISHING & COATING (M)

Premiere Finishing & Coating has expanded its capabilities in a major way beyond its Flat Line floor finishing equipment with the installation of two new production lines. The new Makor reciprocating Spray Line / Oven combination can handle just about anything we throw at it - cabinets, cabinet parts, doors, frames, moldings, and anything that doesn't fit on the Flat Line. It is versatile and perfect for any 3D spray requirement, large or small. The UV Panel Line can finish clear, stained, opaque, and primed - we can match any color and finish. It has 6 roll coaters, a filler machine, Miltec UV lights, denibbers, and an in-line sealer sander. Now more than ever, if you can dream it, we can finish it.

Sales: CEO - Jeff Beach - 336.337.5788 - E-mail: jbeach@premierefinishingandcoating.com
Flatline Sales Manager - Larry Holcomb - 336.432.0932 - E-mail: lholcomb@premierefinishingandcoating.com
Inside Sales Manager - Abbey Linville - 336.349.1994 x 107 - E-mail: alinville@premierefinishingandcoating.com
642 Grooms Road
Reidsville, NC 27320

Reidsville, NC 27320 (336) 349-1994

Web: www.premierefinishingandcoating.com

RAUTE CORP. (M)

Raute offers machinery and technologies that serve the wood products industry, focusing on veneer, plywood and LVL production. We offer made-to-fit solutions via our R3, R5 and R7 Series that match your manufacturing production, automation, data compilation and analysis requirements. Together, we create sustainable future by combining leading wood processing expertise with digital production solutions and local know-how.

Sales: Trevor Wendt 1633 Cliveden Ave. Delta, BC, Canada V3M 6V5

(604) 524-6611; Fax: (604) 521-4035 E-mail: <u>trevor.wendt@raute.com</u>

Web: www.raute.com

PVO – Engineering; PVO – Process Control Systems;

PVO - Consulting-Design/Application; PVO - Controls; PVO - Conveyors;

PVO – Core Composing Systems; V – Dryer Systems; PV – Feeders

PVO – Handling Systems; PVO – Hoists; V – Knives; PV – Lathe Systems;

PVO – Lay-Up Lines; PVO – Loaders/Unloaders; PV – Optimizer Systems;

PO – Overlay Systems; PO – Panel Lines; PV – Patching Lines; PO – Press Equipment;

V – Reeling Systems; PVO – Saw Lines; PVO – Stacking Systems;

PO – Tongue and Groove Machinery; V – Tray Systems; V – Veneer Clippers; V – Veneer Jointers; PV – Veneer Scanning Systems; PV – X-Y Chargers

ROCKET INDUSTRIAL (D)

At Rocket Industrial we share your passion for wood products, and the natural environment that provides them. Our mission to Package with Less™ includes a commitment to sustainability and minimizing waste. We have played a supportive role in veneer production for decades, providing the world's best veneer tapes, glue thread, poly strapping, sheeting, pallet covers, and moisture barriers. The same absolute precision that goes into manufacturing your veneers guides the manufacturing and distribution of Rocket Industrial's veneer tapes, glues and poly products.

Sales: Wes Hoffman 200 Washington St., Suite 220 Wausau, WI 54403

(800) 826-4405

E-mail: whoffman@rocketindustrial.com
Web: www.rocketindustrial.com

P-Plywood V-Veneer O-Other

SHERWIN-WILLIAMS CO. (M)

Since 1866, Sherwin-Williams has provided manufacturers and finishers with the coatings they need to make their products look better and last longer, while helping their operations meet productivity and sustainability goals. For industrial wood markets, our innovative solutions go beyond coatings to include knowledge, tools, equipment, supplies and industry-leading support. We're more than a coatings provider — let us show you how we will be your coatings solution partner at wood.sherwin-williams.com.

Extensive Coatings and Adhesive Portfolio for:

Flooring

Doors

Windows

Kitchen Cabinets

• Kitchen Cabinet

Furniture

Fence/Gate/Rail

Fence/Gate/Rail
 Wood Finishing Job Shops

Architectural Millwork
 ...

Paneling

Siding

Millwork

Prefab Buildings

• Wood Finishing Operations

Specialty

In addition to coatings Sherwin-Williams provides:

- Adhesive Solutions for wood substrates
- Expert on-site technical service
- Color and design trend expertise
- Design engineering solutions for finishing lines
- Associated equipment sales and repair

Sales: Greg Fuller – Strategic Account Manager

(518) 461-8098

Email: greg.m.fuller@sherwin.com

Marketing: Jameson Maag – Marketing Manager 101 W. Prospect Ave Cleveland, OH 44115

(216) 217-7133

Email: jameson.d.maag@sherwin.com

Web: https://industrial.sherwin-williams.com/na/us/en/industrial-wood.html

P-Plywood V-Veneer O-Other

SIEMER MILLING CO. (M)

Siemer Milling Company is a flour processor headquartered in Teutopolis, IL with other locations in West Harrison, IN and Hopkinsville, KY. GLU-X is produced as a special glue extender for the plywood industry. These extenders are used to control viscosity and spread, improve tack and bonds, conserve resin, reduce downgrades, and facilitate environmental compliance.

Sales: Jay Wallace

PO – Additives; PO – Extenders

P.O. Box 670, Teutopolis, IL 62467 (217) 857-2240; Fax: (217) 857-3092

Cell: (217) 343-9551

E-mail: <u>jwallace@siemermilling.com</u>

Web: www.glu-x.com

ENHANCE PANEL PRODUCTION AND INCREASE PROFITS

All-natural **Glu-X** is a specially formulated wheat-based **adhesive extender** that improves adhesive application in panel production.

- Increase Coverage
- Use Less Adhesive
- Stabilize Viscosity
- Improve Consistency



a Siemer Milling Company



SUPPLIER MANUFACTURERS (M) AND DISTRIBUTORS (D) P-Plywood V-Veneer O-Other

SPARTEK INDUSTRIES (M)

SparTek Industries designs, manufactures, installs, and services high quality process machinery and automation solutions, with the latest technology for veneer, plywood, and other engineered wood production. We offer standard and customized solutions for applications including pressing, gluing, sawing, and material handling. Each system is designed using proven solutions and standardized platforms that are configured to meet each customer's unique need. Please contact SparTek to engage in a discussion on how our innovative automation and machine technology can be designed at the highest operating speeds to help your business maximize production efficiencies.

Sales: Seth Petrie - seth.petrie@spartek.com

Service: Bobby Slaughter – bobby.slaughter@spartek.com

Parts: Mike Henry – mike.henry@spartek.com

2221 N Argyle St., Portland, OR 97217 (503) 283-4749; Fax: (503) 289-1621

Web: <u>www.spartek.com</u>

PVO - Automation; **PVO** – Consulting-Design/Application; **PVO** – Controls;

PVO – Conveyors; PVO – Custom Parts; PVO – Drive Chains;

PVO – Engineering; **PVO** – Engineering Surveys/Performance Evaluations;

PVO – Feeders; PVO – Glue Applicators; PVO – Handling Systems;

PVO – Hoists; PVO – Hydraulic Cylinders; PVO – Hydraulic Power Units;

PVO – Install Support/Start Up; PVO – Layup Lines;

PVO - Loaders/Unloaders; PVO - Panel Manufacturing Lines;

PVO – Machine Prototyping; **PVO** – Maintenance Services;

PVO – Press Equipment; PVO – Repair Services; PVO – Saw Lines;

PVO - Stacking Systems; PVO - Training

P-Plywood V-Veneer O-Other

SPECIALTY ORGANICS, INC. (M)

Specialty Organics is a diversified American chemical company. Our BreezeBondTM adhesive is the most-advanced plant-based single component adhesive available today. Going beyond existing plant-based adhesive technology, this product utilizes an abundant inorganic cross-linker. Not only is this product formaldehyde-free, BreezeBondTM also has no harmful petrochemicals. This good shelf-life product meets industry wet bond strength standards and is laboratory tested, zero VOC. This product is ideal for hardwood plywood and engineered flooring applications. It is price competitive with traditional hot-press adhesives on the market today and requires minimal capital investment to use product. BreezeBondTM is made in the USA and is not directly affected by volatile oil markets.

PO - Adhesives; PO - Extenders

BreezeBond[™] - Soy Adhesive, Liquid

Sales: Joseph Seruto and James Seruto

16276 Koala Road Adelanto, CA 92301-3915 Office: (760) 246-9000

E-mail: joseph@soichem.com & james@soichem.com

Web: www.soichem.com

BreezeBond

The Most Advanced Plant-Based Wood Panel Adhesive



Petrochemical free No Formaldehyde



Laboratory-tested Zero VOCs



Excellent wet and dry strength adhesion



















P-Plywood V-Veneer O-Other

STILES MACHINERY (M)

Stiles Machinery, a proud member of the HOMAG Group, offers complete-system, best-in-class machinery solutions for the primary manufacture and secondary fabrication of all Solid Wood and Engineered Wood Products, and for off-site Building Automation systems. This includes infeed and outfeed material handling from lumber grading, scanning, and finger-jointing to high-speed pressing and CNC fabrication of structural Mass Timber Beam and Panels, as well as sawing, sanding, moulding, edgebanding, and CNC machining for the Solid-Wood and Composite Panel Industries. Backed by the nation's largest team of 24-hour service and support specialists, an extensive inventory of ready-to-ship parts, and the industry's only nationally-accredited workforce training program, Stiles offers world-class solutions. Contact Stiles today to learn more about how we can partner with you.

Sales: Ron Schmidt 3965 44th Street, SE Grand Rapids, MI 49512 Mobile: 586-764-4042

Email: rschmidt@stilesmachinery.com
Web: www.stilesmachinery.com

TAIHEI MACHINERY WORKS, LTD. (M)

Taihei Machinery is a leading manufacturer of veneer and plywood equipment, especially horizontal hot presses up to 140 openings and jet roller dryers. Taihei is the leader in today's knife grinding and honing technologies. In Sep 2016, we opened a showroom of knife grinder and knife honer in Oregon State. We would be happy to have you visit our showroom, where we can grind you company's knives and then arrange for peeling tests at your facilities.

Sales Japan: Sam Matsuoka 955-8, Miyamae, Irukade-Shinden Komaki City, Aichi, Japan 485-0084 +81-568-73-6431; Fax: +81-568-73-6414

E-mail: h matsuoka@taihei-ss.co.jp

Web: www.taihei-ss.co.jp

P – Glue Applicators; PV – Knife Grinders; PV – Press Equipment;

PV – Reeling Systems; P – Saw Lines; PV - Dryers

PV - X-Y Charger

Showroom location: 29322 Airport Road, Eugene, OR

VENANGO MACHINE COMPANY, INC. (M)

14118 Route 8-89 Wattsburg, PA 16442

(814) 739-2211; Fax: (814) 739-2024 Web: <u>www.venangomachine.com</u>

VINAVIL AMERICAS (M)

Vinavil is a leading global company in the production of wood adhesives. We manufacture high performing, environmentally friendly adhesives, and other resins in 5 locations, including Laval QC (Canada) and West Chicago IL.

Sales: Hemant Shah, Business Director 1144 East Newport Center Drive Deerfield Beach, FL 33442 (954) 415-2454; Fax: (954) 246-8800

Email: hjshah@vinavil.com Web: www.vinavil.com/us VO - Adhesives Manufacturer

SUPPLIER MANUFACTURERS (M) AND DISTRIBUTORS (D) P-Plywood V-Veneer O-Other

WEST FRASER (M)

West Fraser., the world's largest producer of Oriented Strand Board, is now producing Industrial Core for the most demanding of applications such as Hardwood Plywood and Engineered Flooring. West Fraser's mills are strategically located throughout North America near key manufacturing operations such as yours. West Fraser offers an array of dimensions and finishes that help to improve your yield and throughput. West Fraser's Engineered Strand Panels (E.S.P.) blend many of the attributes of the traditional cores you are familiar with in one exciting new hybrid core. Reach out to West Fraser today and get introduced to our Solutions Team that will work with your team to provide service, quality and supply second to none.

Sales: Blair S. Ruzicka

1 Toronto Street, Suite 600, Toronto,

ON M5C 2W4, Canada

(470) 201-7660; Fax: 1-866-791-3334 E-mail: <u>ruzickab@westfraser.com</u> Web: <u>www.westfraser.com</u> 0 – Manufacturer

WESTMILL INDUSTRIES USA CORP. (M)

Westmill Industries has been serving the Plywood and Veneer industry since 1975. Recognized as a leader in veneer drying technologies, Westmill supplies new veneer dryer systems, material handling equipment and remodels/rebuilds existing dryers. Westmill is considered the most innovative Dryer Technology company today and we have a large installation base of new and rebuilt veneer dryers throughout North America, South America, and New Zealand. We are the largest stocking supplier of all makes of dryer parts in the world at our headquarters in Abbotsford, BC, with additional warehouses in Eugene, OR and Atlanta, GA.

Sales: George Harmati 30640 Marshall Road Abbotsford, BC, Canada V2T 6J7 (604) 607-7010; Fax: (604) 607-7099 Toll free number: (877) 607-7010.

E-mail: sales@westmill.com
Web: www.westmill.com

PV – Engineering; PVO – Process Control Systems; V – Dryer Systems; V – Electronic Measuring Machines; PV – Handling Systems; PV – Hoists; V – Loaders/Unloaders; PV – Stacking Systems; V – Vacuum Systems

ASSOCIATE MEMBERS

ALTAMONT COMPANY

901 N. Church St., Thomasboro, IL 61878 (217) 643-3125; Fax: (217) 643-7973

Merlin Enright

Web: www.altamontco.com

BAMBOO ECOLOGIC CORPORATION

5206 Paylor Lane, Sarasota, FL 34240 **(**217) 622-9791

Craig Rosenlund

Web: www.becbamboo.com

NORTH CAROLINA STATE UNIVERSITY

411 Dan Allen Drive Raleigh, NC 27695 (919) 515-2881 Lyndsey Campbell

Web: https://research.cnr.ncsu.edu/wptechservices/

ARMSTRONG WORLD INDUSTRIES, INC.

2500 Columbia Avenue, Lancaster, PA 17603

1 (877) 276-7876

Web: www.armstrongceilings.com

KIMBALL INTERNATIONAL, INC.

Manufacturer of Fine Office and Hospitality Furniture 1155 W. 12th Avenue, Jasper, IN 47549 (800) 482-1616; Fax: (812) 482-8804

Web: www.kimball.com

PATRICK INDUSTRIES

107 W. Franklin Street Elkhart, IN 46516 (800) 331-2151

Web: www.patrickind.com



Innovative
Solutions for
the Engineered
Wood Products
Industry.

Hexion is a world leader in supplying resins, adhesives, wax emulsions, and ancillary products to the engineered wood and hardwood veneer products industries. We meet the most challenging applications with a complete package of innovative, cost-effective solutions. We're also at the forefront in developing environmentally suitable technologies for reduced emissions.

Product Lines

- Urea Resins
- Melamine Resins
- Phenolic Resins
- Phenol-Resorcinol Resins
- PVA Adhesives –Conventional and Cross Link
- Casein Adhesive
- EcoBind™ Ultra-low Emitting Resin andAdhesive Technologies
- EPI Adhesive
- HRA Technology (Heat Rated Adhesives)

Applications

- Veneer Splicing
- Composite
- Panels
- Hardwood Plywood
- Furniture
- Laminating
- Saturating
- All Woodworking Applications
- Fingerjointing Structure and Non-structural Adhesives

Sales Offices

- Alexandria, LA +1 318 445 6115
- High Point, NC +1 336 884 8918
- Portland, OR +1 503 286 3653
- Springfield, OR +1 866 443 9466

Visit us at Hexion.com






ADHESIVE MANUFACTURERS

NAME AND LOCATION OF COMPANY			0	RN	APPLICATION																							
HEXION INC. (866) 443-9466 Order Desk Web: www.hexion.com																												
610 S. 2nd Street, Springfield, OR 97477 (541) 941-8596; Fax: (541) 747-3868 Alex Brown, Regional Account Manager, West Performance Adhesives E-mail: alex.brown@hexion.com																												
1717 Ward Avenue, High Point, NC 27261 (336) 884-8918 ext. 5117; Fax: (336) 884-1023 Cell: (336) 407-0028 Scott Steller, Regional Account Manager, East Performance Adhesives E-mail: scott.steller@hexion.com										9							3ER											
3901 Sugarhouse Road, Alexandria, LA 71301 (318) 445-6115 ext. 17; Cell: (318) 471-7791 David Dark, Business Dir., North America Plywood/LVL E-mail: david.dark@hexion.com		EMULSION	LIQUID	POWDER	SOLID	ASSEMBLY GLUING	BOATS (MARINE USES)	EDGE GLUING	EXTERIOR PLYWOOD	FILMS & PAPER OVERLAYS	FINGER JOINTING	FLUSH DOORS	HARDBOARD	HARDBOARD BINDER	INTERIOR PLYWOOD	LAMINATED TIMBERS	LAMINATED VENEER LUMBER	MOLDED PRODUCTS	OSB BINDER	PANEL TO FRAME	PAPER TO WOOD	PARTICLEBOARD	PARTICLEBOARD BINDER	PLASTIC LAMINATING	SCARF JOINTING	TAPELESS SPLICING	VENEER SPLICING	WAFERBOARD BINDER
BRAND NAME	TYPE		_		•,	_	Ë	F			_					_	_	_	Ŭ		_	Ē	Ļ	<u> </u>	4	Ļ	Ĺ	
Casco	Casein			X								Χ	Χ		Χ								₩	X	₩		Ļ	Ш
Cascamite Splicer Adhesives	Urea Powder			Χ																			₩		₩	₩	Χ	Ш
Cascamite General Purpose Adhesives	Urea Powder			Χ		X		Χ				Χ	Χ		Χ					Χ		Χ		Χ	Х			
Casco Resin	Modified Urea Resins		Х			Χ		Χ				Χ	Х		Χ							Χ		Χ				
Casco Resin	Urea Resins –		Х			Χ		Χ		Χ	Χ	Χ	Х		Х					Χ	Х	Х		Χ	Х			
Casco Resin	Plywood Urea Resins – Particleboard		Х																				Х					
Cascophen	Phenolic – Hardboard		Х											Χ														
Cascophen	Resorcinol, Phenol- Resorcinol		Х			X	Х	X					Х			Χ						Χ		Χ	Х			
Cascophen	Phenolic		Χ						Χ										Χ									Χ
Cascorez	Polyvinyl Acetate	X				X		Χ		Χ	Χ	Χ	Χ		Χ					Χ	Χ	Χ		Χ	Х	L	Х	
Cascomel	Melamine		Χ							Χ													$oldsymbol{\perp}$		$oldsymbol{\perp}$	$oldsymbol{ol}}}}}}}}}}}}}}}}}$	<u> </u>	
Cascomel	Melamine			Χ		X	<u> </u>	Χ	Х	Χ	Χ	Χ	Х									Χ			Х		$oxed{oxed}$	
Cascomel	Melamine Urea			Χ		Χ	<u> </u>	Χ	Х	Χ	Χ	Χ									Χ	Χ		X	Х	<u> </u>	\perp	
Cascowax	Wax Emulsion		Χ				<u> </u>						Х						Χ			Χ			\perp	$oxed{oxed}$	$oxed{oxed}$	Χ
Paper Overlay Resins	Urea - Paper Overlay		Χ							Χ			Χ							<u> </u>	Х	Χ			\perp	$oldsymbol{ol}}}}}}}}}}}}}}}}}}$	<u> </u>	
Wonderbond	Cross Link PVA	X				Χ		Χ	Х		Χ	Χ	Χ		Χ					Χ		Χ	\perp	X	Х	丄	$oxed{oxed}$	
Wonderbond	Precatalyzed Cross Link PVA	X				X		Χ				Χ	Х		Χ					Χ		X		X	Х			
XB-9000 Series	Thermoset Emulsions	X	Х					X	Х		Χ																	

NAME AND LOCATION OF COMPANY			FORM APPLICATION																									
FRANKLIN ADHESIVES AND POLYMERS 2020 Bruck Street Columbus, OH 43207 (800) 487-4583; Fax: (614) 445-1366 Jaye Schroeder, V.P. of Industrial Business E-mail: jayeschroeder@franklininternational.com Web: www.franklinadhesivesandpolymers.com BRAND NAME TYPE		EMULSION	LIQUID	POWDER	SOLID	ASSEMBLY GLUING	BOATS (MARINE USES)	EDGE GLUING	EXTERIOR PLYWOOD	FILMS & PAPER OVERLAYS	FINGER JOINTING	FLUSH DOORS	HARDBOARD	HARDBOARD BINDER	INTERIOR PLYWOOD	LAMINATED TIMBERS	LAMINATED VENEER LUMBER	MOLDED PRODUCTS	OSB BINDER	PANEL TO FRAME	PAPER TO WOOD	PARTICLEBOARD	PARTICLEBOARD BINDER	PLASTIC LAMINATING	SCARF JOINTING	TAPELESS SPLICING	VENEER SPLICING	WAFERBOARD BINDER
Multibond	X PVA		Х			Χ		Χ			Χ	Χ			Χ													
Reactite	EPI	Χ				Χ		Χ				Χ			Χ													
SPECIALTY ORGANICS, INC. 16276 Koala Road Adelanto, CA 92301-3915 (760) 246-9000 Joseph Seruto & James Seruto E-mail: joseph@soichem.com james@soichem.com Web: www.soichem.com BRAND NAME BreezeBond™	TYPE Soy Adhesive	EMULSION	Х	POWDER	SOLID	ASSEMBLY GLUING	BOATS (MARINE USES)	EDGE GLUING	EXTERIOR PLYWOOD	FILMS & PAPER OVERLAYS	FINGER JOINTING	FLUSH DOORS	HARDBOARD	X HARDBOARD BINDER	X INTERIOR PLYWOOD	LAMINATED TIMBERS	X LAMINATED VENEER LUMBER	MOLDED PRODUCTS	OSB BINDER	PANEL TO FRAME	X PAPER TO WOOD	X PARTICLEBOARD	X PARTICLEBOARD BINDER	PLASTIC LAMINATING	SCARF JOINTING	TAPELESS SPLICING	VENEER SPLICING	WAFERBOARD BINDER
VINAVIL AMERICAS 1144 East Newport Center Drive Deerfield Beach, FL 33442 (954) 415-2454; Fax: (954) 246-8 E-mail: hjshah@vinavil.com Web: www.vinavil.com/US BRAND NAME Vinavil	3800 TYPE	X EMULSION	гідиір	POWDER	SOLID	X ASSEMBLY GLUING	BOATS (MARINE USES)	X EDGE GLUING	EXTERIOR PLYWOOD	FILMS & PAPER OVERLAYS		X FLUSH DOORS	HARDBOARD	HARDBOARD BINDER	X INTERIOR PLYWOOD		X LAMINATED VENEER LUMBER	MOLDED PRODUCTS	OSB BINDER	X PANEL TO FRAME	PAPER TO WOOD	PARTICLEBOARD	PARTICLEBOARD BINDER	PLASTIC LAMINATING	SCARF JOINTING	TAPELESS SPLICING	VENEER SPLICING	WAFERBOARD BINDER



Danzer covers all your needs for decorative veneers, hardwood lumber, flooring lamellas, specialty veneers, and spliced faces. Our technical innovations ensure the best use of the natural resource, and allow us to give you what you need, when you need it. Couple this with our long-term focus and dedication to protecting the environment, and you experience why Danzer is an excellent choice.





DECORATIVE HARDWOODS Association**

EXPAND YOUR OPPORTUNITIES: BECOME ADHA MEMBER

Let's talk.

To apply, visit www.decorativehardwoods.org/about and click on "join now", or contact us to find out more.

We look forward to hearing from you.

(703) 435-2900 resources@decorativehardwoods.org www.decorativehardwoods.org

Founded in 1921, Decorative Hardwoods
Association represents the hardwood plywood,
hardwood veneer, and engineered hardwood
flooring industries. Together, we produce 90% of
the hardwood plywood stock panels and hardwood
veneer manufactured in North America.



REAP THE BENEFITS OF MEMBERSHIP IN DHA

ADVOCACY Influence government actions and regulations that affect your company's bottom line. We work hard to ease the burden of regulations that undermine your ability to compete.

STANDARDS We lead, update, and publish consensus standards to help keep you at the top of your game.

NETWORKING Meet your buyers, distributors, and suppliers faceto-face at our annual conference.

CONTINUING EDUCATION Leverage our wide variety of resources, education, and standards—many of which are free—for your company and your team.

REGULAR UPDATES Twice per month, you'll receive the DHA email newsletter to help keep you current on the most important industry trends, opportunities, and developments.

SUPPORT Consult with DHA's experienced staff of technical experts, and enjoy discounts on best-in-class product testing and certification.

MARKETING Reach thousands of decision makers in the industry by advertising in DHA publications and email updates. Ads are restricted to members only.